

#### Document title

## EURONEXT CASH MARKETS – COMMON FILE TRANSFER SYSTEM - END OF DAY FILES - INTERFACE SPECIFICATION

#### Document type or subject

Common File Transfer System - End of Day Files - Interface Specification

Version number 5.20.0

Date 14 Nov 2022

Number of pages 70

Author Euronext

This document is for information purposes only. The information and materials contained in this document are provided 'as is' and Euronext does not warrant the accuracy, adequacy or completeness and expressly disclaims liability for any errors or omissions. This document is not intended to be, and shall not constitute in any way a binding or legal agreement, or impose any legal obligation on Euronext. This document and any contents thereof, as well as any prior or subsequent information exchanged with Euronext in relation to the subject matter of this presentation, are confidential and are for the sole attention of the intended recipient. Except as described below, all proprietary rights and interest in or connected with this publication shall vest in Euronext. No part of it may be redistributed or reproduced without the prior written permission of Euronext. Portions of this presentation materials or information copyrighted, trademarked or otherwise owned by a third party. No permission to use these third party materials should be inferred from this presentation.

Euronext refers to Euronext N.V. and its affiliates. Information regarding trademarks and intellectual property rights of Euronext is located at <u>https://www.euronext.com/terms-use.</u>

© 2022 Euronext N.V. - All rights reserved.

## PREFACE

#### PURPOSE

This document describes the files generated on a daily basis by the Optiq for the End Of Day (EOD) application and provided to the members of the Euronext Cash regulated markets.

#### **CONTACT INFORMATION**

■ EUA and Production environments: <u>clientsupport@euronext.com</u> or +33 1 8514 8585.

#### WHAT'S NEW?

The following lists only the most recent modification made to this version (full history is in the Appendix).

| VERSION NO. | DATE        | CHANGE DESCRIPTION   |
|-------------|-------------|----------------------|
| 5.20.0      | 28 Oct 2022 | Creation of document |

#### ASSOCIATED DOCUMENTS

The following lists the associated documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- Euronext Cash and Derivatives Markets Optiq Files Interface Specification
- Euronext Cash and Derivatives Markets Optiq OEG SBE Messages Interface Specification
- Euronext Cash and Derivatives Markets Optiq OEG FIX 5.0 Messages Interface Specification
- Euronext Cash and Derivatives Markets Optiq OEG TCS Error List Technical Specification (.csv)
- Euronext Cash and Derivatives Markets Common File Transfer System User Guide

<u>Clients are advised to also refer to the Euronext Rules and Regulations documents for more details.</u> For the latest version of documentation please visit <u>http://www.euronext.com/optiq</u>

## CONTENTS

| 1.    | END OF DAY (EOD) APPLICATION OVERVIEW                       | 4                            |
|-------|---|------------------------------|
| 1.1   | Target restrictions   | 4                            |
| 1.2   | Format differences between Order file and Trade file fields | 5                            |
| 2.    | HOW TO RETRIEVE EOD FILES                                   | 6                            |
| 2.1   | Introduction  | 6                            |
| 2.2   | Retrieving EOD files by Script                              | 6                            |
| 2.2.1 | Step 1 : Authentication                                     | Error! Bookmark not defined. |
| 2.2.2 | Step 2 : File Download                                      | Error! Bookmark not defined. |
| 2.2.3 | Complete Script   | Error! Bookmark not defined. |
| 3.    | DAY ORDER FILES   | 7                            |
| 3.1   | File description  | 7                            |
| 3.2   | Fields Formats  | 8                            |
| 3.2.1 | Functional Field Formats                                    | 8                            |
| 3.2.2 | Technical Field Formats                                     | 9                            |
| 3.3   | Order record in Optiq XML format                            |                              |
| 4.    | DAY TRADE FILE  | 16                           |
| 4.1   | File description  | 16                           |
| 4.2   | Field formats   | 16                           |
| 4.3   | Trade record  |                              |
| 5.    | WARRANTS & CERTIFICATES LCH FILES                           |                              |
| 5.1   | Files description   | 21                           |
| 5.2   | Uncleared trade information file                            | 21                           |
| 5.2.1 | Uncleared trade File Name                                   | 21                           |
| 5.2.2 | Uncleared Trade record                                      |                              |
| 5.3   | Uncleared Netting information file                          | 24                           |
| 5.3.1 | Uncleared Netting File Name                                 | 25                           |
| 5.3.2 | Uncleared Netting record                                    | 25                           |
| 5.4   | Uncleared Outbound information file                         | 27                           |
| 5.4.1 | Uncleared Outbound File Name                                | 27                           |
| 5.4.2 | Uncleared Outbound record                                   | -                            |
| 6.    | ORDER FILE FIELD DESCRIPTIONS                               |                              |
| 7.    | TRADE FILE FIELD DESCRIPTIONS                               |                              |
| 8.    | WARRANTS & CERTIFICATES LCH FILES FIELD DESCRIPTIONS        | 61                           |

## 1. CFTS EOD SERVICE OVERVIEW

The Common File Transfer System (CFTS) EOD (End of Day) Service allows trading member firms to retrieve and download files, containing order and trade information belonging to its member firm code. Files are distributed by CFTS into private data folders per trading member firm ID. The following files are made available for downloading on a daily basis:

- A file containing all orders entered by this member and remaining in the book for the next trading session for the following Optiq segments:
  - Equities
  - Funds
  - Fixed Income
- A file containing all orders entered by this member and remaining in the book for the next trading session for the Optiq segment of:
  - Warrants & Certificates
- A file containing all trades executed during the last Trading session in the Matching Engine for all the Optiq following segments
  - Equities
  - Funds
  - Fixed Income
  - Warrants & Certificates
  - Block

In addition to the trades executed during the last Trading session, the Member Firm has also access to the 4 previous Trading days' trade files (5 trade files are on-line and available for a given scope of Optiq segments).

#### **1.1 TARGET RESTRICTIONS**

The description of the output files herein addresses all cash-related trading Optiq Segments.

- Some of the functionalities and messages in the document are applicable only when enabled for the specific scope of instruments;
- The functionalities follow the rules set out in the Euronext Trading manual and Rule books.

The following table lists Optiq Segment tags applicable to EOD application. Each tag is used to indicate data for which Optiq Segment is contained within it.

Text tags are used within individual fields to indicate

| Optiq Segment           | Image Tag | Text Tags |
|-------------------------|-----------|-----------|
| Equities                | EQ        | [EQ]      |
| Funds                   | FUND      | [FUND]    |
| Fixed Income            | FRM       | [FRM]     |
| Warrants & Certificates | SP        | [SP]      |
| Block                   | BLK       | [BLK]     |

#### **1.2 FORMAT DIFFERENCES BETWEEN ORDER FILE AND TRADE FILE FIELDS**

Field formats for similar concepts / fields between trade and order files are in progress of migration to the new format. Due to the transitional period, fields names / formats between files may be different and are provided in different dedicated sections.

The length of the numerical fields of the order files are indicated in number of bytes. For example an "enumerated" field of length "1" corresponds to 2^8 = 256 possible values.

Please find below the list of common fields between trade and order file that have such differences, and the guidelines on how to reconcile them:

| Field            | Difference  | Guidelines for Reconciliation  |
|------------------|---|--|
| EMM              | Format:<br>• Order file: Enumerated<br>• Trade file: Int  | The differences for this field are representative only. While the<br>list of values in the Trade file contains additional values for<br>Derivatives, the equivalent values between the files, and their<br>meaning, are identical.<br>E.g. value '1' will be present in both files, and will represent in<br>both files the 'Cash and Derivatives Central Order book'  |
| Account Type     | <ul> <li>Fields:</li> <li>Order file: Account Type &amp; LP<br/>Role</li> <li>Trade file: Role80A</li> <li>Format:</li> <li>Order file: Enumerated</li> <li>Trade file: Char</li> </ul> | <ul> <li>While format is different between the fields, the matching values provided will be the same, and will carry the same meaning.</li> <li>Due to migration to Optiq the value of RLO ('3') present in the field Rule80A of the Trade file is represented by values in two field in the Order file. To obtain equivalent of RLO values in the fields listed below should be combined:</li> <li>Account Type: '6' (Liquidity Provider)</li> <li>LPRole: '3' (Retail Liquidity Provider)</li> </ul> |
| OnBehalfOfCompID | <ul> <li>Fields:</li> <li>Order file: OnBehalfOfCompID</li> <li>Trade file: OnBehalfOfCompID8</li> <li>Format:</li> <li>Order file: Text</li> <li>Trade file: String</li> </ul>         | The differences for this field are representative only.<br>The format in which values are provided, field length, the values<br>and their meaning are identical.   |
| Symbol Index     | Format:<br>• Order file: Numerical ID<br>• Trade file: Int<br>Length:<br>• Order file: 4<br>• Trade file: 10  | The differences for this field are representative only.<br>The format in which values are provided, field length, the values<br>and their meaning are identical.   |

The length of files are regularly extended with the addition of new fields. In order to limit impacts on Client side it is recommended to rely only on the length of each field and not on the total length of the record. As such, any addition of fields will not directly impact the Client software.

## 2. HOW TO RETRIEVE CFTS EOD FILES

#### 2.1 INTRODUCTION

The Common File Transfer System (CFTS) EOD (End Of Day) Service allows trading member firms to retrieve and download files, containing order and trade information belonging to its member firm code. Files are distributed by CFTS into private data folders per trading member firm ID.

The five (5) latest daily files are made available within the CFTS EOD service. CFTS EOD service files described in this document. can be downloaded using SFTP SSH key connectivity. Additional file retrieval methods will be made available in future releases of CFTS.

To obtain access to the CFTS EOD service clients may contact Customer Access Services at <a href="mailto:cas@euronext.com">cas@euronext.com</a>.

For all issues related to EUA and Productions environments, clients have to get in touch with OCS Team: <u>clientsupport@euronext.com</u>

#### 2.2 RETRIEVING EOD FILES BY SFTP

To retrieve private trading member CFTS EOD service files through SFTP SSH key connectivity see the CFTS user guide.

## 3. DAY ORDER FILES

#### 3.1 FILE DESCRIPTION

This chapter specifies the body record of the order files containing all orders remaining in the book for the next Trading Day (active orders).

The order files will be made available in Optiq XML format.

As only cash markets are concerned, enumerated values that are specific to derivatives instruments (flagged by [D] or 'Derivatives only' in the field descriptions) will never appear in the order files.

Files are generated per member and distribution to a private trading member folder per Firm ID.

#### ACTIVE ORDERS FOR EQUTIES, FUNDS AND FIXED INCOME SEGMENTS

Available for: EQ FUND FRM

XML File name ......FORDCXML

These file contain all orders remaining in the book for the next Trading Day for the Equities, Funds and Fixed Income Optiq segments.

For the XML file – one record is provided per order.

#### **ACTIVE ORDERS FOR WARRANTS & CERTIFICATES SEGMENT**

Available for:

XML File name ......FORDCWXML

These files contain all orders remaining in the book for the next Trading Day for the Warrants & Certificates Optiq segment.

For the XML file – one record is provided per order.

#### 3.2 **FIELDS FORMATS**

Section below provides functional and technical field formats identified in this specifications for the Order files.

#### 3.2.1 Functional Field Formats

| Functional Format            | Description   |
|------------------------------|---|
| Alphanumerical ID            | String type identifying an element.   |
| Amount                       | Signed numerical field representing an amount.  |
| Bitmap                       | This format is not a true Bitmap as defined in SBE protocol, but rather its representation in text format. In files, i.e. for EOD Order file, the field uses similar logic to a Bitmap in SBE, however instead of bits, each character in the field represents a position in the field. The field from the left, starts with '0b' and each position following this provides the characters to represent each object indicated in the possible values. Only values zero (0) and one (1) are provided, and their meaning depends and is identified in the description of individual fields. |
| Boolean                      | Indicator having two possible values, either 'true - 1' or 'false - 0'. This value is set on the first bit of the byte (in Little-Endian).  |
| Date                         | Date of an event.   |
| Decimal Places               | Number of decimals associated to a numerical field.   |
| Enumerated                   | Information having a delimited set of possible values.  |
| Epoch Time in<br>Nanoseconds | UTC time in nanoseconds since 1970 January the 1st.   |
| Integer Time in hhmmss       | Time in an integer on 2 bytes expressed as hhmmss   |
| Intraday Time in Seconds     | UTC time in seconds since the beginning of the day.   |
| Numerical                    | Generic numerical field.  |
| Numerical ID                 | Numerical field identifying an element.   |
| Price                        | Numerical field representing a price (either signed or not signed).   |
| Quantity                     | Unsigned numerical field representing a quantity of elements (for example a number of shares).  |
| Text                         | Text in UTF-8.  |
| Timestamp                    | Time of an event.   |
|                              |   |

#### **3.2.2** Technical Field Formats

The following technical field formats types are used:

- All integers are numeric (signed/ unsigned specified in each field format description) using two's complement method.
- Binary data are in Intel byte order (Little-Endian).
- All "Alphanumerical ID" and "Text" fields are alphanumeric based on UTF-8.

| Technical Format    | Description                                      |
|---------------------|--|
| character           | Alphanumerical field containing only 1 character |
| signed integer 8    | 1 byte signed numerical field                    |
| signed integer 64   | 8 bytes signed numerical field                   |
| unsigned integer 8  | 1 byte unsigned numerical field                  |
| unsigned integer 16 | 2 bytes unsigned numerical field                 |
| unsigned integer 32 | 4 bytes unsigned numerical field                 |
| unsigned integer 64 | 8 bytes unsigned numerical field                 |

#### 3.3 ORDER RECORD IN OPTIQ XML FORMAT

For detailed information on the construction of Optiq XML files, please refer to the Euronext Cash and Derivatives Markets - Optiq File Specification.

| ield                         | Short Description  | Format                    | Values                    | Presence  | Former UTP Field   |
|------------------------------|--|---------------------------|---------------------------|-----------|--|
| ndOfDayOrderFile             |  |                           |                           |           |  |
| EndOfDayOrderUnitary         |  |                           |                           |           |  |
| <u>OrderEntryTime</u>        | Matching Engine IN time (in ns), time at<br>which the corresponding inbound<br>message entered the Matching Engine.<br>(Time in number of nanoseconds since<br>01/01/1970 UTC) | Epoch Time in Nanoseconds | From 0 to 2^64-2          | Mandatory | OrderEntryDate /<br>OrderEntryTime<br>Both fields are replaced by<br>OrderEntryTime that provides<br>Date and Time of order entry                            |
| SenderCompID                 | Identifier of the member firm that sends the message.  | Text                      | Firm ID                   | Mandatory | SenderCompID   |
| LogicalAccessID              | Identifier of the Logical Access.  | Numerical ID              | From 0 to 2^32-2          | Mandatory | OnBehalfOfLocationID   |
| <u>ClientOrderID</u>         | An identifier of a message assigned by<br>the Client when submitting an order to<br>the Exchange.  | Numerical ID              | From -2^63+1 to<br>2^63-1 | Mandatory | ClOrdID  |
| OrderID                      | Numerical order identifier assigned by<br>the matching engine, unique per<br>instrument and EMM.   | Numerical ID              | From 0 to 2^64-2          | Mandatory | NSeqOm   |
| <u>OrderModificationTime</u> | Matching Engine IN time (in ns), time at<br>which the corresponding inbound<br>message entered the Matching Engine.<br>(Time in number of nanoseconds since<br>01/01/1970 UTC) | Epoch Time in Nanoseconds | From 0 to 2^64-2          | Optional  | CancelReplaceTime /<br>OrderModificationDate<br>Both fields are replaced by<br>OrderModificationTime that<br>provides Date and Time of<br>order modification |
| ModifiedSenderCompID         | Identifier of the member firm that sends the message.  | Text                      | Firm ID                   | Optional  | SenderComplDMod  |
| ModifiedLogicalAccessl       | Identifier of the Logical Access.  | Numerical ID              | From 0 to 2^32-2          | Optional  | OnBehalfOfLocationIDMod  |
| OrderPriority                | Rank giving the priority of the order.<br>The order with the lowest value of<br>Order Priority has the highest priority.   | Numerical ID              | From 0 to 2^64-2          | Mandatory | OrderPriorityTime  |

| d                       | Short Description  | Format       | Values  | Presence  | Former UTP Field             |
|-------------------------|--|--------------|---|-----------|------------------------------|
| EODOrderStatus          | Order Status for End Of Day Order file   | Enumerated   | 0 = New<br>1 = Partially Filled<br>2 = Replaced   | Mandatory | OrdStatus                    |
| <u>OnBehalfOfCompID</u> | ID of the issuing firm when the message is sent through a third party.           | Text         | Firm ID   | Optional  | OnBehalfOfCompID             |
| <u>OptiqSegment</u>     | An Optiq segment is a universe of instruments sharing common trading properties. | Enumerated   | 1 = Equities<br>2 = Funds<br>3 = Fixed Income<br>4 = Warrants &<br>Certificates   | Mandatory | <b>NA</b><br>New Optiq field |
| Symbolindex             | Exchange identification code of the instrument.                                  | Numerical ID | From 0 to 2^32-2  | Mandatory | Symbol                       |
| <u>EMM</u>              | Defines the Exchange Market<br>Mechanism applied on each platform.               | Enumerated   | 1 = Cash and<br>Derivative Central<br>Order Book (COB)<br>2 = NAV Trading<br>Facility<br>5 = Cash On Exchange<br>Off book<br>6 = Euronext off-<br>exchange trade<br>reports<br>8 = ETF MTF - NAV<br>Central Order Book<br>99 = Not Applicable<br>(For indices and iNAV) | Mandatory | <b>NA</b><br>New Optiq field |
| <u>OrderSide</u>        | Indicates the side of the order.   | Enumerated   | 1 = Buy<br>2 = Sell<br>3 = Cross [i]  | Mandatory | Side                         |
| OrderType               | Type of Order.   | Enumerated   | (See field description)   | Mandatory | OrderType / IcebergOr        |

| d  | Short Description  | Format       | Values  | Presence    | Former UTP Field  |
|--|--|--------------|---|-------------|---|
| ExecutionInstruction                       | Field used as instruction for order<br>handling. Values specified, in the list of<br>possible values, indicate the bit<br>positions that should be used to set<br>zero (0) or one (1) values. A single field<br>contains multiple values provided in<br>different positions. | Bitmap       | (See field description)   | Mandatory   | DisplayQtyRdm   |
| <u>TimeInForce</u>                         | Specifies the maximum validity of an order.  | Enumerated   | 0 = Day<br>1 = Good Till Cancel<br>2 = Valid for<br>Uncrossing<br>3 = Immediate or<br>Cancel<br>4 = Fill or Kill<br>5 = Good till Time<br>6 = Good till Date<br>7 = Valid for Closing<br>Uncrossing | Mandatory   | TimeInForce   |
| <u>TriggeredStopTimeInFor</u><br><u>ce</u> | Specifies the maximum validity of an triggered stop order.   | Enumerated   | 0 = Day<br>1 = Good Till Cancel<br>6 = Good till Date   | Conditional | <b>NA</b><br>New Optiq field  |
| OrderExpirationDate                        | Field used as date of order expiration for GTD orders.   | Date         | From 0 to 2^16-2  | Conditional | ExpireTime<br>Split in OrderExpirationDate<br>and OrderExpirationTime |
| OrderExpirationTime                        | Field used as time of order expiration for GTT orders.   | Numerical ID | From 0 to 2^32-2  | Conditional | ExpireTime<br>Split in OrderExpirationDate<br>and OrderExpirationTime |
| <u>OrderPrice</u>                          | Instrument price per quantity unit (To<br>be calculated with Price/Index Level<br>Decimals).   | Price        | From -2^63+1 to<br>2^63-1   | Conditional | Price   |
| StopTriggerPrice                           | Stop Trigger Price is mandatory for stop orders.   | Price        | From -2^63+1 to<br>2^63-1   | Conditional | StopPx  |
| PegOffset                                  | (Future Use) Tick offset for a pegged order.   | Numerical ID | From -127 to 127  | Conditional | PegDifference   |

| ł                               | Short Description  | Format            | Values  | Presence    | Former UTP Field                             |
|---------------------------------|--|-------------------|---|-------------|--|
| <u>OrderQuantity</u>            | Total order quantity, per quantity<br>unit.(To be calculated with Quantity<br>Decimals)  | Quantity          | From 0 to 2^64-2  | Mandatory   | OrderQty                                     |
| <u>MinimumOrderQuantit</u><br>Y | Minimum quantity to be executed<br>upon order entry (else the order is<br>rejected), (To be calculated with<br>Quantity Decimals).   | Quantity          | From 0 to 2^64-2  | Optional    | MinQty                                       |
| <u>DisclosedQuantity</u>        | Maximum number of quantity units to<br>be shown to market participants<br>(Iceberg Order). (To be calculated with<br>Quantity Decimals)  | Quantity          | From 0 to 2^64-2  | Conditional | MaxFloor                                     |
| <u>CumulatedQuantity</u>        | Cumulated quantity (to be calculated with Quantity Decimals).  | Quantity          | From 0 to 2^64-2  | Mandatory   | CumQty                                       |
| <u>TechnicalOrigin</u>          | Indicates the origin of the order; for<br>example, manual entry, or an order<br>coming from a Program Trading<br>system. This field is part of the clearing<br>aggregate.          | Enumerated        | (See field description)   | Optional    | TechnicalOrdType                             |
| <u>AccountType</u>              | Indicates the account type for which<br>the order is entered. For example, an<br>order can be entered for a client<br>account, a house account or a liquidity<br>provider account. | Enumerated        | (See field description)   | Conditional | Rule80A<br>Split in AccountType an<br>LPRole |
| <u>LPRole</u>                   | Liquidity Provider Role identifies the<br>type of the Liquidity Provider when<br>Account Type is equal to "Liquidity<br>Provider".   | Enumerated        | 1 = Liquidity Provider<br>or Market Maker<br>3 = Retail Liquidity<br>Provider [C] | Conditional | Rule80A<br>Split in AccountType an<br>LPRole |
| <u>AccountNumber</u>            | Client account number identifying the investor's account. This field is part of the clearing aggregate.  | Alphanumerical ID | Alphanumerical  | Optional    | Account                                      |
| <u>ClientID</u>                 | Field used to identify the client (investor).  | Alphanumerical ID | Alphanumerical  | Optional    | ClientID                                     |
| <u>FreeText</u>                 | Free Text is manually entered by the trader issuing the order. This field is part of the clearing aggregate.   | Text              | Free Text   | Optional    | FreeText                                     |
| ClearingFirmID                  | Clearing firm ID.  | Alphanumerical ID | Firm ID   | Optional    | ClearingFirm                                 |

| d  | Short Description  | Format            | Values  | Presence  | Former UTP Field  |
|--|--|-------------------|---|-----------|---|
| <u>OpenClose</u>                           | Open Close Indicator, Posting action.<br>This field is part of the clearing<br>aggregate.  | Bitmap            | (See field description)   | Optional  | OpenClose   |
| <u>ClearingInstruction</u>                 | Clearing Instruction.  | Enumerated        | <ul> <li>0 = Process normally<br/>(formerly Systematic<br/>posting)</li> <li>8 = Manual mode</li> <li>9 = Automatic posting<br/>mode</li> <li>10 = Automatic give-<br/>up mode</li> </ul> | Optional  | ClearingHandlingType  |
| PartitionID                                | Identifies uniquely an Optiq partition across all the Exchange partitions.   | Numerical ID      | From 0 to 2^16-2  | Mandatory | EngineID  |
| <u>LeavesQuantity</u>                      | Indicates the remaining quantity of an order, i.e. the quantity open for further execution.  | Quantity          | From 0 to 2^64-2  | Mandatory | LeavesQty   |
| <u>DisplayedQuantity</u>                   | Order quantity displayed to the market (Iceberg only)  | Quantity          | From 0 to 2^64-2  | Mandatory | DisplayedQty  |
| <u>DarkExecutionInstructio</u><br><u>n</u> | Field used as instruction for dark order<br>handling (For Future Use). Values<br>specified, in the list of possible values,<br>indicate the bit positions that should<br>be used to set zero (0) or one (1)<br>values. A single field contains multiple<br>values provided in different positions. | Bitmap            | (See field description)   | Mandatory | DarkIndicator<br>DefTradReq<br>MinQtyType<br>DisplayedOrderInteractic<br>SweepOrder |
| <u>UndisclosedPrice</u>                    | Optional price for the hidden part of an Iceberg order. (For Future Use)   | Price             | From -2^63+1 to<br>2^63-1   | Optional  | UndisclosedPrice  |
| <u>UndisclosedIcebergTyp</u><br><u>e</u>   | Order handling related to the<br>undisclosed part of an Iceberg order<br>eligible to a matching in the Dark pool<br>of liquidity. (For Future Use)   | Enumerated        | 1 = Limit<br>2 = Peg Mid-Point<br>3 = Peg Primary<br>4 = Peg Market   | Optional  | UndisclosedExecInst   |
| LongClientID                               | Field used to identify the Client<br>(investor), or trader's reference /<br>posting order number for a pre-<br>posting, entered as a free text used for<br>clearing purposes. This field is part of<br>the clearing aggregate for Derivatives.   | Alphanumerical ID | (See field description)   | Optional  |   |

| Fie | ld                     | Short Description   | Format       | Values  | Presence | Former UTP Field |
|-----|------------------------|---|--------------|---|----------|------------------|
|     | <u>STP ID</u>          | Identifier of a group of Users or Traders<br>sharing the same business activity at<br>the same Firm.                                | Numerical ID | 02^16-1   | Optional |                  |
|     | <u>TradingCapacity</u> | Indicates whether the order<br>submission results from trading as<br>matched principal, on own account or<br>as any other capacity. | Enumerated   | 1 = Dealing on own<br>account (DEAL)<br>2 = Matched Principal<br>(MTCH)<br>3 = Any other<br>capacity (AOTC) | Optional |                  |
|     | /EndOfDayOrderUnitary  |   |              |   |          |                  |
| /Er | ndOfDayOrderFile       |   |              |   |          |                  |

## 4. DAY TRADE FILE

#### 4.1 FILE DESCRIPTION

This chapter specifies the Body record used by the trade files generated. It gives a logical description of each of these files. One trade is wrapped in one Body record.

Note that the information related to the order present in the trade file concerns member's order only and not the counterparty's order.

#### **MATCHING ENGINE TRADES**



File name ..... FTRRM

This file contains the trades executed during the last trading day in the Optiq Matching Engine in the following Cash Optiq Segments:

- Equities
- Funds
- Fixed Income
- Warrants & Certificates
- Block

As identified elsewhere in this document, five trade files are available containing trades of the five last Trading Days (one file per Trading Day).

#### 4.2 FIELD FORMATS

Messages are structures of fields in ASCII format. The table below provides the details of Length and Format for the field format types used for the Trade file records.

| Туре   | Length | Format         |
|--------|--------|----------------|
| Char   | 1      | Alphanumerical |
| String | N>1    | Alphanumerical |
| Int    | Х      | Binary         |

#### 4.3 TRADE RECORD

| Offset | Field               | Format | Length | Description   | Values                        |
|--------|---------------------|--------|--------|---|-------------------------------|
| 0      | EnsYRec             | Int    | 2      | Record Type.  | '02' Body record              |
| 2      | InstrMnemoCode      | String | 5      | Mnemonic code of a cash instrument.   | Alphanumerical                |
| 7      | InstrMktPlace       | Int    | 3      | ID of the market place<br>where instrument price is<br>established.   | Numerical                     |
| 10     | InstrLongID         | String | 12     | Long ID of an instrument  | Alphanumerical                |
| 22     | Symbol              | String | 12     | Instrument ID.  | ISIN or ISIN-like             |
| 34     | MIC                 | String | 4      | Market identification code.   | ISO 10383 standard or<br>'SI' |
| 38     | Currency            | String | 3      | Currency code.  | ISO 4217 standard             |
| 41     | TradeDate           | String | 8      | Date of the trade   | YYYYMMDD                      |
| 49     | TradeRefID          | Int    | 10     | Trade reference ID.   | Numerical                     |
| 59     | LastShares          | Int    | 12     | Quantity of last fill.  | Quantity                      |
| 71     | LastPx              | Int    | 19     | Price of last fill.   | Price (1+18)                  |
| 90     | ITranYApl           | Char   | 1      | Trade type indicator.   | (See field description)       |
| 91     | FinancialMarketCode | String | 3      | Code of the financial market.   | (See field description)       |
| 94     | TradeDateTime       | String | 14     | Date and time of the trade  | YYYYMMDDHHMMSS                |
| 108    | ClassID             | String | 2      | Class identifier.   | Alphanumerical                |
| 110    | Side                | Char   | 1      | Order side.   | 'A' Buy<br>'V' Sell           |
| 111    | SideTaker           | Char   | 1      | Taker order side.   | 'A' Buy<br>'V' Sell           |
| 112    | OrderEntryDate      | String | 8      | Date of order entry.  | YYYYMMDD                      |
| 120    | NSeqOm10            | Int    | 10     | conversion into decimal<br>of Optiq and<br>SequenceNumber<br>extracted from the Optiq<br>internal OrderID               | Numerical                     |
| 130    | TraderID            | String | 8      | Trader ID.  | Alphanumerical                |
| 138    | OnBehalfOfCompID8   | String | 8      | ID of the order's issuing firm.   | Firm ID                       |
| 146    | Rule80A Rule80A     | Char   | 1      | Order origin.   | (See field description)       |
| 147    | CCPID               | Char   | 1      | Indicates the<br>identification of the<br>Clearing organization<br>handling the trade.                                  | (See field description)       |
| 148    | SymbolIndex         | Int    | 10     | Instrument ID.  | From 1 to 4280099999          |
| 158    | EMM                 | Int    | 2      | Defines the Exchange<br>Market Mechanism<br>applied on each platform.   | (See field description)       |
| 160    | WaiverIndicator     | Char   | 4      | Indication as to whether<br>the transaction was<br>executed under a pre-<br>trade waiver in<br>accordance with Articles | (See field description)       |

|     |                             |        |    | 4 and 9 of Regulation (EU)<br>600/2014   |   |
|-----|-----------------------------|--------|----|--|---|
| 164 | TradeTimeSecondsGranularity | Int    | 6  | Indicates the number of<br>microseconds in the time<br>at which the trade is<br>generated (ssssss).  | From 0 to 999999  |
| 170 | TVTIC                       | String | 52 | Trading Venue<br>Transaction Identification<br>Code  | Filled with the Trade<br>Unique Identifier which is<br>an alphanumerical code<br>unique, consistent and<br>persistent per ISO10383<br>segment MIC and per<br>trading day assigned by<br>the trading venue to a<br>transaction. Trade<br>Unique Identifier (TUI) is<br>a field aimed at<br>identifying an individual<br>transaction and used as<br>Trading Venue<br>Transaction Identification<br>Code (TVTIC). This is a<br>unique transaction<br>identification code<br>generated by trading<br>venues and disseminated<br>to both the buying and<br>the selling parties, in<br>accordance with Article<br>12 of the Commission<br>Delegated Regulation<br>(EU) 2017/580<br>Regulatory Technical<br>Standards (RTS). |
| 222 | CounterpartFirmID           | String | 8  | Counterpart Firm ID.   | Alphanumerical  |
| 230 | SettlementCurrency          | String | 3  | Code of the settlement currency (ISO 4217-3A).   | ISO 4217 standard   |
| 233 | SettlementDate              | String | 8  | Date when a trade is<br>final, and the buyer must<br>make payment to the<br>seller while the seller<br>delivers the assets to the<br>buyer.  | YYYYMMDD  |
| 241 | TradeEndValidityDate        | String | 8  | For guaranteed<br>instrument, the End<br>Validity Date is the date<br>when the Clearing House<br>triggers the buy-in<br>procedure because of the<br>seller delivery failure. For<br>non-guaranteed<br>instrument, the End<br>Validity Date corresponds<br>to the date when the<br>trade is cancelled by the<br>CSD and cash<br>settlement/compensation<br>is performed according to<br>BITA rules. | YYYYMMDD  |

Note that field "NSeqOm10" is an extraction from the OPTIQ field OrderID.

NSeqOM10 contains the sequence number and the EMM.

OrderID contains the sequence number and the EMM plus the trading date (EPOCH).

Example:

Let's take the same example as the one present in glossary <u>OrderID</u>'s field description, i.e. an order submitted on 10/03/17 on EMM = 1 having a sequence number = 1234. The corresponding OrderID is 20703167315.

Now let's deduce the NSeqOm10 from the OrderID:

The OrderID 20703167315 in hexadecimal is 00 00 00 04 D2 01 43 53

The least-significant 2-bytes of OrderID include the relative calendar days number since 1-jan-1970 at 0:00 UTC (EPOCH) in hexa 43 53. This will **not** be part of the NseqOM10 field.

Then 1-byte of OrderID includes the EMM in hexa 01. This will be part of NseqOM10 field.

Then the remaining most-significant 5-bytes of OrderID contains the sequence number in hexa 4D2. This will be part of NseqOM10 field.

Finally, converting the hexa 4D201 (extraction of sequence number + EMM from OrderID) into decimals gives the NSeqOM10 value which is equal to 315905.

#### Mapping of Waiver Indicator values to the Types of TCS Trades and Instrument Types

Table below provides the correlation of Waiver indicator values, and the applicable rules in TCS. The value in the field are restricted to those identified in field 61 "Waiver Indicator" of the Table 2, Annex 1 of RTS22.

| Waiver<br>Indicator Value | Waiver Indicator Description   | Applicable For   |
|---------------------------|--|--|
| NLIQ                      | Negotiated transactions in liquid financial instruments  | Equities & ETFs that are flagged by ESMA as being a <i>liquid</i> financial instrument, this waiver is set on Off-Market On-Exchange trades that are (1) not VWAP transactions and (2) not identified as the Large in Scale limit          |
| OILQ                      | Negotiated transactions in illiquid financial instruments  | Equities & ETFs that are flagged by ESMA as being an<br><i>illiquid</i> financial instrument, this waiver is set on Off-<br>Market On-Exchange trades that are (1) not VWAP<br>transactions and (2) not identified as Large in Scale limit |
| PRIC                      | Negotiated transactions subject to<br>conditions other than the current<br>market price of that equity financial<br>instrument | <ul> <li>Any operations done on Euronext Fund Services<br/>(Paris and Amsterdam), covering the Fund orders<br/>either in Quantity or in Cash</li> </ul>  |

|         |                    | <ul> <li>VWAP transaction for Equities</li> <li>"Cash Legs" of Delta-neutral &amp; Exchange for<br/>Physical trades reported on an Equity and/or ETF<br/>underlying</li> </ul> |
|---------|--------------------|--|
| (blank) | No Waiver assigned | Cases when rules above are not met, including any transactions that are not identified as Large in Scale limit   |

## 5. WARRANTS & CERTIFICATES LCH FILES

#### 5.1 FILES DESCRIPTION

This chapter specifies the Uncleared market member reports.

The following reports are dedicated:

- Private File Uncleared Trade File Structure for Euronext Warrants & Certificates Activity Dedicated file for Uncleared Markets Trades.
- Private File Uncleared Netting File Structure for Euronext Warrants & Certificates Activity Dedicated file for Uncleared Markets Instructions
- Private File Uncleared Outbounds File for Euronext Warrants & Certificates Activity Dedicated file for Uncleared Markets providing all ISO15022 messages sent directly to Members / Settlement Agent.

#### 5.2 UNCLEARED TRADE INFORMATION FILE

This report file concerns particularly the Uncleared Trades which provides the members with all OTC Warrants & Certificates Trades Legs generated by LCH SA and sent to the settlement platforms.

The global rule is to send one file for each Trading and per business day.

The number of files will be 1 per Trading Member <sup>1</sup>.

The aim of this file is to give each Trading Member Firm the detail of its trades:

New Uncleared Trades captured by LCH SA (Gross)

This file is composed of 3 types of records.

- Two of them are main technical records: one header record and one footer record.
- One of them are functional records, aiming to provide the member's Uncleared Trades generated by LCH SA.

#### 5.2.1 Uncleared trade File Name

| Name of the file                                | Production description | Test description                          |
|---|------------------------|---|
| Uncleared Trade LCH_EP_******WCUTL_date_version |                        | LCH_EH_******* <b>WCUTL</b> _date_version |
| Information File                                |                        |   |

"\*\*\*\*\*\*\*" Member code 8 digits.

"date" Year (4 digits) month (2 digits) and day (2 digits).

version nn (incremented version number for a business date from 01, 02, etc.)

<sup>1</sup> A Member is not entitled will receive an empty file: headers, footers, empty body

### 5.2.1.1 Field formats

#### RULES FOR NUMERIC FIELDS ("TRADE AMOUNT" AND "TRADE QUANTITY")

The number of decimals in the "Trade amount" field is equal to the allowed number of decimals in T2S for the corresponding currency.

The "Trade quantity" is expressed without decimals.

#### 5.2.2 Uncleared Trade record

File is plain CSV files (.csv) with semi colon separator.

#### 5.2.2.1 Main header

| Position | Field Name           | Format | Length | Description   |
|----------|----------------------|--------|--------|---|
| 0        | Record type          | String | 5      | Type of record.<br>Value '00000'  |
| 5        | File type            | String | 3      | Type of the file.<br>Value 'UTL'  |
| 8        | Date time creation   | Int    | 14     | Date and time of<br>the creation of the<br>file.<br>Format:<br>YYYYMMDDHHM<br>MSS |
| 22       | Business date        | Int    | 8      | Reference day in<br>Format:<br>YYYYMMDD   |
| 30       | Participant code     | String | 10     | Code of the<br>Member.  |
| 40       | Participant BIC code | String | 11     | BIC Code of the<br>Member   |

One Main Header is generated for each member file as follows:

#### 5.2.2.2 Main Footer

One Main Footer is generated for each member file as follows:

| Position | Field Name   | Format | Length | Description  |
|----------|--------------|--------|--------|--|
| 0        | Record type  | String | 5      | Type of the record. Value '99999'.                             |
| 5        | File type    | String | 3      | Type of the file. Value 'UTL'                                  |
| 8        | Line counter | Int    | 15     | Number of lines in the file, including header and footer lines |

#### 5.2.2.3 Uncleared Trade detail

| Position    | Field Name                                      | Format | Length | Description  | Possible Values                                 | Page |
|-------------|---|--------|--------|--|---|------|
| 0           | Record type                                     | String | 5      | The type of record<br>presented                        | '00275' – New<br>Uncleared Trade                | 66   |
| 5           | External Trade<br>Reference                     | String | 15     | Uncleared Trade<br>External reference                  | Numerical                                       | 62   |
| 20          | Member code                                     | String | 10     | Uncleared Trade<br>Member external code                | Alphanumerical                                  | 63   |
| 30          | Member Trade<br>Order number                    | String | 16     | Uncleared Trade order<br>number                        | Alphanumerical                                  | 65   |
| 46          | Member<br>Origin                                | Char   | 1      | Uncleared Trade<br>Member Origin Code                  | 'M': House<br>'T'': Market Maker<br>'C': Client | 64   |
| 47          | Member Trade<br>free text                       | String | 18     | Uncleared Trade Free<br>text                           | Free Text                                       | 65   |
| 65          | Member<br>Counterpart                           | String | 10     | Uncleared Trade<br>Counterpart Member<br>external code | Firm ID   | 63   |
| 75          | Member<br>Counterpart<br>Origin                 | Char   | 1      | Uncleared Trade<br>Member Counterpart<br>Origin Code   | 'M': House<br>'T'': Market Maker<br>'C': Client | 64   |
| 76          | ISIN  | String | 12     | ISIN of the instrument                                 | Alphanumerical<br>(InstrLongID)                 | 62   |
| 88          | Trading code                                    | String | 12     | Trading code of the<br>Instrument                      | Symbol  | 68   |
| 100         | Buy/Sell<br>Indicator                           | Char   | 1      | Uncleared Trade<br>Buy/Sell indicator                  | ʻBʻ: Buy<br>'Sʻ: Sell                           | 61   |
| 101         | Trade Date                                      | Int    | 8      | Trade Date of<br>Uncleared Trade                       | YYYYMMDD  | 68   |
| 109         | Intended<br>Settlement<br>Date                  | Int    | 8      | ISD of Uncleared Trade                                 | YYYYMMDD  | 62   |
| 117         | Trade Quantity                                  | String | 18     | Quantity of the<br>Uncleared Trade                     | Quantity  | 68   |
| 135         | Trade Price                                     | String | 19     | Uncleared Trade price                                  | Price   | 68   |
| 154         | Trade<br>Currency                               | Int    | 3      | Uncleared Trade<br>currency                            | ISO 4217 standard<br>(Currency Field)           | 67   |
| 157         | Trade Amount                                    | Int    | 18     | Uncleared Trade<br>Amount                              | Alphanumerical                                  | 67   |
| 175         | Uncleared<br>Trade<br>Timestamp<br>Creation     | String | 16     | Uncleared Trade<br>Timestamp creation                  | YYYYMMDDHHMMSS                                  | 69   |
| 191         | Related LCH<br>SA<br>instruction's<br>reference | String | 16     | Outbound (SI)<br>Reference                             | Alphanumerical                                  | 66   |
| Total lengt | :h  |        | 207    |  |   |      |

#### 5.3 UNCLEARED NETTING INFORMATION FILE

This report file concerns particularly the file "NETTING" which provides to Euronext with all instructions generated by LCH SA and sent to Members / Settlement Agent.

The global rule is to send one file for each Trading and per business day.

The number of files will be 1 per Trading Member<sup>2</sup>.


The aim of this file is to give each Trading Member Firm the detail of its trades and related settlement instructions:

- New Uncleared Net Instructions generated by LCH SA due to daily netting (record 00280)
- New Uncleared Net Instructions generated by LCH SA due to regularizations (record 00281)

This file is composed of 4 types of records.

- Two of them are main technical records: one header record and one footer record.
- Two of them are functional records, aiming to provide the member's settlement instructions generated by LCH SA.

All the records of type "00280" to "00281" are communicated by Member.



For the current business date (D), the file contains the following information, dispatched per distinct record types listed below:

**Record type "00280"**: These records provide to Euronext with all SI generated during the current business day (D) resulting from the netting process i.e. after the roll-up into the Delivery Account of current trading day Trades. The records are provided per Instruction Reference and Security id. Trade Date; Intended Settlement Date (ISD) and Counterpart are identical to the related constituent trades.

If for any reasons, if the netting result in Strange Net, Buy and Sell trades can aggregated separately (depending on Delivery Account settings). Therefore, two net settlement instructions can be sent when strange netting is not managed, or one settlement instructions can be sent when strange netting is managed.

**Record type "00281"**: These records provide to Euronext with all Net SI generated during the current business day (D) resulting from LCH SA operations other than netting, e.g. regularizations.

If for any reasons LCH SA processes to such operations on a previously sent SI, the records 281 will provide the related SI data.

<sup>&</sup>lt;sup>2</sup> A Member is not entitled will receive an empty file: headers, footers, empty body

#### 5.3.1 Uncleared Netting File Name

| Name of the file           | Production description          | Test description                         |
|----------------------------|---------------------------------|--|
| Uncleared Netting<br>(NET) | LCH_EP*******WCNET_date_version | LCH_EH******* <b>WCNET</b> _date_version |

"\*\*\*\*\*\*\* Member code 8 digits.

"date" Year (4 digits) month (2 digits) and day (2 digits). version nn (incremented version number for a business date from 01, 02, etc.)

#### 5.3.1.1 Field formats

#### Rules for numeric fields ("Cash amount" and "Quantity")

The number of decimals in the "Cash amount" field is equal to the allowed number of decimals in T2S for the corresponding currency.

The "Quantity" is expressed without decimals.

#### 5.3.2 Uncleared Netting record

File is plain CSV files (.csv) with semi colon separator.

#### 5.3.2.1 Main header

| Position | Field Name              | Format | Length | Description  |
|----------|-------------------------|--------|--------|--|
| 0        | Record type             | String | 5      | Type of record. Value '00000'                                      |
| 5        | File type               | String | 3      | Type of the file. Value 'NET'                                      |
| 8        | Date time creation      | Int    | 14     | Date and time of the creation of the file. Format: YYYYMMDDHHMMSS. |
| 22       | Business date           | Int    | 8      | Reference day in Format:<br>YYYYMMDD                               |
| 30       | Participant code        | String | 10     | Code of the Member.  |
| 40       | Participant<br>BIC code | String | 11     | BIC Code of the Member   |

#### 5.3.2.2 Main Footer

## One Main Footer is generated for each member file as follows:

| Position | Field Name   | Format | Length | Description  |
|----------|--------------|--------|--------|--|
| 0        | Record type  | String | 5      | Type of the record. Value '99999'.                             |
| 5        | File type    | String | 3      | Type of the file. Value 'NET'                                  |
| 8        | Line counter | Int    | 15     | Number of lines in the file, including header and footer lines |

#### 5.3.2.3 Uncleared Netting detail

| Position | Field Name   | Format | Length | Description   | Possible Values  | Page |
|----------|--|--------|--------|---|--|------|
| 0        | Record type  | String | 5      | Indicator of the type of record presented   | <b>"00280"</b> – New Uncleared<br>Net SI related to netting<br><b>"00281"</b> – New Uncleared<br>Net SI related to<br>Regularizations  | 66   |
| 5        | LCH SA<br>instruction's<br>reference                 | String | 16     | Outbound (SI) external reference  | Alphanumerical   | 63   |
| 21       | Trade Date   | Int    | 8      | Trade Date of the Net<br>Trade Balance  | YYYYMMDD   | 68   |
| 29       | Member   | String | 10     | Member external Code<br>reference   | Alphanumerical   | 63   |
| 39       | Member<br>Counterpart                                | String | 10     | Member Counterparty<br>external Code<br>reference   | Alphanumerical   | 63   |
| 49       | Settlement<br>Instruction Type                       | String | 3      | Settlement Instruction<br>Type  | 'RFP' - Receive Free of<br>Payment<br>'DFP' - Delivery Free of<br>Payment 'RVP' - Receive<br>versus Payment 'DVP' -<br>Delivery versus Payment<br>'RWP' - Receive with<br>Payment<br>'DWP' - Delivery with<br>Payment 'CPO' - Cash<br>payment Only<br>'CRO '- Cash receive Only' | 67   |
| 52       | Member<br>Settlement<br>Agent Bic Code               | String | 11     | Participant BIC code of<br>settlement agent<br>owning the security<br>account of the<br>Member. | Alphanumerical   | 65   |
| 63       | Member<br>Security account<br>at Settlement<br>Agent | String | 35     | Participant security<br>account of the<br>Member.   | Alphanumerical   | 64   |

| Position   | Field Name  | Format | Length | Description   | Possible Values   | Page |
|------------|---|--------|--------|---|-------------------|------|
| 98         | BIC of the<br>Counterpart<br>Member<br>Settlement<br>Agent          | String | 11     | Participant BIC code of<br>settlement agent<br>owning the security<br>account of the<br>Counterpart Member. | Alphanumerical    | 61   |
| 109        | Counterpart<br>Member security<br>account at<br>Settlement<br>Agent | String | 35     | Participant security<br>account of the<br>Counterparty Member.  | Alphanumerical    | 61   |
| 144        | ISIN  | String | 12     | ISIN of the instrument  | ISIN or ISIN-like | 62   |
| 156        | Intended<br>Settlement Date   | Int    | 8      | ISD of Net Trade<br>balance   | YYYYMMDD          | 68   |
| 164        | Quantity  | Int    | 18     | Quantity of the Net SI balance  | Alphanumerical    | 66   |
| 182        | Quantity unit   | String | 3      | Quantity unit code of<br>the Net Trade balance.<br>(UNT)  | Alphanumerical    | 66   |
| 185        | Cash amount   | String | 18     | Cash amount of the<br>Net Trade balance   | Alphanumerical    | 61   |
| 203        | Payment<br>currency   | String | 3      | Payment currency of<br>Net Trade balance  | ISO 4217 standard | 65   |
| 206        | Related LCH SA<br>instruction's<br>reference                        | String | 16     | Internal reference of<br>the original Outbound<br>(SI)  | Alphanumerical    | 66   |
| Total leng | th  |        | 222    |   |                   |      |

### 5.4 UNCLEARED OUTBOUND INFORMATION FILE

This report file concerns particularly the all "OUTBOUND INFORMATION" which provides to Euronext with all actual Settlement Outbounds generated by LCH SA and sent to the Members / Settlement Agent. The global rule is to send one file for each Trading Member Firm per business day.

The number of files will be 1 per Trading Member <sup>3</sup>

The aim of this file is to give each Trading Member Firm the detail of its Settlement Outbounds:

• All MT5xx messages sent by LCH SA which related to both records 00280 and 00281 of the NET file

This file is composed of MT5xx messages.

| Name of the file                    | Production description                       | Test description                             |
|-------------------------------------|--|--|
| Uncleared<br>Outbound File<br>(OBF) | LCH_EP******* <b>WCOBF</b> _date_version.txt | LCH_EH******* <b>WCOBF</b> _date_version.txt |

#### 5.4.1 Uncleared Outbound File Name

<sup>3</sup> A Member not entitled will receive an empty file: headers, footers, empty body

#### "\*\*\*\*\*\*\*" Member code 8 digits.

"date"Year (4 digits) month (2 digits) and day (2 digits).versionnn (incremented version number for a business date from 01, 02, etc.)

#### 5.4.2 Uncleared Outbound record

File is text (.txt) file.

#### 5.4.2.1 Main header

| Position | Field Name  | Format | Length     | Description                                |
|----------|-------------|--------|------------|--|
| 0        | Record type | String | 5          | Type of record. Value '00000'              |
| 5        | File type   | String | 3          | Type of the file. Value 'OBF'              |
| 8        | Date time   | Int    | 14         | Date and time of the creation of the file. |
| 0        | creation    | inc    | <b>1</b> 7 | Format: YYYYMMDDHHMMSS.                    |
| 22       | Business    | Int    | 8          | Reference day in Format: YYYYMMDD          |
| 22       | date        | III    | 0          |  |
| 30       | Participant | String | 10         | Code of the Member.                        |
| 50       | code        | String | 10         |  |
| 40       | Participant | String | 11         | BIC Code of the Member                     |
|          | BIC code    | 5      |            |  |

#### 5.4.2.2 Main footer

One Main Footer is generated for each member file as follows:

| Position | Field Name   | Format | Length | Description                        |
|----------|--------------|--------|--------|------------------------------------|
| 0        | Record type  | String | 5      | Type of the record. Value '99999'. |
| 5        | File type    | String | 3      | Type of the file. Value 'OBF'      |
| 8        | Line counter | Int    | 15     | Number of messages in the file     |

#### 5.4.2.3 Uncleared Outbound detail

| Field Name                                  | Swift Tag       | Tag Value<br>MT540   | Tag Value<br>MT541   | Tag Value<br>MT542   | Tag Value<br>MT543   |
|---|-----------------|--|--|--|--|
| 16R: Start of block                         | :16R:GENL       |  |  |  |  |
| 20C: Sender's reference                     | :20C::SEME//    | Outbound<br>internal<br>reference  | Outbound<br>internal<br>reference  | Outbound<br>internal<br>reference  | Outbound<br>internal<br>reference  |
| 23G: Function                               | :23G:NEWM       |  |  |  |  |
| 98A: Preparation<br>Date                    | :98C:PREP//     | Date/Time<br>generation of<br>Instruction<br>message   | Date/Time<br>generation of<br>instruction<br>message   | Date/Time<br>generation of<br>Instruction<br>message   | Date/Time<br>generation of<br>Instruction<br>message   |
| 16S: End of block                           | :16S:GENL       |  |  |  |  |
| 16R: Start of block                         | :16R:TRADDET    |  |  |  |  |
| 94B:Place of<br>Trade                       | 94B::TRAD//EXCH | Place of Trade<br>'XMLI' Euron<br>ext Paris.   |
| 98A: Settlement<br>date                     | :98A::SETT//    | Intended<br>settlement<br>date   | Intended<br>settlement<br>date   | Intended<br>settlement<br>date   | Intended<br>settlement<br>date   |
| 98A: Trade date                             | :98A::TRAD//    | Trade date   | Trade date   | Trade date   | Trade date   |
| 35B: Id of the<br>financial<br>instrument   | :35B:           | "ISIN" + " " +<br>Instrument<br>ISIN   |
| 16S: End of block                           | :16S:TRADDET    |  |  |  |  |
| 16R: Start of block                         | :16R:FIAC       |  |  |  |  |
| 36B: Quantity of<br>financial<br>instrument | :36B::SETT      | If Quantity<br>unit code =<br>"FMT"<br>:36B::SETT//F<br>AMT/Security<br>quantity<br>If Quantity<br>Unit code =<br>"UNT"<br>36B::SETT//U<br>NIT/ Security<br>quantity | If Quantity<br>unit code =<br>"FMT"<br>:36B::SETT//F<br>AMT/Security<br>quantity<br>If Quantity<br>Unit code =<br>"UNT"<br>36B::SETT//U<br>NIT/ Security<br>quantity | If Quantity<br>unit code =<br>"FMT"<br>:36B::SETT//F<br>AMT/Security<br>quantity<br>If Quantity<br>Unit code =<br>"UNT"<br>36B::SETT//U<br>NIT/ Security<br>quantity | If Quantity<br>unit code =<br>"FMT"<br>:36B::SETT//F<br>AMT/Security<br>quantity<br>If Quantity<br>unit code =<br>"UNT"<br>36B::SETT//U<br>NIT/ Security<br>quantity |
| 97A: Account                                | :97A::SAFE//    | Credited<br>participant<br>security<br>account code  | Debited<br>participant<br>security<br>account code   | Credited<br>participant<br>security<br>account code  | Debited<br>participant<br>security<br>account code   |

## Messages 15022 appears one behind the other without any specific separator character

| 16S: End of block                | :16S:FIAC    |  |  |  |  |
|----------------------------------|--------------|--|--|--|--|
| 16R: Start of block              | :16R:SETDET  |  |  |  |  |
| 22F: Indicator                   | :22F::SETR// | Type of<br>Settlement<br>Transaction<br>Indicator:<br>'TRAD' Trade | Type of<br>Settlement<br>Transaction<br>Indicator:<br>'TRAD' Trade | Type of<br>Settlement<br>Transaction<br>Indicator:<br>'TRAD' Trade | Type of<br>Settlement<br>Transaction<br>Indicator:<br>'TRAD' Trade |
| 16R: Start of block              | :16R:SETPRTY |  |  |  |  |
| 95P: Party                       | :95P::DEAG// | Debited BIC<br>participant<br>security<br>account code             | Not present  | Debited BIC<br>participant<br>security<br>account code             | Not present  |
|                                  | Or           |  |  |  |  |
|                                  | :95P::REAG// | Not present  | Credited BIC<br>participant<br>security<br>account code            | Not present  | Credited BIC<br>participant<br>security<br>account code            |
| 16S: End of block                | :16S:SETPRTY |  |  |  |  |
| 16R: Start of block              | :16R:SETPRTY |  |  |  |  |
| 95P: Party (Buyer)               | :95P::BUYR// | Buyer TMF BIC code   | Buyer TMF BIC<br>code  | Buyer TMF BIC<br>code  | Buyer TMF BIC<br>code  |
| 97A: Account                     | :97A::SAFE// | Credited<br>participant<br>security<br>account code                | Credited<br>participant<br>security<br>account code                | Credited<br>participant<br>security<br>account code                | Credited<br>participant<br>security<br>account code                |
| 16S: End of block                | :16S:SETPRTY |  |  |  |  |
| 16R: Start of block              | :16R:SETPRTY |  |  |  |  |
| 95P: Party (Seller)              | :95P::SELL// | Seller TMF BIC code  |
| 97A: Account                     | :97A::SAFE// | Debited<br>participant<br>security<br>account code                 | Debited<br>participant<br>security<br>account code                 | Debited<br>participant<br>security<br>account code                 | Debited<br>participant<br>security<br>account code                 |
| 16S: End of block                | :16S:SETPRTY |  |  |  |  |
| 16R: Start of block              | :16R:SETPRTY |  |  |  |  |
| :95P:Party (Place of Settlement) | :95P::PSET// | CSD BIC code   | CSD BIC code   | CSD BIC code   | CSD BIC code   |
| 16S: End of block                | :16S:SETPRTY |  |  |  |  |

| 16R: Start of Block | :16R:AMT     | Not present |                    | Not present |                    |
|---------------------|--------------|-------------|--------------------|-------------|--------------------|
|                     |              |             |                    |             |                    |
| 19A: Cash amount    | :19A::SETT// | Not present | Payment            | Not present | Payment            |
|                     |              |             | currency<br>+ Cash |             | currency<br>+ Cash |
|                     |              |             | amount of the      |             | amount of the      |
|                     |              |             | Outbound           |             | Outbound           |
|                     |              |             | with its           |             | with its           |
|                     |              |             | decimal            |             | decimal            |
|                     |              |             | ucciniai           |             | ucciniui           |
|                     |              |             | If settlement      |             | If settlement      |
|                     |              |             | instruction        |             | instruction        |
|                     |              |             | type is 'DWP',     |             | type is 'DWP',     |
|                     |              |             | amount is          |             | amount is          |
|                     |              |             | negatively         |             | negatively         |
|                     |              |             | signed.            |             | signed.            |
| 16S: End of block   | :16S:AMT     | Not present |                    | Not present |                    |
|                     |              |             |                    |             |                    |
| 16S: End of block   | :16S:SETDET  |             |                    |             |                    |
|                     |              |             |                    |             |                    |

## 6. ORDER FILE FIELD DESCRIPTIONS



#### ACCOUNTNUMBER

| Field Name      | Account Number  |
|-----------------|---|
| Description     | Client account number identifying the investor's account. This field is part of the clearing aggregate. |
| Used For        | Cash and Derivatives  |
| Format          | Alphanumerical ID   |
| Tech Format     | character   |
| Length          | 12  |
| Possible Values | Alphanumerical  |
| Used In         | Order record in Optiq XML format  |
|                 |   |

#### ACCOUNTTYPE

| Field Name      | Account Type   |
|-----------------|--|
| Description     | Indicates the account type for which the order is entered. For example, an order can be entered for a client account, a house account or a liquidity provider account. |
|                 | For Cross orders it specifies the account type for which the buy side of a cross order is entered.   |
|                 | - Non-LP clients are not allowed to use the type '6' (Liquidity Provider).   |
|                 | - Only members acting as Retail Member Organizations (RMO) can send '4' (RO) orders on behalf of their retail clients.   |
| Used For        | Cash and Derivatives   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 8   |
| Length          | 1  |
| Possible Values | 1 = Client   |
|                 | 2 = House  |
|                 | 4 = RO [C]   |
|                 | 6 = Liquidity Provider   |
|                 | 7 = Related Party [C]  |
|                 | 8 = Structured Product Market Maker [C]  |
| Used In         | Order record in Optiq XML format   |
|                 |  |

## С

#### **CLEARINGFIRMID**

| Field Name  | Clearing Firm ID  |
|-------------|---|
| Description | 5   |
|             | Identifier of the give-up firm when a give-up is executed (a give-up is a trade executed by a firm for the client of another firm, the latter being referred to as the give-up firm). |

| Used For        | Cash and Derivatives             |
|-----------------|----------------------------------|
| Format          | Alphanumerical ID                |
| Tech Format     | character                        |
| Length          | 11                               |
| Possible Values | Firm ID                          |
| Used In         | Order record in Optiq XML format |
|                 |                                  |

#### **CLEARINGINSTRUCTION**

| Field Name      | Clearing Instruction   |
|-----------------|--|
| Description     | Clearing Instruction.  |
|                 | Indicates the pre-posting and give-up action to be taken by the clearing system when a trade has occurred. |
|                 | Process normally   |
|                 | <ul> <li>Manual mode (pre-posting and/or pre-giveup)</li> </ul>  |
|                 | <ul> <li>Automatic posting mode (trade posting to the position account number specified)</li> </ul>        |
|                 | <ul> <li>Automatic give-up mode (trade give-up to the give-up destination number specified) [C]</li> </ul> |
|                 | <ul> <li>Automatic and account authorization [D]</li> </ul>  |
|                 | <ul> <li>Manual and account authorization [D]</li> </ul>   |
|                 | Give-up to single firm [D]   |
| Used For        | Cash and Derivatives   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 16  |
| Length          | 4  |
| Possible Values | 0 = Process normally (formerly Systematic posting) [C]   |
|                 | 8 = Manual mode  |
|                 | 9 = Automatic posting mode   |
|                 | 10 = Automatic give-up mode [C]  |
|                 | 4008 = Automatic and account authorization [D]   |
|                 | 4009 = Manual and account authorization [D]  |
|                 | 4010 = Give-up to single firm [D]  |
| Used In         | Order record in Optiq XML format   |
|                 |  |

## CLIENTID

| Field Name      | Client ID                                     |
|-----------------|---|
| Description     | Field used to identify the client (investor). |
| Used For        | Cash and Derivatives                          |
| Format          | Alphanumerical ID                             |
| Tech Format     | character                                     |
| Length          | 11  |
| Possible Values | Alphanumerical                                |
| Used In         | Order record in Optiq XML format              |
|                 |   |

#### **CLIENTORDERID**

| Field Name      | Client Order ID  |
|-----------------|--|
| Description     | An identifier of a message assigned by the Client when submitting an order to the Exchange.  |
|                 | Clients must provide a Client Order ID in every inbound application message, otherwise the message will be immediately rejected by the OEG.  |
|                 | Clients may provide any value that respects the Client Order ID format, which is an 8-byte signed integer, and the ranges as defined according to their access. The Exchange recommends setting an unique ID per order, Firm and Symbol Index.   |
|                 | For order entry, the Client Order ID value is not checked by the Exchange, it is simply returned in the corresponding outbound message to allow clients to reconcile the response message with their original inbound request.   |
|                 | For modification and cancellation using the Original Client Order ID as unique identifier, the value is checked by the Exchange for possible duplicates, i.e. different orders submitted with the same Client Order ID. In case of duplication, the inbound request is rejected with the according error code. |
| Used For        | Cash and Derivatives   |
| Format          | Numerical ID   |
| Tech Format     | signed integer 64  |
| Length          | 20   |
| Possible Values | From -2^63+1 to 2^63-1   |
| Used In         | Order record in Optiq XML format   |

#### CUMULATEDQUANTITY

| Field Name      | Cumulated Quantity  |
|-----------------|---|
| Description     | Cumulated quantity (to be calculated with Quantity Decimals).   |
|                 | Total number of shares filled. If an order is partially filled for a quantity q1, then partially filled for a quantity q2, in the first execution report, CumQty = q1 and in the second execution report, CumQty = q1 + q2. |
| Used For        | Cash and Derivatives  |
| Format          | Quantity  |
| Tech Format     | unsigned integer 64   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2  |
| Used In         | Order record in Optiq XML format  |

## D

## DARKEXECUTIONINSTRUCTION

| Field Name  | Dark Execution Instruction   |
|-------------|--|
| Description | <ul> <li>Field used as instruction for dark order handling (For Future Use). Values specified, in the list of possible values, indicate the bit positions that should be used to set zero (0) or one (1) values. A single field contains multiple values provided in different positions.</li> <li>Dark Indicator: indicates whether the client requests its order to benefit from a Pre-Transparency waiver to match the order in the Dark. (0: No ; 1: Yes)</li> </ul> |

|                 | - Deferred Trade Indicator: indicates whether the client requests a deferred publication for a Hidden<br>Order. (0: No ; 1: Yes)                               |
|-----------------|--|
|                 | - Display Order Interaction: indicates whether the client requests its hidden order to match also with LIT orders. (0: No ; 1: Yes)                            |
|                 | - Sweep Order Indicator: indicates whether the client requests a sweep to his order between both LIT and the hidden pool of liquidity (Dark). (0: No ; 1: Yes) |
|                 | - Minimum Quantity Type: indicates whether the Minimum Quantity for a dark order is MES or MAQ. (0: MAQ ; 1: MES)  |
| Used For        | Cash   |
| Format          | Bitmap   |
| Tech Format     | unsigned integer 8   |
| Length          | 15   |
| Possible Values | 0 = Dark Indicator   |
|                 | 1 = Deferred Trade Indicator   |
|                 | 2 = Displayed Order Interaction  |
|                 | 3 = Sweep Order Indicator  |
|                 | 4 = Minimum Quantity Type  |
| Used In         | Order record in Optiq XML format   |

## DISCLOSEDQUANTITY

| Field Name      | Disclosed Quantity   |
|-----------------|--|
| Description     | Maximum number of quantity units to be shown to market participants (Iceberg Order). (To be calculated with Quantity Decimals) |
| Used For        | Cash   |
| Format          | Quantity   |
| Tech Format     | unsigned integer 64  |
| Length          | 20   |
| Possible Values | From 0 to 2^64-2   |
| Used In         | Order record in Optiq XML format   |

#### DISPLAYEDQUANTITY

| Field Name      | Displayed Quantity                                    |
|-----------------|---|
| Description     | Order quantity displayed to the market (Iceberg only) |
| Used For        | Cash  |
| Format          | Quantity  |
| Tech Format     | unsigned integer 64                                   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2                                      |
| Used In         | Order record in Optiq XML format                      |
|                 |   |

# Ε

### EMM

| Field Name      | EMM  |
|-----------------|--|
| Description     | Defines the Exchange Market Mechanism applied on each platform.  |
| Used For        | Cash and Derivatives   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 8   |
| Length          | 2  |
| Possible Values | 1 = Cash and Derivative Central Order Book (COB)<br>2 = NAV Trading Facility [C]<br>4 = Derivative Wholesales [D]<br>5 = Cash On Exchange Off book [C]<br>6 = Euronext off-exchange trade reports<br>7 = Derivative On Exchange Off book [D]<br>8 = ETF MTF - NAV Central Order Book [C]<br>99 = Not Applicable (For indices and iNAV) [C] |
| Used In         | Order record in Optiq XML format   |

#### **ENSYREC**

| Field name      | EnsYRec   |
|-----------------|---|
| Description     | Record Type.<br>Defines the type of record in a file. |
| Format          | Int   |
| Length          | 2   |
| Possible values | (see record structures)<br>02' Body                   |
| Used in         |   |

#### **EODO**RDER**S**TATUS

| Field Name      | EOD Order Status                       |
|-----------------|--|
| Description     | Order Status for End Of Day Order file |
| Used For        | Cash and Derivatives                   |
| Format          | Enumerated                             |
| Tech Format     | unsigned integer 8                     |
| Length          | 1                                      |
| Possible Values | 0 = New                                |
|                 | 1 = Partially Filled                   |
|                 | 2 = Replaced                           |
| Used In         | Order record in Optiq XML format       |
|                 |  |

#### **EXECUTION INSTRUCTION**

| Field Name      | Execution Instruction  |
|-----------------|--|
| Description     | Field used as instruction for order handling. Values specified, in the list of possible values, indicate the bit positions that should be used to set zero (0) or one (1) values. A single field contains multiple values provided in different positions. |
|                 | - STP resting order: indicates whether the STP mechanism is "Cancel resting order" or not. (0: STP Resting Order mechanism deactivated ; 1: STP Resting Order mechanism activated)   |
|                 | - STP incoming order: indicates whether the STP mechanism is "Cancel incoming order" or not. (0: STP Incoming Order mechanism deactivated ; 1: STP Incoming Order mechanism activated)   |
|                 | - Disclosed Quantity Randomization: indicates whether the client requests or not a randomization for the disclosed quantity of his iceberg order. (0: No ; 1: Yes)   |
|                 | - Disabled Cancel On Disconnect Indicator: indicates whether the client sets his order to be persisted (is not in scope of the Cancel On Disconnect mechanism) or not. (0: Cancel on Disconnect enabled ; 1: Cancel on Disconnect disabled)                |
|                 | - RFQ answer: indicates whether the message is an answer to a Quote Request (10) message or not. (0: No ; 1: Yes)  |
|                 | - RFQ confirmation: indicates whether the message is a confirmation of a Quote Request (10) message or not. (0: No ; 1: Yes)   |
|                 | - Conditional order: indicates for Block segment whether the order is conditional or not. (0: Firm Order ; 1:<br>Conditional Order)  |
|                 | - STP both orders: indicates whether the STP mechanism is "cancel both orders" or not. (0: STP Both Orders mechanism deactivated ; 1: STP Both Orders mechanism activated)   |
| Used For        | Cash and Derivatives   |
| Format          | Bitmap   |
| Tech Format     | unsigned integer 8   |
| Length          | 6  |
| Possible Values | 0 = STP resting order [C]<br>1 = STP incoming order [C]  |
|                 | 2 = Disclosed Quantity Randomization [C]   |
|                 | 3 = Disabled Cancel On Disconnect Indicator  |
|                 | 4 = RFQ Answer [C]   |
|                 | 5 = RFQ Confirmation [C]   |
|                 | 6 = Conditional Order  |
|                 | 7 = STP both orders  |
| Used In         | Order record in Optiq XML format   |
|                 | 1  |

### F

#### FREETEXT

| Field Name      | Free Text  |
|-----------------|--|
| Description     | Free Text is manually entered by the trader issuing the order. This field is part of the clearing aggregate. |
| Used For        | Cash and Derivatives   |
| Format          | Text   |
| Tech Format     | character  |
| Length          | 18   |
| Possible Values | Free Text  |
| Used In         | Order record in Optiq XML format   |

# L

#### **L**EAVES**Q**UANTITY

| Field Name      | Leaves Quantity   |
|-----------------|---|
| Description     | Indicates the remaining quantity of an order, i.e. the quantity open for further execution. |
| Used For        | Cash and Derivatives  |
| Format          | Quantity  |
| Tech Format     | unsigned integer 64   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2  |
| Used In         | Order record in Optiq XML format  |
|                 |   |

#### LOGICALACCESSID

| Field Name      | Logical Access ID                 |
|-----------------|-----------------------------------|
| Description     | Identifier of the Logical Access. |
| Used For        | Cash and Derivatives              |
| Format          | Numerical ID                      |
| Tech Format     | unsigned integer 32               |
| Length          | 10                                |
| Possible Values | From 0 to 2^32-2                  |
| Used In         | Order record in Optiq XML format  |
|                 |                                   |

#### LONGCLIENTID

| Field Name      | Long Client ID   |
|-----------------|--|
| Description     | Field used to identify the Client (investor), or trader's reference / posting order number for a pre-posting, entered as a free text used for clearing purposes. This field is part of the clearing aggregate for Derivatives. |
| Used For        | Derivatives  |
| Format          | Alphanumerical ID  |
| Tech Format     | character  |
| Length          | 16   |
| Possible Values |  |
| Used In         | Order record in Optiq XML format   |

#### LPROLE

| Field Name      | LP Role   |
|-----------------|---|
| Description     | Liquidity Provider Role identifies the type of the Liquidity Provider when Account Type is equal to "Liquidity Provider". |
| Used For        | Cash and Derivatives  |
| Format          | Enumerated  |
| Tech Format     | unsigned integer 8  |
| Length          | 1   |
| Possible Values | 1 = Liquidity Provider or Market Maker  |
|                 | 3 = Retail Liquidity Provider [C]   |
| Used In         | Order record in Optiq XML format  |

### Μ

#### MINIMUMORDERQUANTITY

| Field Name      | Minimum Order Quantity  |
|-----------------|---|
| Description     | Minimum quantity to be executed upon order entry (else the order is rejected), (To be calculated with Quantity Decimals). |
| Used For        | Cash and Derivatives  |
| Format          | Quantity  |
| Tech Format     | unsigned integer 64   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2  |
| Used In         | Order record in Optiq XML format  |

#### **MODIFIEDLOGICALACCESSID**

| Field Name      | Logical Access ID                 |
|-----------------|-----------------------------------|
| Description     | Identifier of the Logical Access. |
| Used For        | Cash and Derivatives              |
| Format          | Numerical ID                      |
| Tech Format     | unsigned integer 32               |
| Length          | 10                                |
| Possible Values | From 0 to 2^32-2                  |
| Used In         | Order record in Optiq XML format  |
|                 |                                   |

#### **MODIFIEDSENDERCOMPID**

| Field Name      | SenderCompID   |
|-----------------|--|
| Description     | Identifier of the member firm that sends the message.  |
|                 | It is provided by the Exchange upon the registration of the Firm by the Membership department. |
| Used For        | Cash and Derivatives   |
| Format          | Text   |
| Tech Format     | character  |
| Length          | 8  |
| Possible Values | Firm ID  |
| Used In         | Order record in Optiq XML format   |
|                 |  |

### 0

#### **ONBEHALFOFCOMPID**

| Field Name      | OnBehalfOfCompID   |
|-----------------|--|
| Description     | ID of the issuing firm when the message is sent through a third party. |
| Used For        | Cash and Derivatives   |
| Format          | Text   |
| Tech Format     | character  |
| Length          | 8  |
| Possible Values | Firm ID  |
| Used In         | Order record in Optiq XML format                                       |
|                 |  |

#### **OPENCLOSE**

| Field Name      | Open Close  |
|-----------------|---|
| Description     | Open Close Indicator, Posting action. This field is part of the clearing aggregate.   |
|                 | The first bit will be used to indicate whether this field is being actively used or not (1 = Actively Used ; 0 = Field Not Used). |
|                 | For each Leg 0 means Open and 1 means Close.  |
|                 | Leg 2 to Leg 9 are not applicable for cash instruments.   |
| Used For        | Cash and Derivatives  |
| Format          | Bitmap  |
| Tech Format     | unsigned integer 16   |
| Length          | 10  |
| Possible Values | 0 = Field Actively Used   |
|                 | 1 = Leg 1   |
|                 | 2 = Leg 2 [D]   |
|                 | 3 = Leg 3 [D]   |
|                 | 4 = Leg 4 [D]   |
|                 | 5 = Leg 5 [D]   |

|         | 6 = Leg 6 [D]                    |
|---------|----------------------------------|
|         | 7 = Leg 7 [D]                    |
|         | 8 = Leg 8 [D]                    |
|         | 9 = Leg 9 [D]                    |
| Used In | Order record in Optiq XML format |
|         |                                  |

#### **OPTIQSEGMENT**

| Field Name      | Optiq Segment   |
|-----------------|---|
| Description     | An Optiq segment is a universe of instruments sharing common trading properties.                    |
|                 | Instruments have the flexibility to be moved from one partition to another within an Optiq segment. |
| Used For        | Cash and Derivatives  |
| Format          | Enumerated  |
| Tech Format     | unsigned integer 8  |
| Length          | 2   |
| Possible Values | 1 = Equities  |
|                 | 2 = Funds   |
|                 | 3 = Fixed Income  |
|                 | 4 = Warrants & Certificates   |
| Used In         | Order record in Optiq XML format  |
|                 |   |

#### ORDERENTRYTIME

| Field Name      | Book IN Time   |
|-----------------|--|
| Description     | Matching Engine IN time (in ns), time at which the corresponding inbound message entered the Matching Engine. (Time in number of nanoseconds since 01/01/1970 UTC) |
| Used For        | Cash and Derivatives   |
| Format          | Epoch Time in Nanoseconds  |
| Tech Format     | unsigned integer 64  |
| Length          | 20   |
| Possible Values | From 0 to 2^64-2   |
| Used In         | Order record in Optiq XML format   |

#### **ORDEREXPIRATION DATE**

| Field Name  | Order Expiration Date                                  |
|-------------|--|
| Description | Field used as date of order expiration for GTD orders. |
|             | - Format : MMDD  |
|             | - Minimum Value : 0101 (Jan 1st)                       |
|             | - Maximum Value : 1231 (Dec 31st)                      |
| Used For    | Cash and Derivatives                                   |
| Format      | Date   |
| Tech Format | unsigned integer 16                                    |

| Length          | 5                                |
|-----------------|----------------------------------|
| Possible Values | From 0 to 2^16-2                 |
| Used In         | Order record in Optiq XML format |
|                 |                                  |

#### **ORDEREXPIRATIONTIME**

| Field Name      | Order Expiration Time                                  |
|-----------------|--|
| Description     | Field used as time of order expiration for GTT orders. |
|                 | - Format : HHMMSS                                      |
|                 | - Minimum Value : 0 (00:00:00)                         |
|                 | - Maximum Value : 235959 (23:59:59)                    |
| Used For        | Cash   |
| Format          | Numerical ID   |
| Tech Format     | unsigned integer 32                                    |
| Length          | 10   |
| Possible Values | From 0 to 2^32-2                                       |
| Used In         | Order record in Optiq XML format                       |

#### ORDERID

| Field Name      | Order ID  |
|-----------------|---|
| Description     | <ul> <li>The Order ID used in the messages for trading purposes is a numerical order identifier assigned by the matching engine, unique per instrument over the entire lifetime of the order, which means that this value remains unchanged, even upon modifications of the.</li> <li>For reconciliation purposes with Euronext's clearing &amp; settlement partners clients may obtain the Order Number and the Order Entry Date from the Order ID field, which is composed of three parts, as depicted below: <ul> <li>The least-significant 2-bytes include the relative calendar days number since 1-jan-1970 at 0:00 UTC (EPOCH); (Please note, currently the clearing partners may use the date corresponding to this value in ASCII format).</li> <li>Then 1-byte includes the EMM.</li> <li>Then the remaining most-significant 5-bytes contain the Order Number which is a sequence number restarted at 1 at each start of day.</li> </ul> </li> </ul> |
|                 | <ul> <li>Let's take an order submitted on 10/03/17 on EMM = 1 having a sequence number = 1234</li> <li>The corresponding OrderID assigned by Optiq in internal format is calculated as follows:         <ul> <li>The relative number of days of 10/03/20 since EPOCH is 17235 ===&gt; 43 53 in hexa</li> <li>The EMM = 1 ===&gt; 01 in hexa</li> <li>Sequence number 1234 ====&gt; 04 D2 in hexa</li> </ul> </li> <li>The internal representation of the OrderID in hexadecimal is then: 00 00 00 04 D2 01 43 53</li> <li>The conversion in decimal of the OrderID is: 20703167315</li> </ul>   |
| Used For        | Cash and Derivatives  |
| Format          | Numerical ID  |
| Tech Format     | unsigned integer 64   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2  |

Used In Order record in Optiq XML format

#### **ORDERMODIFICATIONTIME**

| Field Name      | Book IN Time   |
|-----------------|--|
| Description     | Matching Engine IN time (in ns), time at which the corresponding inbound message entered the Matching Engine. (Time in number of nanoseconds since 01/01/1970 UTC) |
| Used For        | Cash and Derivatives   |
| Format          | Epoch Time in Nanoseconds  |
| Tech Format     | unsigned integer 64  |
| Length          | 20   |
| Possible Values | From 0 to 2^64-2   |
| Used In         | Order record in Optiq XML format   |

#### **ORDERPRICE**

| Field Name      | Order Price   |
|-----------------|---|
| Description     | Instrument price per quantity unit (To be calculated with Price/Index Level Decimals).  |
|                 | For the Market Data feed:   |
|                 | -Set to Null Value for priceless orders.  |
|                 |   |
|                 | For the Order Entry   |
|                 | -It is mandatory for priced orders (Limit, Stop-limit) and must be set to Null Value where the price is irrelevant (Market, Stop-market, Peg, MTL). |
| Used For        | Cash and Derivatives  |
| Format          | Price   |
| Tech Format     | signed integer 64   |
| Length          | 20  |
| Possible Values | From -2^63+1 to 2^63-1  |
| Used In         | Order record in Optiq XML format  |

#### **O**RDER**P**RIORITY

| Field Name  | Order Priority  |
|-------------|---|
| Description | Rank giving the priority of the order. The order with the lowest value of Order Priority has the highest priority.                    |
|             | Order Priority is unique per Symbol Index and EMM, therefore, it is also used as the unique order identifier in the market data feed. |
|             | Order Priority should then allow clients to reconcile their orders between private order entry and market data feed.                  |
|             | Used in conjunction with Previous Priority, for market data only.   |
| Used For    | Cash  |
| Format      | Numerical ID  |

| Tech Format     | unsigned integer 64              |
|-----------------|----------------------------------|
| Length          | 20                               |
| Possible Values | From 0 to 2^64-2                 |
| Used In         | Order record in Optiq XML format |
|                 |                                  |

#### ORDERQUANTITY

| Field Name      | Order Quantity  |
|-----------------|---|
| Description     | Total order quantity, per quantity unit.(To be calculated with Quantity Decimals) |
| Used For        | Cash and Derivatives  |
| Format          | Quantity  |
| Tech Format     | unsigned integer 64   |
| Length          | 20  |
| Possible Values | From 0 to 2^64-2  |
| Used In         | Order record in Optiq XML format  |
|                 |   |

#### ORDERSIDE

| Field Name      | Order Side   |
|-----------------|--|
| Description     | Indicates the side of the order.   |
|                 | Please note that the value Cross is used only for the Order Entry, it will never be populated in the Market Data feed. |
| Used For        | Cash   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 8   |
| Length          | 1  |
| Possible Values | 1 = Buy  |
|                 | 2 = Sell   |
|                 | 3 = Cross [i]  |
| Used In         | Order record in Optiq XML format   |
|                 |  |

#### ORDERTYPE

| Field Name  | Order Type  |
|-------------|---|
| Description | Type of Order.  |
|             | Please note that the values Stop-market/Stop-market-on-Quote, Stop limit/Stop-limit-on-quote, Average                     |
|             | Price, Iceberg and Mid-Point Peg are used only for the Order Entry, they will never be populated in the Market Data feed. |
|             |   |
| Used For    | Cash  |
| Format      | Enumerated  |
| Tech Format | unsigned integer 8  |
| Length      | 2   |

| Possible Values | 1 = Market                                  |
|-----------------|---|
|                 | 2 = Limit                                   |
|                 | 3 = Stop-market or Stop-market-on-quote [C] |
|                 | 4 = Stop-limit or Stop-limit-on-quote [C]   |
|                 | 5 = Primary Peg [C]                         |
|                 | 6 = Market to limit                         |
|                 | 7 = Market Peg (For Future Use) [C]         |
|                 | 8 = Mid-Point Peg (For Future Use) [C]      |
|                 | 9 = Average Price (For Future Use) [C]      |
|                 | 10 = Iceberg [C]                            |
| Used In         | Order record in Optiq XML format            |
|                 |   |

### Ρ

#### PARTITIONID

| Field Name      | Partition ID   |
|-----------------|--|
| Description     | Identifies uniquely an Optiq partition across all the Exchange partitions. |
| Used For        | Cash and Derivatives   |
| Format          | Numerical ID   |
| Tech Format     | unsigned integer 16  |
| Length          | 5  |
| Possible Values | From 0 to 2^16-2   |
| Used In         | Order record in Optiq XML format   |
|                 |  |

#### PEGOFFSET

| Field Name      | Peg Offset  |
|-----------------|---|
| Description     | (Future Use) Tick offset for a pegged order.                                    |
|                 | Used to indicate the signed tick added to the peg reference for a pegged order. |
| Used For        | Cash  |
| Format          | Numerical ID  |
| Tech Format     | signed integer 8  |
| Length          | 4   |
| Possible Values | From -127 to 127  |
| Used In         | Order record in Optiq XML format  |
|                 |   |

## S

#### **SENDERCOMPID**

Field Name SenderCompID

| Description     | Identifier of the member firm that sends the message.  |
|-----------------|--|
|                 | It is provided by the Exchange upon the registration of the Firm by the Membership department. |
| Used For        | Cash and Derivatives   |
| Format          | Text   |
| Tech Format     | character  |
| Length          | 8  |
| Possible Values | Firm ID  |
| Used In         | Order record in Optiq XML format   |
|                 |  |

#### **STOPTRIGGERPRICE**

| Field Name      | Stop Trigger Price                               |
|-----------------|--|
| Description     | Stop Trigger Price is mandatory for stop orders. |
| Used For        | Cash   |
| Format          | Price  |
| Tech Format     | signed integer 64                                |
| Length          | 20   |
| Possible Values | From -2^63+1 to 2^63-1                           |
| Used In         | Order record in Optiq XML format                 |
|                 |  |

#### **STP ID**

| Field Name      | STP ID   |
|-----------------|--|
| Description     | Identifier of a group of Users or Traders sharing the same business activity at the same Firm. |
| Used For        | Cash and Derivatives   |
| Format          | Numerical ID   |
| Tech Format     | unsigned integer 16  |
| Length          | 2  |
| Possible Values | From 0 to 2^16-1   |
| Used In         | Order record in Optiq XML format   |

#### **SYMBOLINDEX**

| Field Name  | Symbol Index  |
|-------------|---|
| Description | Exchange identification code of the instrument.<br>This identifier is unique per triplet: MIC, ISIN and currency. The correspondence of the Symbol Index and<br>with the instrument characteristics is provided in the standing data messages and associated files. |
| Used For    | Cash and Derivatives  |
| Format      | Numerical ID  |
| Tech Format | unsigned integer 32   |
| Length      | 10  |

| Possible Values | From 0 to 2^32-2                 |
|-----------------|----------------------------------|
| Used In         | Order record in Optiq XML format |

# Т

#### **TECHNICALORIGIN**

| Field Name      | Technical Origin  |
|-----------------|---|
| Description     | Indicates the origin of the order; for example, manual entry, or an order coming from a Program Trading system. This field is part of the clearing aggregate. |
| Used For        | Cash  |
| Format          | Enumerated  |
| Tech Format     | unsigned integer 8  |
| Length          | 1   |
| Possible Values | 1 = Index trading arbitrage   |
|                 | 2 = Portfolio strategy  |
|                 | 3 = Unwind order  |
|                 | 4 = Other orders (default)  |
|                 | 5 = Cross margining   |
| Used In         | Order record in Optiq XML format  |
|                 |   |

#### TIMEINFORCE

| Field Name      | Time In Force  |
|-----------------|--|
| Description     | Specifies the maximum validity of an order.                          |
|                 | For Stop orders it provides the maximum validity when not triggered. |
| Used For        | Cash and Derivatives   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 8   |
| Length          | 1  |
| Possible Values | 0 = Day  |
|                 | 1 = Good Till Cancel   |
|                 | 2 = Valid for Uncrossing [C]   |
|                 | 3 = Immediate or Cancel  |
|                 | 4 = Fill or Kill [C]   |
|                 | 5 = Good till Time [C]   |
|                 | 6 = Good till Date   |
|                 | 7 = Valid for Closing Uncrossing [C]                                 |
|                 | 8 = Valid for Session [D]  |
| Used In         | Order record in Optiq XML format                                     |
|                 |  |

#### **TRADINGCAPACITY**

| Field name      | TradingCapacity ALL  |
|-----------------|--|
| Description     | Indicates whether the order submission results from trading as matched principal, on own account or as any other capacity. |
| Format          | Enumerated (unsigned integer 8)  |
| Length          | 1  |
| Possible values | <ol> <li>Dealing on own account (DEAL)</li> <li>= Matched principal (MTCH)</li> <li>= Any other capacity (AOTC)</li> </ol> |
| Used in         | Order record in Optiq XML format   |

#### **TRIGGEREDSTOPTIMEINFORCE**

| Field Name      | Triggered Stop Time In Force   |
|-----------------|--|
| Description     | Specifies the maximum validity of an triggered stop order.<br>If both Time In Force and Triggered Stop Time In Force are Good till Date they will both refer to the same<br>Order Expiration Date (or Order Expiration Time) provided in the order. If Order Expiration Date is<br>modified it will be for both untriggered stop and triggered stop, or only for the triggered stop if the order |
| Llood For       | was previously triggered.  |
| Used For        | Cash and Derivatives   |
| Format          | Enumerated   |
| Tech Format     | unsigned integer 8   |
| Length          | 1  |
| Possible Values | 0 = Day  |
|                 | 1 = Good Till Cancel   |
|                 | 6 = Good till Date   |
| Used In         | Order record in Optiq XML format   |

## U

#### UNDISCLOSEDICEBERGTYPE

| Field Name      | Undisclosed Iceberg Type  |
|-----------------|---|
| Description     | (For Future Use) Order handling related to the undisclosed part of an Iceberg order eligible to a matching in the Dark pool of liquidity. |
| Used For        | Cash  |
| Format          | Enumerated  |
| Tech Format     | unsigned integer 8  |
| Length          | 1   |
| Possible Values | 1 = Limit   |
|                 | 2 = Peg Mid-Point   |
|                 | 3 = Peg Primary   |
|                 | 4 = Peg Market  |
| Used In         | Order record in Optiq XML format  |

#### **UNDISCLOSEDPRICE**

| Field Name      | Undisclosed Price  |
|-----------------|--|
| Description     | (For Future Use) Optional price for the hidden part of an Iceberg order. |
| Used For        | Cash   |
| Format          | Price  |
| Tech Format     | signed integer 64  |
| Length          | 20   |
| Possible Values | From -2^63+1 to 2^63-1   |
| Used In         | Order record in Optiq XML format   |
|                 |  |

#### **TRADE FILE FIELD DESCRIPTIONS**

# С

#### CCPID

| Field name      | CCPID ALL   |
|-----------------|---|
| Description     | Indicates the identification of the Clearing organization handling the trade.   |
| Format          | Char  |
| Length          | 1   |
| Possible values | '0'         No CCP           '1'         LCH SA           '6'         EuroCCP           '7'         Euroclear           '8'         SIX x-clear |
| Used in         | Trade Record  |

#### CLASSID

| Field name      | ClassID ALL       |
|-----------------|-------------------|
| Description     | Class identifier. |
| Format          | String            |
| Length          | 2                 |
| Possible values | Alphanumerical    |
| Used in         | Trade Record      |

#### **COUNTERPARTFIRMID**

| Field name      | CounterpartFirmID ALL   |
|-----------------|---|
| Description     | <ul> <li>ID of the Counterpart Firm in specific cases described below.</li> <li>The counterpart identifier is provided in case the related trade is the result of: <ul> <li>the Internal Matching Service (IMS) without clearing,</li> <li>the Internal Clearing Service (ICS) (For Future Use),</li> <li>a transaction performed on the Public Auctions Market (VPU),</li> <li>a transaction performed on a non-clearable instrument,</li> <li>a transaction performed under a Bilateral Settlement agreement.</li> </ul> </li> <li>If not filled, the field is blank padded.</li> </ul> |
| Format          | String  |
| Length          | 8   |
| Possible values | Alphanumerical  |
| Used in         | Trade Record  |

#### CURRENCY

| Field name      | Currency ALL   |
|-----------------|--|
| Description     | Currency code.<br>Identifies currency used for price.<br>Future use ► Absence of this field is interpreted as the default currency for the instrument. It is recommended<br>that systems provide the currency value whenever possible. |
| Format          | String   |
| Length          | 3  |
| Possible values | ISO 4217 standard  |
| Used in         | Trade Record   |

# Ε

#### EMM

| Field name      | EMM ALL  |
|-----------------|--|
| Description     | Defines the Exchange Market Mechanism applied on each platform.  |
| Format          | Int  |
| Length          | 2  |
| Possible values | <ul> <li>'1' Cash and Derivative Central Order Book (COB)</li> <li>'2' NAV Trading Facility</li> <li>'4' Derivative Wholesales</li> <li>'5' Cash On Exchange Off book</li> <li>'6' Euronext off-exchange trade reports</li> <li>'7' Derivative On Exchange Off book</li> <li>'8' ETF MTF - NAV Central Order Book</li> <li>'99' Not Applicable (For indices and iNAV)</li> </ul> |
| Used in         | Trade Record   |

#### **ENSYREC**

| Field name      | EnsYRec ALL  |
|-----------------|--|
| Description     | Record Type.<br>Defines the type of record in a file.              |
| Format          | Int  |
| Length          | 2  |
| Possible values | (see record structures)<br>'01' Header<br>'02' Body<br>'03' Footer |
| Used in         | Trade Record   |

#### **EXCHANGERATE**

| Field name      | ExchangeRate ALL   |
|-----------------|--|
| Description     | Exchange Rate to convert the foreign currency to the national currency (to be calculated with the Exchange Rate Nb Decimals). Exchange rate computed is equal to ExchangeRate* 10 ^(-ExchangeRateNbDecimals) |
| Format          | Int (Decimal locator + Amount)   |
| Length          | 10   |
| Possible values | Exchange Rate (1+9)  |
| Used in         | Trade Record   |

### F

#### **FINANCIALMARKETCODE**

| Field name      | FinancialMarketCode ALL   |
|-----------------|---|
| Description     | Financial market from which the instrument belongs for a given Class.   |
| Format          | String  |
| Length          | 3   |
| Possible values | 025: Paris - cash instruments (regulated and non-regulated markets)<br>277: Paris - Lending/Borrowing<br>278: Brussels - cash instruments<br>279: Amsterdam - cash instruments<br>290: Lisbon - cash instruments<br>274: Paris - MONEP instruments<br>276: Paris - MATIF instruments<br>277: Brussels - cash instruments<br>278: Brussels - cash instruments<br>279: Amsterdam - cash instruments<br>280: Brussels - derivative instruments<br>281: Amsterdam - derivative instruments<br>290: Lisbon - cash instruments<br>291: Lisbon - derivative instruments<br>295: Luxembourg Cash markets<br>299: Europe |
| Used in         | Trade Record  |

## 

#### **INSTRLONGID**

| Field name  | InstrLongID ALL          |
|-------------|--------------------------|
| Description | Long ID of an instrument |
| Format      | String                   |
| Length      | 12                       |

| Field name      | InstrLongID ALL |
|-----------------|-----------------|
| Possible values | Alphanumerical  |
| Used in         | Trade Record    |

#### **INSTRMKTPLACE**

| Field name      | InstrMktPlace ALL   |
|-----------------|---|
| Description     | ID of the market place where instrument price is established. |
| Format          | Int   |
| Length          | 3   |
| Possible values | Numerical   |
| Used in         | Trade Record  |

#### INSTRMNEMOCODE

| Field name      | InstrMnemoCode ALL   |
|-----------------|--|
| Description     | Mnemonic code of a cash instrument.<br>Only applicable if the instrument is a cash instrument. |
| Format          | String   |
| Length          | 5  |
| Possible values | Alphanumerical   |
| Used in         | Trade Record   |

#### **IT**RAN**YA**PL

| Field name      | ITranYApI <del>SP</del>  |
|-----------------|--|
| Description     | Trade type indicator.<br>Indicates the type of trade (normal, cross, valuation, internalized).                     |
| Format          | Char   |
| Length          | 1  |
| Possible values | '0'Normal trade'1'Cross trade'5'Internalized trade'6'Internalized cross trade'7'RMF trade'8'Internalized RMF trade |
| Used in         | Trade Record   |

## L

#### LASTPX

| Field name      | LastPx ALL                     |
|-----------------|--------------------------------|
| Description     | Price of last fill.            |
| Format          | Int (Decimal locator + Amount) |
| Length          | 19                             |
| Possible values | Price (1+18)                   |
| Used in         | Trade Record                   |

#### **LASTSHARES**

| Field name      | LastShares ALL   |
|-----------------|--|
| Description     | Quantity of last fill.<br>Quantity of shares bought/sold on the last fill. |
| Format          | Int  |
| Length          | 12   |
| Possible values | Quantity   |
| Used in         | Trade Record   |

#### LONGMNEMONIC

| Field name      | LongMnemonic ALL   |
|-----------------|--|
| Description     | Mnemonic code of the instrument. This field is not populated for every instrument. Introduced to comply with Borsa Italiana's Mnemonic of length 6 |
| Format          | char   |
| Length          | 6  |
| Possible values | Alphanumerical   |
| Used in         | Trade Record   |

### Μ

#### MIC

| Field name  | MIC ALL   |
|-------------|---|
| Description | Market identification code.<br>Future use ► Identifier for a market place as defined by the ISO 10383 standard.<br>Set to 'SI' for an SI trade. |
| Format      | String  |

| Field name      | MIC ALL                    |
|-----------------|----------------------------|
| Length          | 4                          |
| Possible values | ISO 10383 standard or 'SI' |
| Used in         | Trade Record               |

### Ν

#### NSEQOM10

| Field name      | NSeqOm10 ALL   |
|-----------------|--|
| Description     | Order ID.<br>Number assigned by the trading engine when an order is entered in the system. Unique per instrument and<br>day. |
| Format          | Int  |
| Length          | 10   |
| Possible values | Numerical  |
| Used in         | Trade Record   |

## 0

#### ONBEHALFOFCOMPID8

| Field name      | OnBehalfOfCompID8 ALL   |
|-----------------|---|
| Description     | ID of the order's issuing firm.<br>Identifier of the firm to which the order belongs (may differ from the <u>OnBehalfOfLocationID</u> that identifies<br>a firm's front-end server and from <u>SenderCompID</u> that identifies the gateway). |
| Format          | String  |
| Length          | 8   |
| Possible values | Firm ID   |
| Used in         | Trade Record  |

#### ORDERENTRYDATE

| Field name      | OrderEntryDate ALL   |
|-----------------|--|
| Description     | Date of order entry.<br>Date the new order entered the trading engine. |
| Format          | String   |
| Length          | 8  |
| Possible values | YYYYMMDD   |
| Used in         | Trade Record   |

## R

#### RULE80A

| Field name      | Rule80A ALL  |
|-----------------|--|
| Description     | Order origin.<br>Indicates the account type for which the order is entered. For example, an order can be entered for a Client<br>account, a House account or a Liquidity Provider.         |
| Format          | Char   |
| Length          | 1  |
| Possible values | <ul> <li>'1' Client</li> <li>'2' House</li> <li>'3' RLO</li> <li>'4' RO</li> <li>'6' Liquidity Provider</li> <li>'7' Related Party</li> <li>'8' Structured Product Market Maker</li> </ul> |
| Used in         | Trade Record   |

# S

#### **SETTLEMENTCURRENCY**

| Field name      | SettlementCurrency ALL                        |
|-----------------|---|
| Description     | Code of the settlement currency (ISO 4217-3A) |
| Format          | Char  |
| Length          | 3   |
| Possible values | SO 4217-3A                                    |
| Used in         | Trade Record                                  |

#### SETTLEMENTDATE

| Field name      | SettlementDate ALL  |
|-----------------|---|
| Description     | Date when a trade is final, and the buyer must make payment to the seller while the seller delivers the assets to the buyer |
| Format          | String  |
| Length          | 8   |
| Possible values | YYYYMMDD  |
| Used in         | Trade Record  |

#### SIDE

| Field name  | Side ALL    |
|-------------|-------------|
| Description | Order side. |

| Field name      | Side ALL  |
|-----------------|---|
| Format          | Char  |
| Length          | 1   |
| Possible values | '1' (or 'A' in the trade file)Buy'2' (or 'V' in the trade file)Sell |
| Used in         | Trade Record  |

#### SIDETAKER

| Field name      | SideTaker ALL   |
|-----------------|---|
| Description     | Taker order side.<br>Indicates the side of the order in case the trade implies a taker order. |
| Format          | Char  |
| Length          | 1   |
| Possible values | 'A' Buy<br>'V' Sell   |
| Used in         | Trade Record  |

#### **S**YMBOL

| Field name      | Symbol ALL  |
|-----------------|---|
| Description     | Instrument ID.<br>Identifier of the instrument involved in the order. |
| Format          | String  |
| Length          | 12  |
| Possible values | ISIN or ISIN-like   |
| Used in         | Trade Record  |

#### SYMBOLINDEX

| Field name      | SymbolIndex ALL  |
|-----------------|--|
| Description     | Exchange identification code of the instrument.<br>This identifier is unique per triplet: MIC, ISIN and currency. The correspondence of the Symbol Index and with<br>the instrument characteristics is provided in the standing data messages and associated files |
| Format          | Int  |
| Length          | 10   |
| Possible values | From 1 to 4280099999   |
| Used in         | Trade Record   |

## Т

#### **T**RADE**D**ATE

| Field name      | TradeDate ALL     |
|-----------------|-------------------|
| Description     | Date of the trade |
| Format          | String            |
| Length          | 8                 |
| Possible values | YYYYMMDD          |
| Used in         | Trade Record      |

#### TRADEDATETIME

| Field name      | TradeDateTime ALL          |
|-----------------|----------------------------|
| Description     | Date and time of the trade |
| Format          | String                     |
| Length          | 14                         |
| Possible values | YYYYMMDDHHMMSS             |
| Used in         | Trade Record               |

#### TRADEENDVALIDITYDATE

| Field name      | TradeEndValidityDate ALL  |
|-----------------|---|
| Description     | Date at which settlement instructions are cancelled by the CCP/CSD. |
| Format          | String  |
| Length          | 8   |
| Possible values | YYYYMMDD  |
| Used in         | Trade Record  |

#### **TRADEREFID**

| Field name      | TradeRefID ALL      |
|-----------------|---------------------|
| Description     | Trade reference ID. |
| Format          | Int                 |
| Length          | 10                  |
| Possible values | Numerical           |
| Used in         | Trade Record        |

#### TRADERID

| Field name      | TraderID ALL   |
|-----------------|----------------|
| Description     | Trader ID.     |
| Format          | String         |
| Length          | 8              |
| Possible values | Alphanumerical |
| Used in         | Trade Record   |

#### **TRADETIMESECONDSGRANULARITY**

| Field name      | TradeTimeSecondsGranularity ALL  |
|-----------------|--|
| Description     | Indicates the number of microseconds in the time at which the trade is generated (ssssss). This field works as a combination with field "TradeDateTime". In order to get the complete Trade Date Timestamp in micro second, fields "TradeDateTime" + "TradeTimeMicroSeconds" must be combined, with the following format as result : YYYYMMDDHHMMSSsssss |
| Format          | Int  |
| Length          | 6  |
| Possible values | From 0 to 999999   |
| Used in         | Trade Record   |

#### ΤΥΤΙΟ

| Field name      | TVTIC ALL  |
|-----------------|--|
| Description     | Trading Venue Transaction Identification Code (TVTIC).<br>Trading Venue Transaction Identification Code (TVTIC) is a field aimed at identifying an individual transaction.<br>It is generated by trading venues and disseminated to both the buying and the selling parties, in accordance<br>with Article 12 of the Commission Delegated Regulation (EU) 2017/580 Regulatory Technical Standards (RTS). |
|                 | Trading Venue Transaction Identification Code.<br>TVTIC is the Trade Unique Identifier (TUI)   |
| Format          | String   |
| Length          | 52   |
| Possible values | Alphanumerical (without zero padding)<br>Ex : 'ABC12345 '  |
| Used in         | Trade Record   |

### W

#### WAIVERINDICATOR

| Field name      | WaiverIndicator RM (TCS)  |
|-----------------|---|
| Description     | Indication as to whether the transaction was executed under a pre-trade waiver in accordance with Articles 4 and 9 of Regulation (EU) 600/2014.<br>Used for TCS trades only.  |
| Format          | Char  |
| Length          | 4   |
| Possible values | <ul> <li>(blank) As the field is optional</li> <li>'NLIQ' Negotiated transactions in liquid financial instruments</li> <li>'OILQ' Negotiated transactions in illiquid financial instruments</li> <li>'PRIC' Negotiated transactions subject to conditions other than the current market price of that equity financial instrument</li> </ul>  |
| Conditions      | <ul> <li>NLIQ - Applies for Equities &amp; ETFs that are flagged by ESMA as being a liquid financial instrument, this waiver is set on Off-Market On-Exchange trades that are (1) not VWAP transactions and (2) not identified as Large in Scale limit</li> <li>OILQ - Applies for Equities &amp; ETFs that are flagged by ESMA as being an illiquid financial instrument, this waiver is set on Off-Market On-Exchange trades that are (1) not VWAP transactions and (2) not identified as Large in Scale limit</li> <li>OILQ - Applies for Equities &amp; ETFs that are flagged by ESMA as being an illiquid financial instrument, this waiver is set on Off-Market On-Exchange trades that are (1) not VWAP transactions and (2) not identified as Large in Scale limit</li> <li>PRIC - Applies for:         <ul> <li>Any operations done on the Euronext Fund services (Paris and Amsterdam), covering the Fund orders either in Quantity or in Cash</li> <li>VWAP transaction for Equities</li> <li>"Cash Legs" of Delta-neutral trades reported on an Equity and/or ETF underlying</li> </ul> </li> <li>(blank) - Applies when none of the above rules are met, including any transactions that are not identified as Large in Scale limit</li> </ul> |
| Used in         | Trade Record  |

#### 7. WARRANTS & CERTIFICATES LCH FILES FIELD DESCRIPTIONS

### В

#### **BIC OF THE COUNTERPART MEMBER SETTLEMENT AGENT**

| Field name      | BIC of the Counterpart Member Settlement Agent ALL  |
|-----------------|---|
| Description     | Participant BIC code of settlement agent owning the security account of the Counterpart Member. |
| Format          | Char  |
| Length          | 11  |
| Possible values | Alphanumerical  |
| Used in         | Uncleared Netting File  |

#### **BUY/SELL INDICATOR**

| Field name      | Buy/Sell Indicator ALL   |
|-----------------|--|
| Description     | Uncleared Trade Buy/Sell indicator. Indicates the side of the trade. |
| Format          | String   |
| Length          | 1  |
| Possible values | Alphanumerical   |
| Used in         | Uncleared Trade File   |

## С

#### CASH AMOUNT

| Field name      | Cash Amount ALL                      |
|-----------------|--------------------------------------|
| Description     | Cash amount of the Net Trade balance |
| Format          | Char                                 |
| Length          | 18                                   |
| Possible values | Alphanumerical                       |
| Used in         | Uncleared Netting File               |

#### COUNTERPART MEMBER SECURITY ACCOUNT AT SETTLEMENT AGENT

| Field name  | Counterpart Member Security Account at Settlement Agent ALL |
|-------------|---|
| Description | Participant security account of the Counterparty Member.    |
| Format      | Char  |
| Length      | 35  |

| Field name      | Counterpart Member Security Account at Settlement Agent ALL |
|-----------------|---|
| Possible values | Alphanumerical  |
| Used in         | Uncleared Netting File                                      |

### Ε

#### **EXTERNAL TRADE REFERENCE**

| Field name      | External Trade Reference ALL       |
|-----------------|------------------------------------|
| Description     | Uncleared Trade External reference |
| Format          | Char                               |
| Length          | 15                                 |
| Possible values | Alphanumerical                     |
| Used in         | Uncleared Trade File               |

# I

#### **INTENDED SETTLEMENT DATE**

| Field name      | Intended Settlement Date ALL                   |
|-----------------|--|
| Description     | ISD of Uncleared Trade                         |
| Format          | Int  |
| Length          | 8  |
| Possible values | YYYYMMDD                                       |
| Used in         | Uncleared Trade File<br>Uncleared Netting File |

#### ISIN

| Field name      | ISIN ALL                                       |
|-----------------|--|
| Description     | ISIN of the instrument                         |
| Format          | Char   |
| Length          | 12   |
| Possible values | Alphanumerical                                 |
| Used in         | Uncleared Trade File<br>Uncleared Netting File |

### L

#### **LCH SA INSTRUCTION'S REFERENCE**

| Field name      | LCH SA Instruction's Reference ALL |
|-----------------|------------------------------------|
| Description     | Outbound (SI) external reference   |
| Format          | Char                               |
| Length          | 16                                 |
| Possible values | Alphanumerical                     |
| Used in         | Uncleared Netting File             |

### Μ

#### MEMBER

| Field name      | Member ALL                     |
|-----------------|--------------------------------|
| Description     | Member external Code reference |
| Format          | Char                           |
| Length          | 10                             |
| Possible values | Alphanumerical                 |
| Used in         | Uncleared Netting File         |

#### MEMBER CODE

| Field name      | Member Code ALL                      |
|-----------------|--------------------------------------|
| Description     | Uncleared Trade Member external code |
| Format          | Char                                 |
| Length          | 10                                   |
| Possible values | Alphanumerical                       |
| Used in         | Uncleared Trade File                 |

#### MEMBER COUNTERPART

| Field name  | Member Counterpart ALL                      |
|-------------|---|
| Description | Member Counterparty external Code reference |
| Format      | Char  |

| Field name      | Member Counterpart ALL                         |
|-----------------|--|
| Length          | 10   |
| Possible values | Alphanumerical                                 |
| Used in         | Uncleared Trade File<br>Uncleared Netting File |

#### MEMBER COUNTERPART ORIGIN

| Field name      | Member Counterpart Origin ALL                  |
|-----------------|--|
| Description     | Uncleared Trade Member Counterpart Origin Code |
| Format          | String   |
| Length          | 1  |
| Possible values | 'M': House<br>'T": Market Maker<br>'C': Client |
| Used in         | Uncleared Trade File                           |

#### MEMBER ORIGIN

| Field name      | Member Origin ALL                               |
|-----------------|---|
| Description     | Uncleared Trade Member Origin Code              |
| Format          | String  |
| Length          | 1   |
| Possible values | 'M': House<br>'T'': Market Maker<br>'C': Client |
| Used in         | Uncleared Trade File                            |

#### MEMBER SECURITY ACCOUNT AT SETTLEMENT AGENT

| Field name      | Member Security Account at Settlement Agent ALL |
|-----------------|---|
| Description     | Participant security account of the Member.     |
| Format          | Char  |
| Length          | 35  |
| Possible values | Alphanumerical                                  |
| Used in         | Uncleared Netting File                          |

#### MEMBER SETTLEMENT AGENT BIC CODE

| Field name      | Member Settlement Agent BIC Code ALL  |
|-----------------|---|
| Description     | Participant BIC code of settlement agent owning the security account of the Member. |
| Format          | Char  |
| Length          | 11  |
| Possible values | Alphanumerical  |
| Used in         | Uncleared Netting File  |

#### MEMBER TRADE FREE TEXT

| Field name      | Member Trade Free Text ALL |
|-----------------|----------------------------|
| Description     | Uncleared Trade Free text  |
| Format          | Char                       |
| Length          | 18                         |
| Possible values | Alphanumerical             |
| Used in         | Uncleared Trade File       |

#### MEMBER TRADE ORDER NUMBER

| Field name      | Member Trade Order Number ALL |
|-----------------|-------------------------------|
| Description     | Uncleared Trade order number  |
| Format          | Char                          |
| Length          | 16                            |
| Possible values | Alphanumerical                |
| Used in         | Uncleared Trade File          |

### Ρ

#### **PAYMENT CURRENCY**

| Field name      | Payment Currenct ALL                                      |
|-----------------|---|
| Description     | Payment currency of Net Trade balance (the Outbound – SI) |
| Format          | Char  |
| Length          | 3   |
| Possible values | ISO 4217 standard   |
| Used in         | Uncleared Netting File                                    |

# Q

#### QUANTITY

| Field name      | Quantity ALL                   |
|-----------------|--------------------------------|
| Description     | quantity of the Net SI balance |
| Format          | Int                            |
| Length          | 18                             |
| Possible values | Alphanumerical                 |
| Used in         | Uncleared Netting File         |

#### **QUANTITY UNIT**

| Field name      | Quantity Unit ALL                                     |
|-----------------|---|
| Description     | Quantity unit code of the Net Trade balance.<br>(UNT) |
| Format          | Char  |
| Length          | 3   |
| Possible values | Alphanumerical  |
| Used in         | Uncleared Netting File                                |

## R

#### **RECORD TYPE**

| Field name      | Record Type ALL   |
|-----------------|---|
| Description     | Defines the type of record in a file  |
| Format          | Char  |
| Length          | 5   |
| Possible values | "00275" – New Uncleared Trade<br>"00280" – New Uncleared Net SI related to daily Netting<br>"00281" – New Uncleared Net SI related to Regularizations |
| Used in         | Uncleared Trade File<br>Uncleared Netting File  |

#### **RELATED LCH SA INSTRUCTION'S REFERENCE**

| Field name  | Related LCH SA Instructions Reference ALL |
|-------------|---|
| Description | Outbound (SI) Reference                   |
| Format      | Char                                      |

| Field name      | Related LCH SA Instructions Reference ALL      |
|-----------------|--|
| Length          | 16   |
| Possible values | Alphanumerical                                 |
| Used in         | Uncleared Trade File<br>Uncleared Netting File |

## S

#### **SETTLEMENT INSTRUCTION TYPE**

| Field name      | Settlement Instruction Type ALL  |
|-----------------|--|
| Description     | Settlement Instruction Type  |
| Format          | Char   |
| Length          | 3  |
| Possible values | <ul> <li>'RFP' - Receive Free of Payment</li> <li>'DFP' - Delivery Free of Payment</li> <li>'RVP' - Receive versus Payment</li> <li>'DVP' - Delivery versus Payment</li> <li>'RWP' - Receive with Payment</li> <li>'DWP' - Delivery with Payment</li> <li>'CPO' - Cash payment Only</li> <li>'CRO '- Cash receive Only'</li> <li>'NIL' - Null Netting</li> </ul> |
| Used in         | Uncleared Netting File   |

### Т

#### **TRADE AMOUNT**

| Field name      | Trade Amount ALL       |
|-----------------|------------------------|
| Description     | Uncleared Trade Amount |
| Format          | Int                    |
| Length          | 18                     |
| Possible values | Alphanumerical         |
| Used in         | Uncleared Trade File   |

#### TRADE CURRENCY

| Field name  | Trade Currency ALL       |
|-------------|--------------------------|
| Description | Uncleared Trade currency |
| Format      | Char                     |

| Field name      | Trade Currency ALL   |
|-----------------|----------------------|
| Length          | 3                    |
| Possible values | Alphanumerical       |
| Used in         | Uncleared Trade File |

#### TRADE DATE

| Field name      | Trade date ALL                                 |
|-----------------|--|
| Description     | Trade Date of Uncleared Trade                  |
| Format          | Int  |
| Length          | 8  |
| Possible values | YYYYMMDD                                       |
| Used in         | Uncleared Trade File<br>Uncleared Netting File |

#### **TRADE PRICE**

| Field name      | Trade Price ALL       |
|-----------------|-----------------------|
| Description     | Uncleared Trade price |
| Format          | Char                  |
| Length          | 19                    |
| Possible values | Alphanumerical        |
| Used in         | Uncleared Trade File  |

#### TRADE QUANTITY

| Field name      | Trade Quantity ALL              |
|-----------------|---------------------------------|
| Description     | Quantity of the Uncleared Trade |
| Format          | Int                             |
| Length          | 18                              |
| Possible values | Alphanumerical                  |
| Used in         | Uncleared Trade File            |

#### **TRADING CODE**

| Field name  | Trade Code ALL                 |  |
|-------------|--------------------------------|--|
| Description | Trading code of the Instrument |  |
| Format Char |                                |  |

| Field name      | Trade Code ALL       |  |
|-----------------|----------------------|--|
| Length          | 12                   |  |
| Possible values | Alphanumerical       |  |
| Used in         | Uncleared Trade File |  |

### U

#### **UNCLEARED TRADE TIMESTAMP CREATION**

| Field name                   | Uncleared Trade Timestamp Creation ALL |  |
|------------------------------|--|--|
| Description                  | Uncleared Trade Timestamp creation     |  |
| Format                       | : Int                                  |  |
| Length                       | 16                                     |  |
| Possible values              | VYYYMMDDHHMMSS                         |  |
| Used in Uncleared Trade File |  |  |

### APPENDIX A: REVIEW LOG, DOCUMENT HISTORY, SIGN-OFF

#### **REVIEW LOG**

| DOCUMENT NAME    | Euronext Cash Markets – Common File Transfer System - End Of Day Files - Interface Specification |
|------------------|--|
| REVISION VERSION | 5.20.0   |

#### **DOCUMENT HISTORY**

| 1 | VERSION NO. | DATE       | AUTHOR                    | CHANGE DESCRIPTION    |
|---|-------------|------------|---------------------------|-----------------------|
|   | 5.20.0      | 14-11-2022 | IT Market Services<br>COL | Creation of document. |