

Document title**OPTIQ DERIVATIVES OEG CONFORMANCE: SBE AND FIX TEST SCRIPT****Document type or subject****Conformance test****Version number**

Revision Number: 1.0

Date

17 Sep 2019

Number of pages

54

Author

Euronext

This document is for information purposes only. The information and materials contained in this document are provided 'as is' and Euronext does not warrant the accuracy, adequacy or completeness and expressly disclaims liability for any errors or omissions. This document is not intended to be, and shall not constitute in any way a binding or legal agreement, or impose any legal obligation on Euronext. This document and any contents thereof, as well as any prior or subsequent information exchanged with Euronext in relation to the subject matter of this presentation, are confidential and are for the sole attention of the intended recipient. Except as described below, all proprietary rights and interest in or connected with this publication shall vest in Euronext. No part of it may be redistributed or reproduced without the prior written permission of Euronext. Portions of this presentation may contain materials or information copyrighted, trademarked or otherwise owned by a third party. No permission to use these third party materials should be inferred from this presentation.

Euronext refers to Euronext N.V. and its affiliates. Information regarding trademarks and intellectual property rights of Euronext is located at <https://www.euronext.com/terms-use>.

PREFACE

PURPOSE

The purpose of this document is to provide customers with a description of the Optiq order entry conformance script, including scenarios for connectivity, functional data conformance and high availability tests for the Optiq Phase 3 of the migration of Euronext Derivatives markets to Optiq.

TARGET AUDIENCE

This document is particularly relevant to clients that will need to perform mandatory conformance tests on Optiq Derivatives order entry, i.e. :

- Member developers;
- Technology providers (Independent Software Vendors and Application Service Providers ASPs);
- Liquidity Provider trading members using an ISV/ASP provider solution.

WHAT'S NEW?

The following lists only the most recent modification made to this revision/version. For the Document History table, see the [Appendix](#).

REVISION NO./ VERSION NO.	DATE	AUTHOR	CHANGE DESCRIPTION
1.1	17 Sep 2019	Euronext	<ul style="list-style-type: none">- Case 4.26 corrected OrderCancelReject (9) to RequestAckMessage (Uy) for FIX.- Case 6.1 corrected Account Type set to 6 (Client) to Account Type set to 6 (Liquidity Provider) and added wording "and LPRole set to 1 (Liquidity Provider or Market Maker)".- Removed sentences "without new MIFID II fields".- Case 4.22 added Segmentation flags- Removed duplicate case (old 4.21)- Corrected 6.14 to reflect Quote Ack as response instead of Reject message.- Corrected 6.16 to reflect Quote Ack as response instead of Reject message.
1.0	23 Jul 2019	Euronext	First version

ASSOCIATED DOCUMENTS

The following lists the associated technical documents, which either should be read in conjunction with this document or which provide other relevant information for the user:

- Technical specifications (Phase 3: Cash OEG / ME & MDG)
 - Euronext Derivatives Markets – Optiq Kinematics Specifications
 - Euronext Markets – Optiq OEG Client Specifications – SBE Interface
 - Euronext Markets – Optiq OEG Client Specifications – FIX 5.0 Interface
 - Euronext Markets – Optiq MDG Client Specifications
 - Euronext Markets – Optiq & TCS Error List
 - Euronext Markets – Optiq OEG Connectivity Specifications
 - Euronext Markets – Optiq File Specifications
 - Euronext Optiq Phase 3 Order Entry Gateway (OEG) and Matching Engine (ME) Conformance Test Details
 - Euronext Derivatives – How the Market Works
- Technical Inputs:
 - Euronext Markets – Optiq OEG SBE Template
 - Euronext Markets – Optiq MDG SBE Template

CONTACT

Please find below the Optiq Support Desk contact details, which has been established to ensure customer readiness by:

- sending information to customers related to Optiq
- answering customers' questions related to Optiq
- assisting customers in their testing and validation on the EUA environment
- providing follow-up on customer conformance testing
- assessing customers' state of readiness with regards to technical changes

Optiq Support Desk

Tel: +33 1 70 48 25 55

Email: optiq@euronext.com

SCOPE OF MESSAGES AND FUNCTIONALITIES

The following table describe each Optiq Segment tag. Each tag will be then used for each message to specify on which Optiq Segment this message applies to.

Optiq Segment	Tag
Equity Derivatives	EQD
Index Derivatives	IDD
Financial Derivatives	FID
Commodities	CMO

CONTENTS

PREFACE	2
PURPOSE	2
1. SOFTWARE IDENTIFICATION	8
1.1 In House Solution identification EQD IDD FID CMO	8
1.2 ISV Solution identification EQD IDD FID CMO	9
2. CLIENT ID ORDER MANAGEMENT	11
2.1 New order EQD IDD FID CMO	11
3. ADMINISTRATION MESSAGES	12
3.1 Logon EQD IDD FID CMO	12
3.2 Logon Reject EQD IDD FID CMO	13
3.3 HeartBeat EQD IDD FID CMO	13
3.4 Resend Request EQD IDD FID CMO	14
3.5 Sequence Reset EQD IDD FID CMO	14
3.6 Test Request EQD IDD FID CMO	15
3.7 Logout EQD IDD FID CMO	15
4. ORDER & TRADE MANAGEMENT	17
4.1 New Order EQD IDD FID CMO	17
4.2 New Order - Client Account EQD IDD FID CMO	17
4.3 New Order - House Account EQD IDD FID CMO	18
4.4 Trade – Full Execution EQD IDD FID CMO	18
4.5 Trade – Partial Execution EQD IDD FID CMO	19
4.6 Trade Cancellation – Initiated by the Exchange EQD IDD FID CMO	19
4.7 Order Cancellation – Initiated by the Exchange EQD IDD FID CMO	20
4.8 Day Order EQD IDD FID CMO	20
4.9 Good Till Cancel Order EQD IDD FID CMO	21
4.10 Good Till Date Order EQD IDD FID CMO	21
4.11 Market Order EQD IDD FID CMO	22
4.12 Immediate or Cancel Limit Order EQD IDD FID CMO	23

4.13	Fill or Kill Order	EQD	IDD	FID	CMO	24
4.14	Min Qty Order	EQD	IDD	FID	CMO	25
4.15	Cancel Replace – Price Only	EQD	IDD	FID	CMO	26
4.16	Cancel Replace – Quantity Only	EQD	IDD	FID	CMO	27
4.17	Cancel Request – Individual Order	EQD	IDD	FID	CMO	27
4.18	Cancel Request – Reject	EQD	IDD	FID	CMO	28
4.19	Order Mass Cancellation – By Contract	EQD	IDD	FID	CMO	28
4.20	Order Mass Cancellation – By Shortcode	EQD	IDD	FID	CMO	29
4.21	Order Expiry – Day Order	EQD	IDD	FID	CMO	29
4.22	Cancel on Disconnect – Deactivated	EQD	IDD	FID	CMO	30
4.23	Cancel on Disconnect – Activated	EQD	IDD	FID	CMO	30
4.24	Ownership Request	EQD	IDD	FID	CMO	31
4.25	Status of Target Orders	EQD	IDD	FID	CMO	32
4.26	User Notification	EQD	IDD	FID	CMO	32
5.	STRATEGIES					34
5.1	Security Definition Request Futures	EQD	IDD	FID	CMO	34
5.2	Security Definition Request Options	EQD	IDD	FID	CMO	34
5.3	Strategies New Order	EQD	IDD	FID	CMO	35
5.4	Strategies Trade	EQD	IDD	FID	CMO	35
5.5	Strategy – Trade Bust Notification Single Leg	EQD	IDD	FID	CMO	36
5.6	Strategy – Trade Bust Notification Complete Strategy	EQD	IDD	FID	CMO	36
6.	Market Making (Orders, Quotes, MMP, MM Sign-In)					38
6.1	New Order – Liquidity Provider Account	EQD	IDD	FID	CMO	38
6.2	Market Maker Sign In	EQD	IDD	FID	CMO	38
6.3	MM Protection Request Set Delta Protection	EQD	IDD	FID	CMO	39
6.4	Quotes	EQD	IDD	FID	CMO	39
6.5	Quotes - Adjust Quantity	EQD	IDD	FID	CMO	39
6.6	Quotes - Adjust Price	EQD	IDD	FID	CMO	40
6.7	Quotes - Trade	EQD	IDD	FID	CMO	40

6.8	Quotes - Adjust Quantity on partial fill	EQD	IDD	FID	CMO	40
6.9	MM Protection Request - Get Delta Protection	EQD	IDD	FID	CMO	41
6.10	Quotes Trade for MMP Breach	EQD	IDD	FID	CMO	41
6.11	MM Protection Request Set volume Protection	EQD	IDD	FID	CMO	42
6.12	Quotes Cancel by MM	EQD	IDD	FID	CMO	42
6.13	Quotes Cancel by Exchange	EQD	IDD	FID	CMO	42
6.14	Quotes Multiple Contracts – Reject	EQD	IDD	FID	CMO	43
6.15	Quotes Multiple Instruments	EQD	IDD	FID	CMO	43
6.16	Quotes Reject	EQD	IDD	FID	CMO	43
6.17	New LP Order In MM Contract	EQD	IDD	FID	CMO	44
6.18	New LP In MM Contract Non-IOC/FOK	EQD	IDD	FID	CMO	44
7.	WHOLESALES					46
7.1	Large In Scale - Cross on an Outright	EQD	IDD	FID	CMO	46
7.2	Large in Scale - Outright	EQD	IDD	FID	CMO	46
7.3	Large in Scale - Strategy	EQD	IDD	FID	CMO	47
7.4	Against Actual	EQD	IDD	FID	CMO	48
7.5	Exchange For Swaps	EQD	IDD	FID	CMO	49
7.6	Wholesale Order Rejection	EQD	IDD	FID	CMO	49
7.7	Wholesale Order Expiration	EQD	IDD	FID	CMO	50
8.	TRADE PRICE VALIDATION					51
8.1	Order Cancel Due To Trade Price Validation	EQD	IDD	FID	CMO	51
9.	Trading Chain Failures					52
9.1	Introduction					52
10.	SUPPORT					53
	APPENDIX A: REVISION HISTORY					54

1. SOFTWARE IDENTIFICATION

1.1 IN HOUSE SOLUTION IDENTIFICATION EQD IDD FID CMO

REQUIRED SBE MESSAGES	Logon (100) Software Provider
REQUIRED FIX MESSAGES	Logon (A) SoftwareProvider (21050)
MANDATORY	Yes for In House solutions

The approach consists of populating a dedicated field called “*Software Provider*” that exists in both SBE and FIX OEG messages as follows:

For an In-house solution: To identify as being in house and provide transparency of versioning.

Instruction for SBE

The customer submits a **Logon** (100) message, making sure the field *Software Provider* will be filled using 8 characters in total, the three first Digits must be filled with Zeros and the remaining 5 characters must contain the versioning of your API solution.

0	0	0	Y	Y	Y	Y	Y
---	---	---	---	---	---	---	---

Success Criteria for SBE

The Optiq Analyst confirms a successful login, and validate the *Software Provider* field was populated.

A **Logon Ack** (101) message is sent by OEG providing the Exchange ID and the last message received from the client.

Instruction for FIX

The customer submits a **Logon** (A) message, making sure the field *SoftwareProvider* (21050) field will be filled using 8 characters in total, the three first Digits must be filled with Zeros and the remaining 5 characters must contain the versioning of your API solution.

0	0	0	Y	Y	Y	Y	Y
---	---	---	---	---	---	---	---

Success Criteria for FIX

The Optiq Analyst confirms a successful login, and validate the *SoftwareProvider* (21050) field was populated.

A Logon (A) message is sent back by OEG providing the Exchange ID and the last message received from the client.

1.2 ISV SOLUTION IDENTIFICATION EQD IDD FID CMO

REQUIRED SBE MESSAGES	Logon (100) Software provider
REQUIRED FIX MESSAGES	Logon (A) SoftwareProvider (21050)
MANDATORY	Yes for ISV solutions

For an ISV solution: To identify the ISV provider and provide transparency of versioning.

The approach consists of populating a dedicated field called “Software Provider” that exists in both SBE and FIX OEG messages as follows:

Instruction for SBE

The customer submits a **Logon** (100) message, making sure the field Software Provider will be filled using 8 characters in total, the three first Digits must be filled with the appropriated prefix assigned by the Exchange and the remaining 5 characters must contain the versioning of your API solution.

X	X	X	Y	Y	Y	Y	Y
---	---	---	---	---	---	---	---

Success Criteria for SBE

The Optiq Analyst confirms a successful login, and validate the Software Provider Field was populated.

A **Logon Ack** (101) message is sent by OEG providing the Exchange ID and the last message received from the client.

Instruction for FIX

The customer submits a **Logon** (A) message, making sure the field *Software Provider* (21050) will be filled using 8 characters in total, the three first Digits must be filled with the appropriated prefix* assigned by the Exchange and the remaining 5 characters must contain the versioning of your API solution.

X	X	X	Y	Y	Y	Y	Y
---	---	---	---	---	---	---	---

Success Criteria for FIX

The Optiq Analyst confirms a successful login, and validate the *SoftwareProvider* (21050) field was populated.

A **Logon** (A) message is sent back by OEG providing the Exchange ID and the last message received from the client.

Note: The dedicated prefix will be sent from Euronext CAS service XXX to Each ISV.

ISV prefix range from -001 to -213 as per 4 bytes decimal digit representation format (- 2,147,483,646 ...- 1).

2. CLIENT ID ORDER MANAGEMENT

2.1 NEW ORDER

REQUIRED SBE MESSAGES	New Order (01);
REQUIRED FIX MESSAGES	NewOrderSingle (D);
MANDATORY	Yes

Depending on the nature of the client access, the *Client Order ID* must respect some constraints as described below.

Moreover it is recommended that clients implement their own configurable prefix in order to allow firms to integrate several application instances easily and ensure *Client Order ID* uniqueness across all the firm orders.

Regular Access: when a firm contracts its own and exclusive order entry access means directly with Euronext, the Firm Trading Solution type is Regular Access (or sometimes Direct Access):

- **Regular “In House” Accesses** (i.e. non via ISV): Must specify a *ClOrdID* value in the positive number range.
- **Regular Accesses via ISV:**
 - The ISV must specify a *ClOrdID* value in the negative number range with the unique 3-digit number prefix assigned by the exchange. Numerically it means that clients are restricted to a range from –XXX0000000000000000 to –XXX9999999999999999, where XXX is their ISV ID.
 - The correct use of the ISV ID and range is checked by the exchange during the conformance test, however afterwards the OEG will not perform any checks of the correct assignment of the ID or range in the inbound application message.
 - A dedicated prefix will be sent from Euronext CAS service XXX to Each ISV.
- **Instructions for SBE and FIX:** Customer sends order with valid prefix in the client order id field.
- **Success Criteria for SBE and FIX:** Optiq Analyst confirms that field Client Order Id / ClOrdID (tag 11) has the correct prefix
 - a. Optiq Analyst confirms ClOrdID has a negative value.
 - b. Optiq Analyst confirms ClOrdID has the correct prefix.

3. ADMINISTRATION MESSAGES

3.1 LOGON EQD IDD FID CMO

REQUIRED SBE MESSAGES	Logon (100)
REQUIRED FIX MESSAGES	Logon (A)
MANDATORY	Yes

Instruction for SBE

The customer submits a valid and correctly formatted Logon message to log into their OEG session with the following fields for **SBE**:

- *Logical Access ID*
- *OE Partition ID*
- *Last Message Sequence Number*: For the first connection of the day it should be set to zero (0). However, it will be the Sequence Number of the last message received by the client from the Exchange on a specific OE session.
- *Software Provider* (Mandatory for customers using a software Provider)
- *Queuing Indicator* set to 0 or 1

Success Criteria for SBE

The Optiq Analyst confirms a successful login, this consists of a logon and then a logon confirmation.

A **Logon Ack** (101) message is sent by OEG providing the Exchange ID and the last message received from the client.

Instruction for FIX

The customer submits a valid and correctly formatted Logon message to log into their OEG session with the following fields for **FIX**:

- *LogicalAccessID* (21021)
- *OEPartitionID* (21019)
- *NextExpectedMsgSeqNum* (789): for the first connection of the day it must be 1. However it will be the sequence number of the last message received by the client from Exchange on a specific OEG session.
- *SoftwareProvider* (21050) – (Mandatory for customers using a software Provider)
- *QueueingIndicator* (21020) = 0 or 1
- *DefaultApplVerID* (1137) = 9
- *EncryptMethod* (98) = 0

Success Criteria for FIX

The Optiq Analyst confirms a successful login. A **Logon** (A) message is sent back by OEG with the sequence number of the last message received from the client.

3.2 LOGON REJECT EQD IDD FID CMO

REQUIRED SBE MESSAGES	Logon Reject (102)
REQUIRED FIX MESSAGES	Reject (3)
MANDATORY	Yes

Instructions for SBE:

- 1- The customer initiates an OEG session with a wrong Logical Access ID.
- 2- The customer initiates an OEG session with Queueing Indicator not sent / set.
- 3- The customer try to logon with a *LogicalAccessID* which is already connected.
- 4- The customer try to logon with a *LastSequenceNumber* much higher than last sent by OEG.

Success Criteria for SBE:

- 1- Logon is rejected with *Logon Reject Code* = 1 (Unknown Connection Identifier)
- 2- Logon is rejected with *Logon Reject Code* = 7 (Invalid Logon format)
- 3- Logon is rejected with *Logon Reject Code* = 4 (Client session already logged on)
- 4- Logon is rejected with *Logon Reject Code* = 3 (Invalid sequence number) and Last Sequence Number field set to a given value. Then client sends his next logon where *LastSequenceNumber* is populated with a sequence number less or equal to this given value and he is able to logon successfully.

Instructions for FIX:

- 1- The customer initiates an OEG session with invalid Tag number.
- 2- The customer initiates an OEG session with required Tag missing
- 3- The customer initiates an OEG session with field *NextExpectedMsgSeqNum* (789) set to a much higher value than last sent by OEG

Success Criteria for FIX:

- 1- Logon is rejected with *SessionRejectReason* (373) = 0 (Invalid Tag number)
- 2- Logon is rejected with *SessionRejectReason* (373) = 1 (Required Tag is missing)
- 3- Logon is rejected with *SessionRejectReason* (373) = 10 (*ReceivedNextExpectedMsgSeqNum* (789) is too high) and *LastMsgSeqNumProcessed* (369) field set to a given value. Then client sends his next logon where the field *NextExpectedMsgSeqNum* (789) is populated with a sequence number less or equal to this given value and he is able to logon successfully.

3.3 HEARTBEAT EQD IDD FID CMO

REQUIRED SBE MESSAGES	HeartBeat (106)
REQUIRED FIX MESSAGES	HeartBeat (0)
MANDATORY	Yes

Instructions for SBE: the customer should send a **Logon** (100) message and make sure that to send heartbeats to the exchange.

Success Criteria for SBE: the customer confirms regular Heartbeats are received according to the “Delay of Inactivity” defined by the exchange for the Optiq segment.

Instructions for FIX: The customer should confirm the *HeartBInt* (108) setting is the same as in their **Logon** (A) message, and corresponds to the value defined by the exchange for the Optiq segment.

Success Criteria for FIX: The customer confirms regular Heartbeats are received according to the HeartBInt setting defined by the exchange for the Optiq segment.

3.4 RESEND REQUEST EQD IDD FID CMO

REQUIRED SBE MESSAGES	N/A
REQUIRED FIX MESSAGES	ResendRequest (2)
MANDATORY	Yes, for FIX protocol only

Instruction: the customer submits a valid and correctly formatted **Resend Request** (2) message with a nominated Begin and End Seq number.

Success Criteria: the Exchange resends messages, the customer confirms successful receipt of messages.

3.5 SEQUENCE RESET EQD IDD FID CMO

REQUIRED SBE MESSAGES	N/A
REQUIRED FIX MESSAGES	SequenceReset (4)
MANDATORY	Yes, for FIX protocol only

Instruction: If possible, the customer submits a valid and correctly formatted **Sequence Reset** (4) by setting *GapFillFlag* (123) to ‘Y’. The value in the *NewSeqNo* (36) will always represent the *MsgSeqNum* of the next message that by the Market.

Success Criteria: Optiq Analyst confirms successful receipt of a valid and correctly formatted **Sequence Reset** (4).

3.6 TEST REQUEST

REQUIRED SBE MESSAGES	TestRequest (107)
REQUIRED FIX MESSAGES	TestRequest (1)
MANDATORY	Yes

Instruction for SBE: the customer submits a **Test Request** (107) message.

Success Criteria for SBE: the Exchange receives the Test Request. The Exchange will automatically reply with a **HeartBeat** (106) message. The customer confirms receipt of Heartbeat message.

Instruction for FIX: the customer submits a **Test Request** (1) message.

Success Criteria for FIX: the Exchange receives the Test Request. The Exchange will automatically reply with a **HeartBeat** (0) message. The customer confirms receipt of Heartbeat with the expected *TestReqID* (112).

3.7 LOGOUT

REQUIRED SBE MESSAGES	Logout (103)
REQUIRED FIX MESSAGES	Logout (5)
MANDATORY	Yes

Instructions for SBE:

- The customer submits a valid and correctly formatted **Logout** (103) message to log out the OEG session, with field *Log Out Reason Code* = 0
- The customer tries to logon with a *LogicalAccessID* which is already connected.

Success Criteria for SBE:

- The customer submits a valid and correctly formatted **Logout** (103) message to log out the OEG session.
Optiq Analyst confirms the customer is successfully logged out.
- SessionStatus* = 103 (Client session already logged on).

Instructions for FIX:

- The customer submits a valid and correctly formatted **Logout** (5) message to log out the OEG session, with *SessionStatus* (1409) set to 100 (Regular Logout by client).

- b. The customer tries to logon with a *LogicalAccessID* which is already connected.

Success Criteria for FIX:

- a. The customer confirms receipt of a valid **Logout** (5) message with *SessionStatus* = 4 (Session logout complete). Optiq Analyst confirms the customer is successfully logged out.
- b. The customer confirms receipt of a valid **logout** (5) message with *SessionStatus* = 103 (Client session already logged on).

4. ORDER & TRADE MANAGEMENT

4.1 NEW ORDER EQD IDD FID CMO

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	NewOrderSingle (D); ExecutionReport (8)
MANDATORY	Yes

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack (03)** message for the BUY order with *Ack Type*= 0 (New Order Ack).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order message, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport (8)** message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New).

4.2 NEW ORDER - CLIENT ACCOUNT EQD IDD FID CMO

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	NewOrderSingle (D); ExecutionReport (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated and *Account Type* set to 1 = Client.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack (03)** message for the BUY order with *Ack Type* = 0 (New Order Ack).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order messages, with all mandatory and conditional MIFID II fields properly populated and *Account Code* (6399) set to 1 = Client.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New) .

4.3 NEW ORDER - HOUSE ACCOUNT

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	NewOrderSingle (D); ExecutionReport (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated and *Account Type* set to 2 = House.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack** (03) message for the BUY order with *Ack Type* = 0 (New Order Ack).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order messages, with all mandatory and conditional MIFID II fields properly populated and *Account Code* (6399) set to 2 = House.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New).

4.4 TRADE – FULL EXECUTION

REQUIRED SBE MESSAGES	New Order (01); Fill (04)
REQUIRED FIX MESSAGES	NewOrderSingle (D); Execution Report (8)
MANDATORY	Yes

Instructions for SBE: the customer submits a valid and correctly formatted new SELL order message. An Optiq analyst will match the order entered by the client in order to generate a Full execution.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Fill** (04) message.

Instruction for FIX: the customer submits a valid and correctly formatted new SELL order message. An Optiq analyst will match the order entered by the client in order to generate a Full execution.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message with *ExecType* (150) = F Trade (Partial Fill or Fill) and *OrdStatus* (39) = 2 Filled

4.5 TRADE – PARTIAL EXECUTION

REQUIRED SBE MESSAGES	New Order (01); Fill (04)
REQUIRED FIX MESSAGES	NewOrderSingle (D); Execution Report (8)
MANDATORY	Yes

Instructions for SBE: the customer submits a valid and correctly formatted new SELL order message. An Optiq analyst will match the order entered by the client in order to generate a Partial execution.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Fill** (04) message.

Instruction for FIX: the customer submits a valid and correctly formatted new SELL order message. An Optiq analyst will match the order entered by the client in order to generate a Partial execution.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message with *ExecType* (150) = F (Trade (Partial Fill or Fill)) and *OrdStatus* (39) = 1 (Partially Filled).

4.6 TRADE CANCELLATION – INITIATED BY THE EXCHANGE

REQUIRED SBE MESSAGES	Trade Bust notification (19)
REQUIRED FIX MESSAGES	ExecutionReport (8)
MANDATORY	Yes

Instructions for SBE: an Optiq analyst will cancel a previously matched trade.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Trade Bust notification** (19) message.

Instruction for FIX: an Optiq analyst will cancel a previously matched trade.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message with *ExecType* (150) = H Cancel Trade and *OrdStatus* (39) = H (Trade Cancellation).

4.7 ORDER CANCELLATION – INITIATED BY THE EXCHANGE EQD IDD FID CMO

REQUIRED SBE MESSAGES	Kill (05)
REQUIRED FIX MESSAGES	ExecutionReport (8)
MANDATORY	Yes

Instructions for SBE: Optiq analyst will cancel one of the customer's orders.

Success Criteria for SBE: The customer confirms the receipt and correct interpretation of **Kill** (05) message with *Kill Reason* = 3 (Order Cancelled by Market Operations).

Instruction for FIX: Optiq analyst will cancel one of the customer's orders.

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message with *ExecType* (150) = U (Order Cancelled by Market Operations) and *OrdStatus* (39) = 4 (Cancelled).

4.8 DAY ORDER EQD IDD FID CMO

REQUIRED SBE MESSAGES	New Order (01); Time In Force = 0 (Day)
REQUIRED FIX MESSAGES	NewOrderSingle (D); TimeInForce (Tag 59) = 0 (Day)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted Day Order with *Time In Force* field set to 0 (Day)

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Ack** (03) message, with *Ack Type* set to 0 (New Order Ack).

Instructions for FIX: the customer submits a valid and correctly formatted Day Order with *Time In Force* (59) field set to 0 (Day)

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) messages with *ExecType* (150) and *OrdStatus* (39) set to 0 (New).

4.9 GOOD TILL CANCEL ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 2 (Limit); Time In Force = 1 (Good Till Cancel)
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 2 (Limit); TimeInForce (Tag 59) = 1 (Good Till Cancel (GTC))
MANDATORY	No

Instruction for SBE: the customer submits a valid and correctly formatted Good Till Cancel Order.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Ack** (03) message.

Instruction for FIX: the customer submits a valid and correctly formatted Good Till Cancel Order.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message.

4.10 GOOD TILL DATE ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 2 (Limit); Time In Force = 6 (Good till Date)
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 2 (Limit); TimeInForce (Tag 59) = 6 (Good till Date (GTD))
MANDATORY	No

Instruction for SBE: the customer submits a valid and correctly formatted Good Till Date Order with *Time In Force* set to 6 (Good till Date), with the *Order Expiration Date* field completed.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Ack** (03) message.

Instruction for FIX: the customer submits a valid and correctly formatted Good Till Date Order with *Time In Force* (59) set to 6 (Good till Date), with the order *ExpireDate* (432) field completed.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message.

4.11 MARKET ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 1 (Market); Time in Force = 3 or 4 (IOC / FOK)
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 1 (Market); TimeInForce (Tag 59) = 3 (Immediate or Cancel (IOC) or 4 (Fill Or Kill)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Order** (01) message with *Order Type* = 1 (Market) and *Time In Force* = 3 or 4 (IOC or FOK) in a selected instrument for each of the following conditions:

- Market order does not trade as there is an empty book
- Market order partially trades with an active order
- Market order fully trades with an active order.

Success Criteria for SBE:

- The customer confirms the receipt and correct interpretation of the following message:
 - Reject** (07) message with field *Error Code* set to “2028” = No shares available (IOC/FOK/MinQty)
- The customer confirms the receipt and correct interpretation of the following messages:
 - Ack** (03) message for new order and Cancellation messages
 - Fill** (04) message for execution of partial quantity
 - Kill** (05) message with field *Kill Reason* set to 8 (Remaining quantity killed (IOC))
- The customer confirms the receipt and correct interpretation of the following messages:
 - Ack** (03) message for the new order with *Ack Type* set to 0 (New Order Ack)
 - Fill** (04) message for the full execution

Instructions for FIX: The customer submits a valid and correctly formatted **NewOrderSingle** (D) message with *OrdType* (40) = 1 (Market) and *TimeInForce* (59) = 3 or 4 (IOC or FOK) in a selected instrument where the order book is empty.

- Market order does not trade as there is an empty book
- Market order partially trades with an active order
- Market order fully trades with an active order.

Success Criteria for FIX:

- The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message:

- The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message with *ErrorCode* (9955) = 2028 (No shares available (IOC/FOK/MinQty))
- b. The customer confirms the receipt and correct interpretation of three **ExecutionReport** (8) messages:
- first for the acknowledgement of a new order with *OrdStatus* (39) and *ExecType* (150) set to 0 (New), and
 - second for the execution of the partial quantity with *OrdStatus* (39) and *ExecType* (150) set to 1 (Partially filled), and
 - third for the cancelation of the remaining quantity with *OrdStatus* (39) set to 4 (Cancelled) and *ExecType* (150) set to X (Remaining quantity killed (IOC)).
- c. The customer confirms the receipt and correct interpretation of two **ExecutionReport** (8) messages:
- first for the acknowledgement of a new order with *OrdStatus* (39) and *ExecType* (150) set to 0 (New), and
 - second for Execution of the full quantity, with *OrdStatus* (39) and *ExecType* (150) set to 2 (Filled).

4.12 IMMEDIATE OR CANCEL LIMIT ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 2 (Limit); Time In Force = 3 (Immediate or Cancel)
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 2 (Limit); TimeInForce (Tag 59) = 3 (Immediate or Cancel (IOC))
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted IOC Limit order with *Time In Force* set to 3 (Immediate or Cancel) for each of the following conditions:

- a. IOC order does not trade as there is no quantity to trade against
- b. IOC order partially trades with an active order
- c. IOC order fully trades with an active order.

Success Criteria for SBE:

- a. The customer confirms the receipt and correct interpretation of the following message:
 - **Reject** (07) message with field *Error Code* set to “2028” = No shares available (IOC/FOK/MinQty)
- b. The customer confirms the receipt and correct interpretation of the following messages:
 - **Ack** (03) message for new order and Cancelation messages
 - **Fill** (04) message for execution of partial quantity
 - **Kill** (05) message with field *Kill Reason* set to 8 (Remaining quantity killed (IOC))
- c. The customer confirms the receipt and correct interpretation of the following messages:
 - **Ack** (03) message for the new order with *Ack Type* set to 0 (New Order Ack)

- **Fill** (04) message for the full execution

Instructions for FIX: the customer submits a valid and correctly formatted IOC Limit order with *Time In Force* (59) set to 3 (Immediate or Cancel) for each of the following conditions:

- IOC order does not trade as there is no quantity to trade against
- IOC order partially trades with an active order
- IOC order fully trades with an active order.

Success Criteria for FIX:

- The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message:
 - Rejection of the complete quantity with *OrdStatus* (39) set to 8 (Rejected) and *ExecType* (150) set to 8 (Rejected), and with field *ErrorCode* (9955) set to “2028” = No shares available (IOC/FOK/MinQty)
- The customer confirms the receipt and correct interpretation of three **ExecutionReport** (8) messages:
 - first for the acknowledgement of a new order with *OrdStatus* (39) and *ExecType* (150) set to 0 (New), and
 - second for the execution of the partial quantity with *OrdStatus* (39) and *ExecType* (150) set to 1 (Partially filled), and
 - third for the cancelation of the remaining quantity with *OrdStatus* (39) set to 4 (Cancelled) and *ExecType* (150) set to X (Remaining quantity killed (IOC)).
- The customer confirms the receipt and correct interpretation of two **ExecutionReport** (8) messages:
 - first for the acknowledgement of a new order with *OrdStatus* (39) and *ExecType* (150) set to 0 (New), and
 - second for Execution of the full quantity, with *OrdStatus* (39) and *ExecType* (150) set to 2 (Filled).

4.13 FILL OR KILL ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 2 (Limit); Time In Force = 4 (Fill or Kill)
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 2 (Limit); TimeInForce (Tag 59) = 4 (Fill or Kill)
MANDATORY	No

Instruction for SBE: the customer submits a valid and correctly formatted Fill Or Kill (FOK) order with *Time In Force* set to 4 (Fill or Kill) for each of the following conditions:

- FOK Order successfully trades with an active order.
- FOK Order fails to trade with an active order by sending a FOK in an empty book.

Success Criteria for SBE:

- a. The customer confirms the receipt and correct interpretation of the **Ack** (03) message, then a **Fill** (04) message following the trade execution.
- b. The customer confirms the receipt and correct interpretation of the **Reject** (07) message field *Error Code* set to “2028” = No shares available (IOC/FOK/MinQty)

Instruction for FIX: the customer submits a valid and correctly formatted Fill Or Kill (FOK) order with *Time In Force* (59) set to 4 (Fill or Kill) for each of the following conditions:

- a. FOK Order successfully trades with an active order.
- b. FOK Order fails to trade with an active order by sending a FOK in an empty book.

Success Criteria for FIX:

- a. The customer confirms the receipt and correct interpretation of an initial **ExecutionReport** (8) message acknowledging the order, then a further **ExecutionReport** (8) message following the trade execution.
- b. The customer confirms the receipt of the **ExecutionReport** (8) message with *OrdStatus* (39) set to 8 (Rejected) with field *ErrorCode* (9955) = “2028” No shares available (IOC/FOK/MinQty)

4.14 MIN QTY ORDER

REQUIRED SBE MESSAGES	New Order (01); Order Type = 2 (Limit); Minimum Order Quantity set
REQUIRED FIX MESSAGES	NewOrderSingle (D); OrdType (Tag 40) = 2 (Limit); MinQty (Tag 110) set
MANDATORY	No

Instructions for SBE: The customer submits a valid and correctly formatted **New Order** (01) message, with *Order Type* set as 2 (Limit); *TimeInForce* as 0 (Day); *Minimum Order Quantity* = <user defined>, in a selected instrument for each of the following conditions:

- a. There is sufficient qty in the market to satisfy the minimum order quantity requirement.
- b. There is not sufficient qty in the market to satisfy the minimum order quantity requirement.

Success Criteria for SBE:

- a. The customer confirms the receipt and correct interpretation of **Ack** (03) message followed by a **Fill** (04) message for the trade execution
- b. The customer confirms their order is rejected, with **Reject** (07) message, and Error Code set as “2028” (No shares available (IOC/FOK/MinQty))

Instruction for FIX: The customer submits a valid and correctly formatted **NewOrderSingle** (D) message with *OrdType* (40) set as 2 (Limit); *TimeInForce* (59) set as 0 (Day) and *MinQty* (110) = <user defined> in a selected instrument for each of the following conditions:

- There is sufficient qty in the market to satisfy the minimum order quantity requirement.
- There is not sufficient qty in the market to satisfy the minimum order quantity requirement.

Success Criteria for FIX:

- The customer confirms the receipt and correct interpretation of an initial **ExecutionReport** (8) message and then an **ExecutionReport** (8) message following the trade execution
- The customer's order is rejected

4.15 CANCEL REPLACE – PRICE ONLY

REQUIRED SBE MESSAGES	Cancel/Replace (06); Price = <price>
REQUIRED FIX MESSAGES	OrderCancelReplaceRequest (G); Price (Tag 44) = <price>
MANDATORY	No

Instructions for SBE:

- The client submits a proper formatted Cancel Replace Request message which updates the price of an existing order.
- The client submits a proper formatted Cancel Replace Request message which updates the price of an order already executed or cancelled.

Make sure the required fields and, where applicable, the conditionally required fields are populated.

Success Criteria for SBE:

- The customer confirms the receipt and correct interpretation of the **Ack** (03) message.
- The customer confirms the receipt and correct interpretation of the **Reject** (07) message.

Instructions for FIX:

- The client submits a proper formatted Cancel Replace Request message which updates the price of an existing order.
- The client submits a proper formatted Cancel Replace Request message which updates the price of an order already executed or cancelled.

Make sure the required fields and, where applicable, the conditionally required fields are populated.

Success Criteria for FIX:

- The customer confirms the receipt and correct interpretation an **ExecutionReport** (8) messages which should indicate the change of price.
- The client confirms the receipt and correct interpretation of the **OrderCancelReject** (9) message.

4.16 CANCEL REPLACE – QUANTITY ONLY EQD IDD FID CMO

REQUIRED SBE MESSAGES	OrderCancel Replace (06); OrderQty = <quantity>
REQUIRED FIX MESSAGES	OrderCancelReplaceRequest (G); (Tag 38) = <quantity>
MANDATORY	No

Instructions for SBE: The customer submits a valid and correctly formatted Order Cancel/Replace Request message which updates the Quantity of an active order.

Success Criteria for SBE: The customer confirms the receipt and correct interpretation of the **Ack** (03) message, which should contain the change of quantity.

Instructions for FIX: The customer submits a valid and correctly formatted Order Cancel/Replace Request message which updates the Quantity of an active order

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) messages, which should indicate the change of quantity.

4.17 CANCEL REQUEST – INDIVIDUAL ORDER EQD IDD FID CMO

REQUIRED SBE MESSAGES	Cancel Request (12)
REQUIRED FIX MESSAGES	OrderCancelRequest (F)
MANDATORY	Yes

Instructions for SBE: The customer submits a valid and correctly formatted **Cancel Request** (12) message for a single order.

Success Criteria SBE: The customer confirms the receipt and correct interpretation of the **Kill** (05) message identifying cancellation of the order.

Instructions for FIX: The customer submits a valid and correctly formatted **OrderCancelRequest** (F) message for a single order.

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of the **ExecutionReport** (8) message identifying cancellation of the order.

4.18 CANCEL REQUEST – REJECT EQD IDD FID CMO

REQUIRED SBE MESSAGES	Cancel Request (12)
REQUIRED FIX MESSAGES	OrderCancelRequest (F)
MANDATORY	Yes

Instruction for SBE: The customer submits a valid and correctly formatted Order Cancel Request for a single order for an order already filled or cancelled.

Success Criteria SBE: The customer confirms the receipt and correct interpretation of the **Reject** (07) message with *Error Code* set to “2101” (Unknown Order).

Instruction for FIX: The customer submits a valid and correctly formatted **OrderCancelRequest** (F) for a single order for an order already filled or cancelled.

Success Criteria FIX: The customer confirms the receipt and correct interpretation of the **OrderCancelReject** (9) message with the *ErrorCode* (9955) set to “2101” (Unknown Order).

4.19 ORDER MASS CANCELTION – BY CONTRACT EQD IDD FID CMO

REQUIRED SBE MESSAGES	Mass Cancel (13); Mass Cancel Ack (14)
REQUIRED FIX MESSAGES	OrderMassCancelRequest (q)
MANDATORY	No

Instruction for SBE: The customer submits a valid and correctly formatted **Mass Cancel** (13) to cancel multiple orders for a given contract. The field Symbol Index has to be populated with Contract Symbol Index.

Success Criteria for SBE: The customer confirms the receipt and correct interpretation of two **MassCancelAck** (14) messages, and **Kill** (05) messages for every order cancelled.

Instruction for FIX: The customer submits a valid and correctly formatted **OrderMassCancelRequest** (q) to cancel multiple orders for a given instrument. *MassCancelRequestType* (530) must be set to ‘3’ (cancel orders for a product and the *SecurityID* (48) must be populated with the Symbol Index of the contract concerned.

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of two **OrderMassCancelReport** (r) messages, and **ExecutionReport** (8) messages between the first and second report messages for every order cancelled.

4.20 ORDER MASS CANCELTION – BY SHORTCODE

REQUIRED SBE MESSAGES	Mass Cancel (13); Mass Cancel Ack (14)
REQUIRED FIX MESSAGES	OrderMassCancelRequest (q); OrderMassCancelReport (r)
MANDATORY	No

Instruction for SBE: The customer submits two valid orders in the same instrument to the order book each having a different *ExecutionWithinFirmShortcode* and then submits a valid and correctly formatted **Mass Cancel** (13) to cancel multiple orders for the specific instrument. The field *TargetExecutionWithinFirmShortCode* has to be populated with one of the *ExecutionWithinFirmShortCode* of one of the orders.

Success Criteria for SBE: The customer confirms the receipt and correct interpretation of two **MassCancelAck** (14) messages, and **Kill** (05) messages for every order cancelled that included the defined shortcode.

Instruction for FIX: The customer submits two valid orders to the order book each having a different value for *Execution Within Firm Short Code* in the field *TargetPartyID* (21095). Then the customer submits a valid and correctly formatted Mass Cancel Request to cancel multiple orders for a given instrument. *TargetPartyID* (21095) must be set to one of the values for *Execution Within Firm Short Code* of one of the orders

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of two **OrderMassCancelReport** (r) messages, and **ExecutionReport** (8) messages between the first and second report messages for every order cancelled that included the defined shortcode.

4.21 ORDER EXPIRY – DAY ORDER

REQUIRED SBE MESSAGES	New Order (01)
REQUIRED FIX MESSAGES	NewOrderSingle (D)
MANDATORY	No

Instruction for SBE: The customer submits a Day order with *Time In Force* set to 0 (Day) in a selected instrument. At the end of the trading session the order will be cancelled.

Success Criteria for SBE: The customer confirms the receipt and correct interpretation of the expired order at the end of the trading session via the **Kill (04)** message – “Done for Day”.

Instruction for FIX: The customer submits a Day order with *Time In Force* set to 0 (Day) in a selected instrument. At the end of the trading session the order will be cancelled.

Success Criteria for FIX: The customer confirms the receipt and correct interpretation of the expired orders at the end of the trading session via the **ExecutionReport (8)** message.

4.22 CANCEL ON DISCONNECT – DEACTIVATED

REQUIRED SBE MESSAGES	New Order (01)
REQUIRED FIX MESSAGES	NewOrderSingle (D)
MANDATORY	Yes

Instruction for SBE: the customer submits a valid and correctly formatted order with field *Execution Instruction* set to 3 (Disabled Cancel On Disconnect Indicator), then the client disconnects the OEG session.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Ack (03)** message. The order remains in the book.

Instruction for FIX: the customer submits a valid and correctly formatted order with field *CancelOnDisconnectionIndicator* (21018) = 1 (Order not in the scope of Cancel On Disconnect), then the client disconnects the OEG session.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport (8)** message. The order will remain in the book.

4.23 CANCEL ON DISCONNECT – ACTIVATED

REQUIRED SBE MESSAGES	New Order (01)
REQUIRED FIX MESSAGES	NewOrderSingle (D)
MANDATORY	No

Instruction for SBE: the customer submits a valid and correctly formatted order with field *Execution Instruction* set to 0 (Disabled Cancel On Disconnect Indicator), then the client will disconnect the OEG session.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Ack (03)** message. The order will be killed due to Cancel On Disconnect.

Instruction for FIX: the customer submits a valid and correctly formatted order with *CancelOnDisconnectionIndicator* (21018) = 0 (per Default Configuration), then the client disconnects the OEG session.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport (8)** message. The order will be killed due to Cancel On Disconnect.

4.24 OWNERSHIP REQUEST

REQUIRED SBE MESSAGES	Ownership Request (18); Ownership Request Ack (17)
REQUIRED FIX MESSAGES	OwnershipRequest (U18); OwnershipRequestAck (U29)
MANDATORY	No

Instructions for SBE and FIX: the customer sends orders with a *LogicalAccessID* "A" and performs an Ownership Request with a *LogicalAccessID* "B" belonging to the same Firm, in order to define *LogicalAccessID* "B" as ones that will all Outbound messages associated to the targeted orders.

Success Criteria SBE: the customer confirms the receipt and correct interpretation of:

- First **OwnershipRequestAck (17)** message with the total Affected Orders set to -1 and repeats all the fields as they were submitted in message (18)
- Ack (03) message per order affected, if any. All such Ack messages will have the *Ack Type* set to 15 (Ownership Request Ack)
- Second **OwnershipRequestAck (17)** message with the total *Affected Orders* set to the number of orders affected, which should be the same as the number of **Ack (03)** messages received.

Success Criteria FIX: The customer confirms the receipt and correct interpretation of two **Ownership Request Ack (U29)** messages, and **ExecutionReport (8)** messages if any orders are present in the book.

- First message has *TotalAffectedOrders* (533) set to -1 and repeats all fields as they were submitted.
- Then the client may receive an **ExecutionReport (8)** message per order affected by the command, if any. All such **ExecutionReport (8)** messages have the *ExecType* (150) set to k (OwnershipRequest Ack).
- Second message is received when the ownership request is totally processed, indicating the number of orders affected, which should be the same as the number of **ExecutionReport (8)** messages received.

4.25 STATUS OF TARGET ORDERS

REQUIRED SBE MESSAGES	Open Order Request (15)
REQUIRED FIX MESSAGES	OrderMassStatusRequest (AF)
MANDATORY	No

Instructions for SBE:

- The customer submits a valid and correctly formatted **Open Request Order** (15)
- The customer submits a valid and correctly formatted **Open Request Order** (15) on empty book.

Success Criteria for SBE:

- The customer confirms the receipt and correct interpretation of **Ack** (03) message with *Ack Type* = 17 (Open Order Request Ack).
- The customer confirms the receipt and correct interpretation of **Reject** (07) message.

Instructions for FIX:

- The customer submits a valid and correctly formatted **OrderMassStatusrequest** (AF) message.
- The customer submits a valid and correctly formatted **OrderMassStatusrequest** (AF) message on empty book

Success Criteria for FIX:

- The customer confirms the receipt and correct interpretation of **ExecutionReport** (8) message with *ExecType* (150) set to I (OrderMassStatusRequest Ack)
- The customer confirms the receipt and correct interpretation of **RequestAckMessage** (Uy) message (field *ErrorCode* (9955) = '2101' - 'Unknown Order').

4.26 USER NOTIFICATION

REQUIRED SBE MESSAGES	User Notification (39)
REQUIRED FIX MESSAGES	UserNotification (CB)
MANDATORY	No

Instruction for SBE: to ensure the result of this test it is advised to have at least two or more working orders. The Exchange will perform Kill switch for the client's firm, algorithm, trader or Sponsored Access to suspend or kill the member or trader access to the trading system.

Success Criteria for SBE: the client will confirm receipt of a **User Notification** (39) message with field *User Status* identifying the case that triggers the request, and supporting fields providing the granularity

of the Kill. This should be followed by receipt of **Kill** (05) messages cancelling any open orders for the granularity identified.

Instruction for FIX: to ensure the result of this test it is advised to have at least two or more working orders. The Exchange will perform Kill switch for the client's firm, algorithm, trader or Sponsored Access to suspend or kill the member or trader access to the trading system.

Success Criteria for FIX: the client will confirm the receipt of a **UserNotification** (CB) message with *User Status* (926) identifying the case that triggers the request, and supporting fields providing the granularity of the Kill. This should be followed by receipt of **ExecutionReport** (8) messages cancelling any open orders for the granularity identified.

5. STRATEGIES

5.1 SECURITY DEFINITION REQUEST FUTURES EQD IDD FID CMO

REQUIRED SBE MESSAGES	Security Definition Request (60); Security Definition Ack (61)
REQUIRED FIX MESSAGES	SecurityDefinitionRequest (c); SecurityDefinition (d)
MANDATORY	No

Instructions for SBE/FIX:

- Create a spread in a given futures contract.
- Create a butterfly in a given futures contract.
- Try to create a strategy other than a predefined one (rejection)

Success Criteria for SBE:

- the customer confirms the receipt and correct interpretation of an **Security Definition Ack (61)**
- the customer confirms the receipt and correct interpretation of an **Security Definition Ack (61)**
- the customer confirms the receipt and correct interpretation of a **Reject (07)** for an invalid strategy definition code.

Success Criteria for FIX:

- the customer confirms the receipt and correct interpretation of a **SecurityDefinition (d)** message
- the customer confirms the receipt and correct interpretation of a **SecurityDefinition (d)** message
- the customer confirms the receipt and correct interpretation of a **SecurityDefinition (d)** for an invalid strategy definition code with *ErrorCode* (9955) indicating the specific error code.

5.2 SECURITY DEFINITION REQUEST OPTIONS EQD IDD FID CMO

REQUIRED SBE MESSAGES	Security Definition Request (60); Security Definition Ack (61)
REQUIRED FIX MESSAGES	SecurityDefinitionRequest (c); SecurityDefinition (d)
MANDATORY	No

Instructions for SBE/FIX:

- Create a spread in a given options contract.
- Create a butterfly in a given options contract.
- ~~Create a Delta Neutral/Volatility strategy with an underlying futures contract.~~
- ~~Create a Delta Neutral/Volatility strategy with an underlying cash instrument.~~
- Try to create a strategy other than a predefined one (rejection)

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **SecurityDefinition Ack** (61) message for each created strategy and a **Reject** (07) for an invalid strategy definition code.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **SecurityDefinition** (d) message for each created strategy and a **SecurityDefinition** (d) for an invalid strategy definition code with *ErrorCode* (9955) indicating the specific error code.

5.3 STRATEGIES NEW ORDER

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	NewOrderSingle (D); Execution Report (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message in one of the created strategies, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack** (03) message for the BUY order with *Ack Type* = 0 (New Order Ack).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order messages, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New).

5.4 STRATEGIES TRADE

REQUIRED SBE MESSAGES	New Order (01); Ack (03); Fill (04)
REQUIRED FIX MESSAGES	NewOrderSingle (D); Execution Report (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message in one of the created strategies, with all mandatory and conditional MIFID II fields properly populated.

An Optiq analyst will fully execute the submitted order.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack** (03) message for the BUY order with *Ack Type* = 0 (New Order Ack) followed by a **Fill** (03) message for the execution.

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order message in one of the created strategies, with all mandatory and conditional MIFID II fields properly populated.

An Optiq analyst will fully execute the submitted order.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New) followed by a **ExecutionReport** (8) message for the execution.

5.5 STRATEGY – TRADE BUST NOTIFICATION SINGLE LEG

REQUIRED SBE MESSAGES	Trade Bust notification (19)
REQUIRED FIX MESSAGES	Execution Report (8)
MANDATORY	Yes

Instructions for SBE: an Optiq analyst will cancel a previously matched trade leg of a strategy.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Trade Bust notification** (19) message for the cancelled leg.

Instruction for FIX: an Optiq analyst will cancel a previously matched trade leg of a strategy.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message with *ExecType* (150) = H and *OrdStatus* (39) = H (Trade Cancellation) for the cancelled leg.

5.6 STRATEGY – TRADE BUST NOTIFICATION COMPLETE STRATEGY

REQUIRED SBE MESSAGES	Trade Bust notification (19)
REQUIRED FIX MESSAGES	Execution Report (8)
MANDATORY	Yes

Instructions for SBE: an Optiq analyst will cancel all legs of a matched strategy

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of the **Trade Bust notification** (19) message for all legs of the strategy.

Instruction for FIX: an Optiq analyst will cancel all legs of a matched strategy.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message with *ExecType* (150) = H and *OrdStatus* (39) = H (Trade Cancellation) for each cancelled leg.

6. MARKET MAKING (ORDERS, QUOTES, MMP, MM SIGN-IN)

6.1 NEW ORDER – LIQUIDITY PROVIDER ACCOUNT

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	NewOrderSingle (D); ExecutionReport (8)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated and *Account Type* set to 6 (Liquidity Provider) and *LPRole* set to 1 (Liquidity Provider or Market Maker).

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack (03)** message for the BUY order with *Ack Type* = 0 (New Order Ack).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order messages, with all mandatory and conditional MIFID II fields properly populated and *Account Code* (6399) set to 6 (Liquidity Provider) and *LPRole* (20021) set to 1 (Liquidity Provider or Market Maker).

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport (8)** message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New) .

6.2 MARKET MAKER SIGN IN

REQUIRED SBE MESSAGES	MM Sign-In (47); MM Sign-In Ack (48)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted **MM Sign-in (47)** message, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **MM Sign-In Ack (48)** message

6.3 MM PROTECTION REQUEST SET DELTA PROTECTION

REQUIRED SBE MESSAGES	MM Protection Request (62); MM Protection Ack (63)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new **MM Protection Request** (62) message in a dedicated contract where MM rights are enabled, with:

- a) Request Type set to 1 = Set
- b) Protection Type set to 1 = Delta
- c) Protection Threshold set to 1000
- d) Breach Action set to 1 = Pull

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **MM Protection Ack** (63) message.

6.4 QUOTES

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new **Quotes** (08) message in an instrument of choice with quantity set to 100 for both sides.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack** (09) message with *Buy Revision Indicator* = 0 (New) and *Sell Revision Indicator* = 0 (New).

6.5 QUOTES - ADJUST QUANTITY

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new **Quotes** (08) message in an instrument of choice with quantity set to 95 for both sides and then adjusts the quantity to 100 for both sides.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack** (09) message for the initial quote and a second one for the updated quote with *Buy Revision Indicator* = 1 (Replacement) and *Sell Revision Indicator* = 1 (Replacement).

6.6 QUOTES - ADJUST PRICE

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new **Quotes** (08) message in an instrument of choice with quantity set to 100 for both sides and then adjusts the price for both sides up or down respecting the minimum tick size.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack** (09) message for the initial quote and a second one for the updated quote with *Buy Revision Indicator* = 1 (Replacement) and *Sell Revision Indicator* = 1 (Replacement).

6.7 QUOTES - TRADE

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

An Optiq analyst will execute 5 lots on one side of a quote.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Fill** (04) message.

6.8 QUOTES - ADJUST QUANTITY ON PARTIAL FILL

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted **Quotes** (08) message on the partially executed quote and adjusts the quantity to 100 for both sides.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack** (09) message for the updated quote with quantity 100

6.9 MM PROTECTION REQUEST - GET DELTA PROTECTION

REQUIRED SBE MESSAGES	MM Protection Request (62); MM Protection Ack (63)
REQUIRED FIX MESSAGES	N/A
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new **MM Protection Request** (62) message.

- a) Request Type set to 2 = Get

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **MM Protection Ack** (63) message with the adjusted *Current MMP Position* being the difference between the initial value of 1000 and 5 times the delta traded.

6.10 QUOTES TRADE FOR MMP BREACH

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A
MANDATORY	No

An Optiq analyst will execute the remaining 95 lots of the quote to trigger a Breach Action

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Fill** (04) message and a **Kill** (05) message for the other side of the quote with *Kill Reason* = 23 (Order cancelled due to Market Maker Protection)

6.11 MM PROTECTION REQUEST SET VOLUME PROTECTION

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A
MANDATORY	No

Repeat Step 6.4 to 6.9

Instructions for SBE: the customer submits a valid and correctly formatted new **MM Protection Request** (62) message in a dedicated contract where MM rights are enabled, with:

- a) Request Type set to 1 = Set
- b) Protection Type set to 2 = Volume
- c) Protection Threshold set to 10000
- d) Breach Action set to 1 = Pull

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **MM Protection Ack** (63) message.

6.12 QUOTES CANCEL BY MM

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new **Quotes** (08) message in an instrument of choice with quantity set to 100 for both sides and then adjusts the quantity to 0 for both sides.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack** (09) message for the initial quote and a second one for the cancelled quote with *Buy Revision Indicator* = 1 (Cancellation) and *Sell Revision Indicator* = 1 (Cancellation).

6.13 QUOTES CANCEL BY EXCHANGE

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a valid and correctly formatted new **Quotes (08)** message in an instrument of choice with quantity set to 100 for both sides. An Optiq analyst will cancel one of the quotes.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack (09)** message for the initial quote and then for the cancellation of the quote.

6.14 QUOTES MULTIPLE CONTRACTS – REJECT

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a **Quotes (08)** message including at least two quotes for instruments each belonging to a different Contract. Customer must be Market Maker on the contract of the first quote.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack (09)** with the first quote accepted, while the second quote returns Bid Error Code / Ask Error Code with the appropriate error code.

6.15 QUOTES MULTIPLE INSTRUMENTS

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a **Quotes (08)** message including at least two quotes for instruments belonging to the same Contract.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack (09)** for each quote belonging to the different instruments.

6.16 QUOTES REJECT

REQUIRED SBE MESSAGES	Quotes (08); Quote Ack (09)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	Yes for Market Makers

Instructions for SBE: the customer submits a **Quotes (08)** message in a contract where no MM rights are assigned, with all mandatory and conditional MIFID II fields properly populated.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Quote Ack (09)** message returning with a Bid Error Code / Ask Error Code with the appropriate error code.

6.17 NEW LP ORDER IN MM CONTRACT

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated with *OrderType* = 2 (Limit), *TimeInForce* set to 3 (IOC) or 4 (FOK), and *Account Type* set to 6 (Liquidity Provider). If required, the Optiq analyst will place an order on the SELL side before the clients submits the BUY order.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Reject (07)** message if the IOC or FOK order was submitted in an empty book or a **Fill (04)** message if it traded.

6.18 NEW LP IN MM CONTRACT NON-IOC/FOK

REQUIRED SBE MESSAGES	New Order (01); Ack (03)
REQUIRED FIX MESSAGES	N/A (SBE only)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated with *OrderType* = 2 (Limit) and *TimeInForce* = 0 (Day), and *Account Type* = 6 (Liquidity Provider).

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Reject (07)** message for the Day order.

7. WHOLESALES

7.1 LARGE IN SCALE - CROSS ON AN OUTRIGHT

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65); Fill (04)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65); Execution Report (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message with *WholesaleSide* = 3 (Cross) and all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 (LIS Trade)

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) message followed by two **Fill** (04) messages, all sharing the same value in *LIS Transaction ID*.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message with *WholesaleSide* (21082) = 3 (Cross) with all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 (LIS Trade)

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) followed by two **ExecutionReport** (8) message with *ExecType* (150) = F (Filled), all sharing the same value in *LIS Transaction ID* (21085).

7.2 LARGE IN SCALE - OUTRIGHT

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65); Fill (04)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65); Execution Report (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message for one side (buy or sell), with all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 – LIS Trade. After receiving the **Wholesale Order Ack** (65), the customer provides the *LIS Transaction ID* to the Optiq analyst who will match the Wholesale Order in full.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) message followed by a **Fill** (04) message.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message for one side (buy or sell), with all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 (LIS Trade). After receiving the **WholesaleOrderAck** (U65), the customer provides the *LIS Transaction ID* (21085) to the Optiq analyst who will match the Wholesale Order in full.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) followed by an **ExecutionReport** (8) message with *ExecType* (150) = F (Filled).

7.3 LARGE IN SCALE - STRATEGY

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65); Fill (04)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65); Execution Report (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message for a strategy for one side (buy or sell), with all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 (LIS Trade).

Extra instructions for the recognized strategy:

For a wholesale transaction on an exchange-recognized strategy, the initiator must provide the *Strategy Code*, as well as the overall *Price* and *Quantity*. The overall quantity must be the sum of the legs' quantities and the overall price must be consistent with the legs' price based on the strategy scheme.

The same policy as per strategy creation is applied: strategy codes structure applies from the buy side perspective and the number and sequence of legs' Symbol Indexes as in the strategy must be respected.

After receiving the **Wholesale Order Ack** (65), the customer provides the *LIS Transaction ID* to the Optiq analyst who will match the Wholesale Order in full.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) message followed by a **Fill** (04) message.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message for a strategy for one side (buy or sell), with all mandatory and conditional MIFID II fields properly populated. The order must meet the minimum LIS volume threshold and *Wholesale Trade Type* = 0 (LIS Trade).

Extra instructions for the recognized strategy:

For a wholesale transaction on an exchange-recognized strategy (formerly strategy package or block), the initiator must provide the *SecuritySubType* (762) the overall *Price* (44) and *OrderQty* (38). The overall quantity must be the sum of the legs' quantities and the overall price must be consistent with the legs' price based on the strategy scheme.

The same policy as per strategy creation is applied: strategy codes structure apply from the buy side perspective and the number and sequence of legs' SymbolIndexes as in the strategy must be respected.

After receiving the **WholesaleOrderAck** (U65), the customer provides the *LIS Transaction ID* to the Optiq analyst who will match the Wholesale Order in full.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) followed by an **ExecutionReport** (8) message with *ExecType* (150) = F (Filled).

7.4 AGAINST ACTUAL EQD IDD FID CMO

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message as a cross with *Wholesale Trade Type* = 1 (Against Actual). The order must meet the minimum LIS volume threshold.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) message followed by a **Fill** (04) message.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message as a cross with *WholesaleTradeType* (21083) = 1 (Against Actual). The order must meet the minimum LIS volume threshold.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) followed by an **ExecutionReport** (8) message with *ExecType* (150) = F (Filled).

7.5 EXCHANGE FOR SWAPS

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message as a cross with *Wholesale Trade Type* = 2 (Exchange for Swaps). The order must meet the minimum LIS volume threshold.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) message followed by a **Fill** (04) message.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message as a cross with *WholesaleTradeType* (21083) = 2 (Exchange for Swaps). The order must meet the minimum LIS volume threshold.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) followed by an **ExecutionReport** (8) message with *ExecType* (150) = F (Filled).

7.6 WHOLESALE ORDER REJECTION

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65);
MANDATORY	Yes

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message with all mandatory and conditional MIFID II fields properly populated and *Wholesale Trade Type* = 0 (LIS Trade). However, the order should not fulfill the minimum LIS volume threshold in order to create a Functional reject

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) with the appropriate *Error Code* populated.

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message with all mandatory and conditional MIFID II fields properly populated and *Wholesale Trade Type* = 0 (LIS Trade). However, the order should not fulfill the minimum LIS volume threshold in order to create a Functional reject

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) with the appropriate *ErrorCode* (9955) populated.

7.7 WHOLESALE ORDER EXPIRATION

REQUIRED SBE MESSAGES	New Wholesale Order (64); Wholesale Order Ack (65); Kill (05)
REQUIRED FIX MESSAGES	NewWholesaleOrder (U64); WholesaleOrderAck (U65); ExecutionReport (8)
MANDATORY	Yes

Instructions for SBE: the customer submits a valid and correctly formatted **New Wholesale Order** (64) message with all mandatory and conditional MIFID II fields properly populated and *Wholesale Trade Type* = 0 (LIS Trade). Customer then waits 15 minutes and does not try to match the order.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of a **Wholesale Order Ack** (65) and after 15 minutes, the **Kill** (05) message with *Kill Reason* = 2 (Order Expired)

Instructions for FIX: the customer submits a valid and correctly formatted **NewWholesaleOrder** (U64) message with all mandatory and conditional MIFID II fields properly populated and *Wholesale Trade Type* = 0 (LIS Trade). Customer then waits 15 minutes and does not try to match the order.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of a **WholesaleOrderAck** (U65) and after 15 minutes, the **ExecutionReport** (8) confirming the order expiration.

8. TRADE PRICE VALIDATION

8.1 ORDER CANCEL DUE TO TRADE PRICE VALIDATION

REQUIRED SBE MESSAGES	New Order (01); Kill (05)
REQUIRED FIX MESSAGES	NewOrderSingle (D); ExecutionReport (8)
MANDATORY	No

Instructions for SBE: the customer submits a valid and correctly formatted new BUY order message, with all mandatory and conditional MIFID II fields properly populated. The price of the order should match the price of a SELL order present in the instrument provided by an Optiq analyst. The matching price will be outside the prevailing collars and therefor the instrument will go into a Reserved state, triggering the Trade Price Validation (TPV) process. After the Matching Engine has tried to reopen the instrument *n* amount of times, the order triggering the TPV will be cancelled.

Success Criteria for SBE: the customer confirms the receipt and correct interpretation of an **Ack** (03) message for the BUY order with *Ack Type* = 0 (New Order Ack).

After the Trade Price Validation process has ended with the matching price still being outside the prevailing collars, the order is cancelled and the customer will receive a **Kill** (05) message with *Kill Reason* set to 26 (Order cancelled due to Trade Price Validation).

Instructions for FIX: the Customer submits a valid and correctly formatted BUY new order message, with all mandatory and conditional MIFID II fields properly populated. The price of the order should match the price of a SELL order present in the instrument provided by an Optiq analyst. The matching price will be outside the prevailing collars and therefor the instrument will go into a Reserved state, triggering the Trade Price Validation (TPV) process. After the Matching Engine has tried to reopen the instrument *n* amount of times, the order triggering the TPV will be cancelled.

Success Criteria for FIX: the customer confirms the receipt and correct interpretation of an **ExecutionReport** (8) message for the BUY order with *ExecType* (150) = 0 (New) and *OrdStatus* (39) = 0 (New) .

After the Trade Price Validation process has ended with the matching price still being outside the prevailing collars, the order is cancelled and the customer will receive an **ExecutionReport** (8) message with *ExecType* (150) set to w (Order Cancelled due to Trade Price Validation) and *OrdStatus* (39) set to 4 (Cancelled).

9. TRADING CHAIN FAILURES

9.1 INTRODUCTION

This section will be populated once High Availability is available.

10. SUPPORT

A Support Desk dedicated to the Optiq programme was launched in June 2016, and will be available to customers for the duration of the Optiq implementation programme. It has been set up to answer customers' queries related to the Optiq programme, to send information to customers related to Optiq, to assist customers in their testing and validation on the EUA environment, and to provide follow-up on client conformance testing.

The Optiq Support Desk has been set up to ensure customer readiness and will be the primary point of contact for clients throughout the migration. The scope of the Support Desk will include:

- Answering customer queries about the Optiq programme, such as technical and functional questions, clarifications on the specifications and documentation, questions relative to the migration and associated dates, and questions regarding connectivity.
- Sending information about Optiq to customers, such as the monthly newsletters, regular technical notes, programme Info Flashes and updates to the dedicated Optiq web page.
- Assisting customers in their testing and validation on EUA environment by generating test orders, trades and market data, matching client orders upon request, and facilitating testing on the platform by creating Production-like conditions.
- Coordination and follow-up on customer conformance testing by ensuring that clients have made the required developments for the new Optiq platform and providing support during the conformance testing periods.

SUPPORT DESK INFORMATION

Contact details: Optiq Support Desk
Tel: +33 1 70 48 25 55
Email: optiq@euronext.com

Opening hours: Monday – Friday: 09:00 to 18:00 CET

APPENDIX A: REVISION HISTORY

SUMMARY OF CHANGES

Version	Change Description
1.1.0	<ul style="list-style-type: none">- Case 4.26 corrected OrderCancelReject (9) to RequestAckMessage (Uy) for FIX.- Case 6.1 corrected Account Type set to 6 (Client) to Account Type set to 6 (Liquidity Provider) and added wording "and LPRole set to 1 (Liquidity Provider or Market Maker".- Removed sentences "without new MIFID II fields".- Case 4.22 added Segmentation flags- Removed duplicate case (old 4.21)- Corrected 6.14 to reflect Quote Ack as response instead of Reject message.- Corrected 6.16 to reflect Quote Ack as response instead of Reject message.
1.0.0	First release

DOCUMENT HISTORY

REVISION NO.	DATE	AUTHOR	CHANGE DESCRIPTION
1.1	17 Sep 2019	Euronext (Optiq Desk)	Second release for Phase 3
1.0	23 July 2019	Euronext (Optiq Desk)	First release for Phase 3