Document title

COMMON FILE TRANSFER SYSTEM – MEMBER USER GUIDE

Document type or subjecti

MEMBERS USER GUIDE - EURONEXT CASH AND DERIVATIVES MARKET

Revision number Date

6.361.0 29 Oct 25

Number of pages Author

45 Euronext IT Market Services

This publication is for information purposes only and is not a recommendation to engage in investment activities. This publication is provided "as is" without representation or warranty of any kind. Whilst all reasonable care has been taken to ensure the accuracy of the content, Euronext does not guarantee its accuracy or completeness. Euronext will not be held liable for any loss or damages of any nature ensuing from using, trusting or acting on information provided. No information set out or referred to in this publication shall form the basis of any contract. The creation of rights and obligations in respect of financial products that are traded on the exchanges operated by Euronext's subsidiaries shall depend solely on the applicable rules of the market operator. All proprietary rights and interest in or connected with this publication shall vest in Euronext. No part of it may be redistributed or reproduced in any form without the prior written permission of Euronext.

Euronext refers to Euronext N.V. and its affiliates. Information regarding trademarks and intellectual property rights of Euronext is located at www.euronext.com/terms-use.

© 2025, Euronext N.V. – All rights reserved.

PREFACE

PURPOSE

The purpose of this document is to provide general technical information about Euronext Common File Transfer System Services. Euronext Common File Transfer System (CFTS) provides file distribution services to customers that have either an EMDDA (market data), SPA (Service Provider) or TPA (Trading Platform) agreement to get access to the core trading chain of Euronext.

TARGET AUDIENCE

This document should be read by Developers, Exchange Connectivity Managers, Trading Support Teams and anybody involved in the setup and the configuration of Optiq MDG solution in End User Acceptance (EUA) and Production environments Support Please find below the contact details:

- Operational Client Services Desk: <u>clientsupport@euronext.com</u>
- Belaium +32 2 620 0585
- France +33 1 8514 8585
- Ireland +353 1 617 4289
- Italv +39 02 7242 6080
- Netherlands +31 20 721 9585
- Portugal +351 2 1060 8585
- UK +44 20 7660 8585

WHAT'S NEW?

The following lists only the most recent modification made to this revision/version. For the Document History table, see the Appendix.

REVISION NO./ VERSION NO.	CHANGE DESCRIPTION	
6.361.0	The following changes have been made to this version of the document:	
	 In Section 6 CFTS Referential Data Service Summary: Uupdated to add the newly available Exchange Rates File 	

ASSOCIATED DOCUMENTS

The following lists the associated documents, which either should be read in conjunction with this document, or which provide other relevant information for the user:

- Euronext Cash and Derivatives Markets Optiq Files Interface Specification
- Euronext Cash and Derivatives Markets Web Secured Communication Standards Technical Specification
- MyEuronext CFTS Members User Guide

CONTENTS

1	OVERVIEW	<u>5</u> 6
2	CFTS SERVICE ACCESS	<u>6</u> 7
2.1	MyEuronext CFTS Application Access	<u>6</u> 7
2.2	CFTS SFTP Service Access	<u>7</u> 8
2.3	CFTS API Service Access	<u>910</u>
3	PRE-REQUISITES	<u> 1011</u>
3.1	Updates to Authenication Attributes	. <u>1011</u>
3.2	MyEuronext CFTS Display and Access Issues	<u> 1011</u>
3.3	CFTS Service Domain names	. <u>11</u> 12
3.4	API Access Issues	. <u>1112</u>
4	SFTP SSH KEY GENERATION	<u>13</u> 14
5	API CLIENT ID AND CLIENT SECRET GENERATION	<u> 16</u> 17
5.1	Using CFTS APIs	. <u>1718</u>
5.1.1	Next EUA URLs and APIs	<u>1718</u>
5.1.2	Production URLs and APIs	<u>18</u> 19
	cfts/token	
	cfts/curlapi/service/file-search	
	cfts/curlapi/service/download-file-names	
	cfts/curlapi/service/download-files	
6	CFTS REFERENTIAL DATA SERVICE SUMMARY	
6.1	Referential Data Files per Environment	
6.2	Referential Data Files per Optiq segment	
6.3	Referential Data Service Directory	
6.4	Referential Data Service File List	
6.5	File Specifications	
7	CFTS RECONCILIATION DATA SERVICE SUMMARY	
7.1	Reconcilation Data Files per environment	. <u>31</u> 32
7.2	Reconciliation Data Service Directory	. <u>31</u> 32
7.3	Reconciliation Data Service File List	
7.4	File specificatIons	
	Golden File (GF) Specification	
	Reconciliation File (RF) Specification	
	EURONEXT SLP Universe FILE	
8	CFTS EOD DATA SERVICE SUMMARY	
8.1	EOD Data Files per environment	
8.2	EOD Data Service Directory	
8.3	EOD Data Service File List	
8.4	EOD File Attributes	
8.5	File specificatIons	
9	CFTS REGULATORY DATA SERVICE SUMMARY	<u>38</u> 39
9.1	Regulatory Data Files per environment	. <u>38</u> 39
9.2	Regulatory Data Service Directory	. <u>39</u> 40

9.3 Regulatory Data Service File List	<u>4041</u>
9.4 File specificatIons	
APPENDIX	<u>41</u> 42
A.1 Referential data service Optiq segment folder list	<u>41</u> 4 2
A.2 Trouble shooting API response codes	<u>42</u> 4 3
A.3 Document History Table	<u>44</u> 45

1 OVERVIEW

The Common File Transfer System (CFTS) is designed to centralize access to configuration and data files for customers via Euronext private Colocation/CMC network and the Internet. This new critical service is based on a resilient and secured infrastructure. Separate domain names will exist per environment.

MyEuronext CFTS offers online access through https, enabling online access management of MyEuronext trading member contacts to CFTS data services, browsing of data service folders and the downloading of files. MyEuronext CFTS access management includes the saving of SFTP SSH public keys generated by trading members. API access method, client ID, client secret and client secret expiry date, can be generated through MyEuronext CFTS access management option.

CFTS SFTP access method utilizes the SSH key pairs authenticate and encryption. Customers must generate their own SSH keys pairs and register their public key with Euronext to gain access to file locations. SFTP public keys are used for authentication, instead of using passwords. The public key authentication uses a pair of keys, one private and one public.

CFTS API access method authenticates users through the use of API client ID and client secret. Users will request a CFTS access token through a CFTS API by providing their client ID and secret. On receiving the CFTS API access token, users can utilize APIs, to search for folders, subfolders and files, and download files.

Customers covered by this Euronext Common File Transfer System are companies who have signed one of the following agreements:

- Euronext Market Data Distribution Agreement (EMDDA)
- Service Provider Agreement (SPA)
- Trading Platform Agreement (TPA)

In addition customers wishing to utilize the MyEuronext CFTS application, must have agreed the MyEuronext website terms and conditions.


Euronext will deliver additional file distribution services and functionality through CFTS in future releases. Additional CFTS services, will offer both standard and customized private files per trading member, thereby becoming the hub for file transfer between Euronext and clients.

2 CFTS SERVICE ACCESS

CFTS Services can be accessed either through SFTP, APIs or the MyEuronext CFTS web-based application.

2.1 MYEURONEXT CFTS APPLICATION ACCESS

To gain access to the MyEuronext CFTS web-based application, trading member contacts must be registered on the MyEuronext website. The customers' Member Connectivity Administrator (MCA) must grant MyEuronext contacts a CFTS user role, assign CFTS services and access methods.



For details on MyEuronext website CFTS application please see the latest version of the MyEuronext – CFTS – Members – Users Guide, on the <u>Euronext Connect Customer Portal</u>.


© 2025, Euronext 6 of 45 Revision Number: 6.361.0

2.2 CFTS SFTP SERVICE ACCESS

To gain access to the CFTS SFTP, members must have generated and saved their SFTP SSH public key on MyEuronext CFTS application (see MyEuronext – CFTS – Members – User Guide).

Secure Socket Shell (SSH), also called Secure Shell, creates a secure connection when you access a remote server. Secure File Transfer Protocol (SFTP) uses SSH and provides a secure way to transfer files between computers. SSH in SFTP Servers is an encrypted network protocol that uses public key cryptography to create a more secure method to authenticate a client's identity and rights to access a server.

Authorized and authenticated trading members can gain CFTS SFTP access, either through internet or Colocation/CMC networks. SFTP connections will be authenticated using SSH protocol key pairs. Trading members must generate their own public and private keys, with the public key being saved against their Euronext CFTS client user role. The member's private keys must be kept secure and stored locally on their own network. Access to the SFTP folder locations can only be secured by using a combination of the public and private keys (key pairs), and with access being granted to the SFTP access method on MyEuronext CFTS.



The following is a list of supported cryptographic algorithms for the security policy **2020-06 Restricted**, used in CFTS SFTP:

SshCiphers		
aes128-ctr		
aes128-gcm@openssh.com		
aes192-ctr		
aes256-ctr		
aes256-gcm@openssh.com		

SshKexs
diffie-hellman-group14-sha256
diffie-hellman-group16-sha512
diffie-hellman-group18-sha512
diffie-hellman-group-exchange-sha256
ecdh-sha2-nistp256
ecdh-sha2-nistp384
ecdh-sha2-nistp521

SshMacs
hmac-sha2-256
hmac-sha2-256-etm@openssh.com
hmac-sha2-512


hmac-sha2-512-etm@openssh.com umac-128-etm@openssh.com umac-128@openssh.com

TIsCiphers TLS_ECDHE_ECDSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

2.3 CFTS API SERVICE ACCESS

To gain API access, to the CFTS Referential Data and EOD services data, members must generate an API client ID, client secret and client secret expiry date, through MyEuronext CFTS Access Management option (see MyEuronext – CFTS – Members – User Guide). And also be granted a CFTS Client member or technical partner user role through MyEuronext Company Settings.

The CFTS API client ID and client secret, generated through MyEuronext CFTS Access Management option, must be used to request a CFTS API access token. Clients must post a request to the cfts/token API with their client ID and client secret to receive a CFTS API access token. The access token, retrieved from cfts/token, must be included in all CFTS API get requests.



Client secrets will expiry after 6 months and must be regenerated through MyEuronext CFTS Access Management option. CFTS API access tokens expiry after 1 hour, and must be newly requested, using the cfts/token API with the client ID and client secret.

CFTS provides four APIs, summarized below, see <u>section 5.1</u> for the details of each API. The CFTS APIs are currently available for Referential Data and EOD services only.

CFTS API	Description
cfts/token	Provide users with a token to enable to access to the other CFTS APIs
cfts/file-search	Enable users to get lists of service folders, subfolders and files
cfts/download-files	Enable users to retrieve a pre-signed file URL for download by file ID
cfts/download-files-names	Enable users to retrieve a pre-signed file URL for download by filename

3 PRE-REQUISITES

As a pre-requisite, customers are required to have a company agreement signed with Euronext (EDDA, SPA or TPA). And signed the MyEuronext website terms and conditions.

To access the CFTS services data through SFTP or APIs, in both Next EUA and Production, the customers' MCA must have granted their contact, the CFTS Client Member or technical partner user role, through MyEuronext Company Settings, and validate the user role. In MyEuronext CFTS, the MCA must assign the service and the access method. Access method attributes must also be generated and saved. For SFTP access the client's SSH public key must be saved. And for API access clients must generate a client ID, client secret and client secret expiry date, through MyEuronext CFTS Access Management option.

API Client secrets will expire after 6 months and must be regenerated through MyEuronext CFTS Access Management option.

Only contacts registered on MyEuronext website, granted a CFTS Client Member or technical partner user role, and assigned CFTS services, can access CFTS data services. For more information about MCAs and their registration, please check the <u>Connect Membership Webforms User Guide</u>.

For additional technical information SFTP SSH encryption and other technical communication standards please check the latest version of Euronext Secure Communications standards on the Euronext Connect Customer Portal.

3.1 UPDATES TO AUTHENICATION ATTRIBUTES

Changes to the SSH public keys or CFTS registered user email addresses, and the regeneration of API client secrets, should be submitted through MyEuronext CFTS web based application.

Please check that the SFTP SSH public key you are using in your script or application matches exactly the public key saved on MyEuronext CFTS. Also check that your public key does not contain any hidden control characters, carriage return or line feeds (CRLF).

API Client secrets will expire after 6 months and must be regenerated through MyEuronext CFTS Access Management option.

3.2 MYEURONEXT CFTS DISPLAY AND ACCESS ISSUES

If you encounter any display issues, please clear your web browser cache on the relevant webpage (by pressing simultaneously *Ctrl-F5*).

If you encounter any access issues, this may be due to your information security or network policy. Please make sure the security clearance step referred to in the First Connection guide is properly checked, and that the following domains are allowed:

Next EUA environment: https://api.cfts.peua.euatnr.euronext.cloud/euatnr/api

Production environment: https://api.cfts.prodnr.euronext.cloud/prodnr/api

Note: Current EUA environment is not available through MYEuronext CFTS.

3.3 CFTS SERVICE DOMAIN NAMES

The table below provides the domain names used to connect to MyEuronext CFTS, CFTS SFTP and CFTS API data services.

Referential Data, EOD, Regulatory and Reconciliation service data files are available to trading members via Colocation/CMC network and internet connectivity using SFTP access. The API access method can be used to retrieve Referential Data and EOD service data files through a Colocation/CMC and internet connection. All CFTS Service data files are available through the MyEuronext CFTS web-based application.

NETWORK	ENVIRONMENT	DOMAIN NAME	IP ADDRESS
	Next EUA	cftsoptiq-eua.euronext.com	212.107.67.18
Colocation/	Next EUA Backup (in case of primary failure)	cftsoptiq-eua-backup.euronext.com	212.107.67.19
CMC Access (SFTP and API	Current EUA	cftsoptiq-veua.euronext.com	212.107.67.21
access methods)	Production	cftsoptiq-prod.euronext.com	212.107.67.2
	Production Backup (in case of primary failure)	cftsoptiq-prod-backup.euronext.com	212.107.67.3
	Next EUA	sftp.cfts.euatnr.euronext.cloud	Cloud IP addresses are dynamic
SFTP Internet Access	Current EUA	sftp.cfts.veua.euatnr.euronext.cloud	Cloud IP addresses are dynamic
	Production	sftp.cfts.prodnr.euronext.cloud	Cloud IP addresses are dynamic
API Internet	Next EUA	api.cfts.peua.euatnr.euronext.cloud	Cloud IP addresses are dynamic
Access	Production	api.cfts.prodnr.euronext.cloud	Cloud IP addresses are dynamic
Website	Next EUA	https://eua-connect.euronext.com/	N/A
Access	Production	https://connect2.euronext.com/	N/A

CFTS SFTP service is enabled through Port 22000. And will authenticate connectivity based on the registered CFTS user email address with both client private and public SSH keys. For MyEuronext CFTS web-based application access please reference the latest version of MyEuronext – CFTS – Members – User guide, on the <u>Euronext Connect Customer Portal</u>.

3.4 API ACCESS ISSUES

If you encounter any access issues, this may be due to your information security or network policy. Please make sure the security clearance step referred to in the First Connection guide is properly checked, and that the following domains are allowed:

Next EUA environment:

https://api.cfts.peua.euatnr.euronext.cloud/euatnr/api

https://enx-euatnr-eu-west-1-cfts-peua-storage-s3kms-output.s3.eu-west-1.amazonaws.com/output

https://cftsoptiq-eua.euronext.com/download

Production environment:

https://api.cfts.prodnr.euronext.cloud/prodnr/api

https://enx-prodnr-eu-west-1-cfts-storage-s3kms-output.s3.eu-west-1.amazonaws.com/output/https://cftsoptiq-prod.euronext.com/download


Please read section A.2 Trouble shooting API response codes.


4 SFTP SSH KEY GENERATION

SFTP SSH public and private keys can be generated using a number of different proprietary applications and operating systems. For the purposes of illustration, Microsoft WinSCP, was used to provide an example of generating SSH keys.


Steps to generate SSH keys

- 1. Open WinSCP
- 2. Select New Site
- 3. Populate the following field values and select Save






4. Select Advanced, Authentication, Tools, Generate New Key Pair with PuTTYgen.




5. Select, Generate.


Ensure the type of key to generate, RSA, is selected and the default number of bits is 2048.



6. Select, Save public key.




- 7. The SSH public key generated must be saved by the company's MCA on the My Euronext CFTS web based application against the users that want to access the CFTS services through SFTP.
- 8. Repeat the key generation for the private key. And select save private key. The private generated should be saved locally only.
- 9. Select Login to view sftp.cfts.euatnr.euronext.cloud folders and files.




5 API CLIENT ID AND CLIENT SECRET GENERATION

Customers wishing to access CFTS services data via APIs access must generate an API client ID, client secret and client secret expiry date through MyEuronext CFTS Access Management option. The CFTS API access is currently available for Referential Data and EOD services only.



There is a onetime option, to copy and paste, the client ID and client secret. Users must take this opportunity to securely save their CFTS API credentials locally. Client IDs and secrets can be regenerated on demand through MyEuronext CFTS Access Management option.



Client secrets will expire after 6 months and must be regenerated through MyEuronext CFTS Access Management option.

The CFTS API client ID and client secret generated through MyEuronext CFTS Access Management option can be used to request a CFTS API access token. Clients must post a request to the cfts\token API with their client ID and client secret to receive a CFTS API access token. The access token must be included in all CFTS API get requests.

CFTS API access tokens expiry after 1 hour and must be newly requested using the cfts/token API with the client ID and client secret.

5.1 USING CFTS APIs

CFTS provides a RESTful APIs to assist customers wishing to automate the retrieval CFTS Referential Data and EOD service data files, through their own applications. Noting that CFTS SFTP access can also be utilized for the same purposes.

CFTS APIs can be utilized by using cURL commands or scripts. cURL, stands for client URL (Uniform Resource Locators). cURL is a command line tool that developers use to transfer data to and from a server. At the most fundamental, cURL lets you talk to a server by specifying the location (in the form of a URL) and the data you want to send or retrieve. The recommended cURL version is 8.0.1 or later, for more information visit https://curl.se/.

To access CFTS APIs users must be granted a CFTS Client Member or technical partner user role through MyEuronext Company Settings. And on MyEuronext CFTS have a CFTS service assigned with the access method API. The API client ID and client secret must be valid and not expired. If the client secret has expired it can be regenerated using MyEuronext CFTS Access Management option. CFTS APIs are currently available for Referential Data and EOD services only.

5.1.1 Next EUA URLs and APIs

The table below provides a list of CFTS URLs and APIs that can that be used in Next EUA. For internet production URLs, replace, euatnr, with prodnr. And for CMC/Colocation replace, eua, with prod.

NETWORK	URL AND API	DESCRIPTION
Internet	https://api.cfts.peua.euatnr.euronext.cloud/euatnr/token/token	Provide users with an access token to enable to access CFTS APIs
2.1100.11101	https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/file-search	Enable users to get lists of service folders, subfolders and files
	https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-files	Enable users to retrieve a presigned URL to download files by file ID. A maximum of 10 files can be retrieved in one request.
	https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-file-names	Enable users to retrieve a presigned URL to download files by filename. A maximum of 10 files can be retrieved in one request.
CMC/Colocation	https://cftsoptiq-eua.euronext.com/token/token	Provide users with an access token to enable to access CFTS APIs
	https://cftsoptiq-eua.euronext.com/curlapi/service/file-search	Enable users to get lists of service folders, subfolders and files
	https://cftsoptiq-eua.euronext.com/curlapi/service/download-files	Enable users to retrieve a presigned URL to download files by file ID. A maximum of 10 files can be retrieved in one request.
	https://cftsoptiq-eua.euronext.com/curlapi/service/download-file-names	Enable users to retrieve a presigned URL to download files by filename. A maximum of 10 files can be retrieved in one request.

5.1.2 Production URLs and APIs

The table below provides a list of CFTS URLs and APIs that can that be used in Production.

NETWORK	URL AND API	DESCRIPTION
Internet	https://api.cfts.prodnr.euronext.cloud/prodnr/token/token	Provide users with an access token to enable to access CFTS APIs
internet	https://api.cfts.prodnr.euronext.cloud/prodnr/curlapi/service/file- search	Enable users to get lists of service folders, subfolders and files
	https://api.cfts.prodnr.euronext.cloud/prodnr/curlapi/service/download-files	Enable users to retrieve a presigned URL to download files by file ID. A maximum of 10 files can be retrieved in one request.
	https://api.cfts.prodnr.euronext.cloud/prodnr/curlapi/service/dow_nload-file-names	Enable users to retrieve a presigned URL to download files by filename. A maximum of 10 files can be retrieved in one request.
CMC/Colocation	https://cftsoptiq-prod.euronext.com/token/token	Provide users with an access token to enable to access CFTS APIs
	https://cftsoptiq-prod.euronext.com/curlapi/service/file-search	Enable users to get lists of service folders, subfolders and files
	https://cftsoptiq-prod.euronext.com/curlapi/service/download-files	Enable users to retrieve a presigned URL to download files by file ID. A maximum of 10 files can be retrieved in one request.
	https://cftsoptiq-prod.euronext.com/curlapi/service/download-file-names	Enable users to retrieve a presigned URL to download files by filename. A maximum of 10 files can be retrieved in one request.

Following sections provide detailed examples of cURL commands and responses using CFTS APIs with mocked a client ID, client secret and access token values. A maximum of 10 files that can be download per get request.

For CFTS API standard response codes, see section A.2 Trouble Shooting API response codes.

5.1.3 cfts/token

This API provides users with a bearer access token, to utilize CFTS APIs for file searches and downloads, the token will expire in one hour. The CFTS API client ID and client secret generated through MyEuronext CFTS Access Management option, must be used to request a CFTS API access token. Clients must post a request to the cfts\token API with their client ID and client secret, to receive a CFTS API access token. The access token must be included in all other CFTS API get requests.

Parameter(s)	Parameter description	Mandatory	Sample values
Client ID	Uniquely identify clients requesting CTFS service access method API for Referential Data and EOD Services. MyEuronext CFTS Access Management option, service API access method, client ID, attribute. It will be combined with the client secret to authorize client's with an access token to utilize CFTS APIs.	Yes	3005f67c-ad3f-4ed4- 8d20-e0110f71f999x
Client Secret	MyEuronext CFTS Access Management option, service, API access method, selection, client secret, attribute It will be combined with the client ID to authorize client's with an access token to utilize CFTS APIs.	Yes	plain text

JSON Response attribute	Туре
token	String

5.1.3.1 POST Access Token cURL Command

Internet URL: api.cfts.peua.euatnr.euronext.cloud/euatnr/token/token

CMC/Colocation URL: cftsoptig-eua.euronext.com/token/token

curl -X POST -H "Content-Type: application/json" -d "{\"clientId\":\"b05d0ee0-fcf7-3897-bae7-730bb67b99xx\", \"clientSecret\":\"ge/JEOmnlxfL2JNWKhcgs60lMmTtGdNSPusUDY99xx=\"}" https://api.cfts.peua.euatnr.euronext.cloud/euatnr/token/token

5.1.3.2 cfts/token Response

{"token":

"eyJraWQiOiI2NzAONjU3ZiOONmVmLTQ2NTctYTgzNyO1YmQ5YWI3ZDk2NGUILCJhbGciOiJSUzI1NiJ9.eyJzdWIiOiJOZXNOLW NsaWVudDIILCJhbGciOiJSUzI1NiJ9.eyJzdWIiOiJOZXNOLW NsaWVudDIILCJhdWQiOiJOZXNOLWNsaWVudDIILCJuYmYiOjE2Nzk1ODA2NzIsInNjb3BlIjpbImNmdHMiXSwiaXNzIjoiaHROcD pcLlwvY2ZOcy5ldXJvbmV4dC5jb2OiLCJleHAiOjE2Nzk1ODA5NzIsImlhdCI6MTY3OTU4MY3MnO.CXUOMUgtGgQdOOaIZ4UhhXo roruCr5NQ5gZuXudwwHFBlVqmohlbPhx_IZ_E8zjyr6mnS7b_eKNX1cxUrhZnFDPxh5CrHK2s8pY8SnFaf5oA_cOcye8UQR2BO_B feZNn1NU4w8jx3kaP5h9pFlbLPJY1WQU72UoPw_KsizqRG4guicufVtpvxhqjlawi8cLAjVo14n9ExrwQz3dpjOQZcWqgTyUtfr6 YfacUQWIwtv75ftW41sTIBw4wJ0q7m0CexCtLHT2zrWmR4kQ2kkmxTEmxWKFCL9G9M5Z03GKKaTAbC4gIWFoqdmjCzjI2t4RNGSv bg3gdLZP-xxx999"}

CFTS API access tokens expiry after 1 hour and must be newly requested using the cfts/token API with the client ID and client secret.

5.1.4 cfts/curlapi/service/file-search

Enable users to retrieve lists of service folders, subfolders and files using search parameters.

The folderStructure parameter, must contain a trailing folder delimiter (/), Referential%20Data/Current/ or, EOD/. Where spaces are contained within a search parameter value, replace the space with the encoded characters %20. When combining parameters in your search criteria, use ampersand (&). i.e. folderStructure=Referential%20Data&fileDate=2023-07-18.

For additional CFTS EOD Service file attributes and values, see section 8.4 EOD File Attributes.

Parameter Parame				
Parameter(s)	description	Options	Mandatory	Sample values
		Service name,		
	0 1: 0570	folder and sub		
	Combine CFTS	folder names,		
	Service name,	don't populate		
folderStructure	Service folder and	to list all service folders	N	Defense tielly 20Dete (Comment)
TolderStructure	subfolder name Define the trading	Toluers	No	Referential%20Data/Current/
	member's private	Trading		
	Firm ID folder to	member's Firm		
	list and/or	ID, mandatory		
firmId	download files	for EOD service	Yes	00000001
		Populate you		
		wish to search		
		for an individual		
		filename, don't		
		populate to list		
	Search for this	all service		OptiqMDG_p-
fileName	filename	folders	No	EUA_MemberMappingFile_ALL_20230322.xml
		File creation		
		date (YYYY-MM-		
	Search for files	DD) Populate to list		
	generated on this	all files created		
fileDate	date	on that date	No	2023-07-18
	uuto	Active Orders,		2023 07 20
		Trades,		
		Euronext		
		Securities		
	EOD service only,	Don't populate		
	filter a filename	to list all files		
	list based on the	regardless of file		Active%20Orders, Trades, Euronext
fileType	file type	type	No	Securities
		Regulated market,		
		Market, Warrants		
	EOD service only,	Don't populate		
	filter a filename	to list all files		
	list based on the	regardless of		
market	market	market type	No	Regulated%20Market, Warrants
		The page		· ·
	Response page	number used for		
page	number	pagination	No	1
		Maximum		
		default page		
size	Page size	size	No	Default 50, maximum value is 50.

JSON Response attribute	Туре
Files (array of files)	String
fileId	String
filename	String
date	String
format	String
page	String
size	String

5.1.4.1 GET cfts/curlapi/service/file-search cURL Command

Internet URL: api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/file-search

CMC/Colocation URL: cftsoptiq-eua.euronext.com/curlapi/service/file-search

curl -X GET "https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/file-search?firmId=00000120&foldeStructure=Referential%20Data/Equities/Current/&fileDate=2023-07-13" -H "Accept: application/json" -H "Authorization: Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJWVGJvazExaW9IY0xybGowWTFDTEk5U3JmdWZwTXRpRlc3dHB5d2xQbmRU Y3QyQ2FXe1NGUENDTFZWN2huZ11VIiwic2NvcGUiOiJjZnRzIiwiY2xpZW50X21kIjoiZDE3ZjY3YmItMTc5YS0ZY zk5LWE2ODQtOTAxZGIONjNmOGE1IiwiaWF0IjoxNjg5MTg2NDIzLCJleHAiOjE2ODkxOTAwMjN9.K-wCUmi-Lwpu6PAqH8QO3eVhx1y0uMJSf0yTuLU99xx"

Request to get a list of files from the Referential Data service, Equities, Current folder, with a file date of 13/07/2023.

5.1.4.2 cfts/curlapi/service/file-search Response

```
{"content":[{"files":[{"fileId":"tzQPFh_kHbiPQYLvNZ8_wA==","fileName":"OptiqMDG_p-
EUA_TimeTableFile_Equities_20230713.xml","size":855198,"date":"2023-07-
13","format":"xml"},{"fileId":"Ck3gIzQYKAXg5VilOMY1Mg==","fileName":"OptiqMDG_p-
EUA_CashStandingDataFile_Equities_20230713.xml","size":18146494,"date":"2023-07-
13","format":"xml"},{"fileId":"tVZXGaOK82V2tuEparAhVA==","fileName":"OptiqMDG_p-
EUA_AuthorizedPriceFluctuationFile_Equities_20230713.xml","size":77940,"date":"2023-07-
13","format":"xml"},]]],"pageable":{"sort":{"sorted":false,"unsorted":true,"empty":true},"pageNumber
":0,"pageSize":50,"offset":0,"paged":true,"unpaged":false},"totalElements":3,"totalPages":1,"last":t
rue,"size":3,"number":0,"sort":{"sorted":false,"unsorted":true,"empty":true},"numberOfElements":3,"f
irst":true,"empty":false}
```

5.1.5 cfts/curlapi/service/download-file-names

Enable users to retrieve file pre-signed URLs to download files by filename(s). A maximum of ten files can be downloaded per request.

Parameter(s)	Parameter description	Mandatory	Sample values
	User's trading firm ID with the		
	authorization to		
	access the data		
firmId	files	Yes	0999999
fileName	CFTS Unique		OptiqMDG_p-
10 file maximum	filename	Yes	EUA_CashTickSizeReferentialFile_ALL_20230616.xml

JSON Response attribute	Туре
Downloads (array of filenames and pre-Signed URLs)	String
fileName	String

preSignedUrl	String	J

5.1.5.1 GET cfts/curlapi/service/download-file-names cURL Command

Internet URL: api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-file-names CMC/Colocation URL: cftsoptig-eua.euronext.com/curlapi/service/download-file-names

```
curl -X GET "https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-file-names?firmId=09999999&filNames=OptiqMDG_p-EUA_CashTickSizeReferentialFile_ALL_20230616.xml" -H "Accept: application/json" -H "Authorization: Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJDaHk5MmhXcDJaYjNBWWdCV0QydzFjWWZYVWtKdFJreDJWUlFodklQcVFwZXExbU5xRnZ fckQ0UUF4M1RMemE4Iiwic2NvcGUiOiJjZnRzIiwiY2xpZW50X2lkIjoiODMwMmU2ODAtzjAyYS0zNjcwLTkwMzktZmFhODExNmM 4ODQyIiwiaWF0IjoxNjg2NjYwNDE5LCJleHAiOjE2ODY2NjQwMT19.EjX3z3uCJ9E7qcqCwfqlnQmNQQ7oa3WgEVzCDR9999x"
```

Request to retrieve a file pre-signed URL to download a file by filename. Where multiple filenames are contained within a single request, separate the filenames by a comma. E.g. fileNames?filename1,filename2.

5.1.5.2 cfts/curlapi/service/download-file-names Response

{"downloads":[{"fileName":"OptiqMDG_p-EUA_CashTickSizeReferentialFile_ALL_20230616.xml ","preSignedUrl":"https://enx-euatnr-eu-west-1-cfts-peua-storage-s3kms-output.s3.eu-west-1.amazonaws.com/output/Regulatory/00000120/MMSTATS XMIL DAILY 00000120 20230210.csv?X-Amz-Security-2 F % 2 F % 2 F A RAEG gwzNTcyMzQzNzQ1NjkiDDIJ% 2BS5 gprSAbNQH8yrqAyqx71 RwWM2kBz0zqnBEqC7rCFhGls84D2fFkGeIioZTz71 RwWM2kBz0zqnBeqC7rCFhGls84D2ffkGeIioZffkGenltgb5RbaMx36%2BpHDMUD4%2BYkc4LVIIfhPPHuaB6v%2BApSN3JGWZSyKOK%2FCLEGrK%2Fq3EFijVkddC1KV5p0UfssnbfJq% 2Fizq7ET86xlZvp%2BEf2xlR8hXHccq34dvDfc65uXIB1fquVtr9uSfqrGvu89rH91pUVeiUhwHMVfEJ5ZtVI6A2XNhJx17y9P0E $22 \\ \mathtt{Jthz} \\ \mathtt{j4CxeM6g3Fqc191KBwp} \\ \mathtt{2BepMYtz0FS1qgSn41Ff1n} \\ \mathtt{2BUI2Fr9ZDHkYn3pfzJJAoBB} \\ \mathtt{2B3enmC2mi1HeFGhQZy3poaq5w} \\ \mathtt{12D1RSpanel} \\ \mathtt{12D1RSpa$ jc%2Bf%2BxE9u136sYEKNQDYfP0Wq0zF7x5iVIqxpaNA%2Bh3REUuenHlAui%2BFCvmDZQHWZErFJ1BlIY2ApvZ%2BcSB%2FPH8q XlMG7qQZKgxeE0%2FjezyR7hXtqlVZf3Cu5cigHu0%2BFD2jTMO4JBrXQ63OHLQSnOCCMfVH6yi9yDPqnBrpn7X3gx5dzdcxdPmN $2 \\ ByuRxDTt3Vi3FVrzo5siyLZsv0Mt6b1nWtwMKdwPbe15NZEfNttJMPhizPT5np4rDTMRH3pbAfnp7ELbvrdCUxdNpL60bYdRfs8$ U1i76D8m%2BbG3%2BrJPugfWxnpbSFiuDesuF2l1PRMBI4cJi1SxSe0bAnsA0CzG6ypXAcQ9Ng%3D%3D%X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20230613T130700Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3599&X-Amz-Credential=ASIAVGLGT66U3MYOLUN2%2F20230613%2Feu-west-1%2Fs3%2Faws4 request&X-Amz-

CMC/Colocation file preSigned URLs will begin with cftsoptiq-eua.euronext.com/download (see section 3.4) The pre-signed URL can be used to download and save the file.

5.1.5.3 Sample Curl command - File save

```
curl -s --proxy "http://your_proxy" -i -o a_filename.csv "https://a cfts file presigned URL"
```

Where your network does not contain a proxy server the proxy parameter can be removed.

5.1.6 cfts/curlapi/service/download-files

Enable users to retrieve file pre-signed URL to download files by file ID(s).

A maximum of ten files can be downloaded per request.

Parameter(s)	Parameter description	Mandatory	Sample values
	User's trading firm ID with the authorization to access the		
firmId	data files	Yes	0999999
fileId(s)			
10 file IDs			
maximum	CFTS unique file identifier	Yes	vzNB45miFYMIkAi_pYEKWA==

JSON Response attribute	Туре
downloads (array of fileIds and preSignedUrls)	String
fileId	String
preSignedUrl	String

5.1.6.1 GET cfts/curlapi/service/download-files cURL Command

Internet URL: api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-files

CMC/Colocation URL: cftsoptiq-eua.euronext.com/curlapi/service/download-files

curl -X GET "https://api.cfts.peua.euatnr.euronext.cloud/euatnr/curlapi/service/download-files?firmId=09999999&fileIds=EA3sWUgaSc9V_5qCTq3aBw==" -H "Accept: application/json" -H "Authorization: Bearer

eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJDaHk5MmhXcDJaYjNBWWdCV0QydzFjWWZYVWtKdFJreDJWUlFodklQcVFwZXExbU5xRnZfckQ0UUF4M1RMemE4Iiwic2NvcGUiOiJjZnRzIiwiY2xpZW50X21kIjoiODMwMmU2ODAtZjAyYS0zNjcwLTkwMzktZmFhODExNmM40DQyIiwiaWF0IjoxNjg2NjYwNDE5LCJleHAiOjE2ODY2NjQwMT19.EjX3z3uCJ9E7qcqCwfq1nQmNQQ7oa3WgEVzCDR9999x"

Request to retrieve a pre-signed URL to download a file by file identifier.

Where multiple file identifiers are contained within a single request, separate the file IDs by a comma. E.g. fileIds=fileId1,fileId2,fileId3.

5.1.6.2 cfts/curlapi/service/download-files Response

{"downloads":[{"fileId":"EA3sWUgaSc9V 5qCTq3aBw==","preSignedUrl":"https://enx-euantnr-eu-west-1cfts-euntnr-storage-s3kms-output.s3.eu-west-1.amazonaws.com/output/EOD/09999999/FTRRM 09999999 20230327.zip?X-Amz-Security- $\texttt{Token=IQoJb3JpZ2luX2V} \\ \texttt{jEKT}\$2\texttt{F}$ %2F%2FARAEGgwzNTcyMzQzNzQ1NjkiDEJRy7ySGkCEBYgdeSrgA5OSaWIidE4int7o6H0OinR%2FeE7vP5XtUcUacpymRjIPVMVu yF7eLqldDIAmlUb8ikNoX5d62Us2nuizs1pDlnqO5hpKIFqQv4Usszy4COGBn09pYhqzAIethSFarSTB3jymNCbZnmy9vYlPqEeo gfoEWZhhamjQ%2BiyiRMFxDcGXd%2FkdiTNZJGCcerjFh1oTrwlNWf5yfF8kUsx6p3ojyviAwiVVGsGJ2Js4cHYaLZUrVs3QeugQ $\tt J4cm0cxTSx1S\&2Floub0SFvkpJelV2b8r4YjqlWg\&2Ft1kDdUcLZR08e\&2BDU2r0CJr4TxBTF3qPgB\&2BUWFY8UAXSyjBrZ9T2Vs$ ${\tt ZFhz10qIy}\$2{\tt Ft81}\$2{\tt Bb}\$2{\tt BE0PpaLi00VzTDXDkNwiHct09mWPGd93BkurcjCmGasera2S8yXTFFS}\$2{\tt BLeWDn8fvshg7LB011118B}$ qExs8OurHjaLTZSy9X1vSu02SdnnrpJKoU3XIRWTvj9p9Plja3uNrO6xvTMFQsKca8EAMcqbzkuPRkLRXWwD0UGlFflcASjg6Jjf eKLvbxn\$2Bwv\$2Bvr3gJxTi2eZZhCzBYfijVznuIOLXDCAviBPWSqc4oZosV9guRMCHfgu0\$2FTRh8yGu7b8c9wOT35O49QX15NLeshBTq19zgeByuXEZcLTCOtKGkBjqlAWNjwrFiuBWy%2Fdj8k6ENisi%2FhkKXhh0GoYXrhhSR9Mn3BQYTea5TilG2ijVAgsZYTN reP%2BFyW28Y20HHoHXC1g9EHphmzsiByizw9DPkfgW%2FwjaHmjuN9sYuWeHSLTHpTf3NCVVfXY1ICSHujymY3AZgKZ4gqxC2uf HMAC-SHA256&X-Amz-Date=20230613T125837Z&X-Amz-SignedHeaders=host&X-Amz-Expires=3599&X-Amz-Credential=ASIAVGLGT66U4UCFF2XU%2F20230613%2Feu-west-1%2Fs3%2Faws4 request&X-Amz-Signature=e57b839e677ae02cf9da54987005c41b89efa30c846b8cfb1c9b42e12949999x"}]}

CMC/Colocation file preSigned URLs will begin with cftsoptiq-eua.euronext.com/download (see section 3.4) The pre-signed URL can be used to download and save the file.

5.1.6.3 Sample Curl command – File save

curl -s --proxy "http://your_proxy" -i -o a_filename.csv <u>https://a_cfts_file_presigned URL</u>"


Where your network does not contain a proxy server the proxy parameter can be removed.

6 CFTS REFERENTIAL DATA SERVICE SUMMARY

Euronext CFTS Referential data service provides key Optiq data referential data files.

Optiq referential data files will be available for download before the start of each trading day. And will provide an online archive of referential data files for the last five trading days.

The Current folders contain the latest files Optiq referential data files for an environment and per Optiq segment.



6.1 REFERENTIAL DATA FILES PER ENVIRONMENT

Separate domain names will exist per environment.

The Current environment folder contains the latest files Optiq referential data files for all Optiq segments.

REFERENTIAL DATA FILES PER ENVIRONMENT	DESCRIPTION
CashTickSizeReferentialFile_All	The Tick size file contains different tables defining the variable tick sizes used for trading activity
MembershipMappingFile_All	Firm ID, Firm name, Instrument group code, LEI code for all members
RepoSettlementPriceFile_All	Repo Settlement Price File is used to communicate the previous day settlement price for each repo instruments
Euronext RLP Universe	Euronext RLP (Retail Liquidity Provider) Universe file
MBR_FAMINSTR	Instrument families categorization
LP_OBLIGATIONS	Liquidity Providers Obligations file
Closing Price Recovery	Provides the Closing Price. Available only under exceptional circumstances.


6.2 REFERENTIAL DATA FILES PER OPTIQ SEGMENT

Files available per Optiq segment folder are as follows and will be provided in XML format:

REFERENTIAL DATA	DESCRIPTION
FILES PER OPTIQ SEGMENT	
CashStandingData File	The Cash Standing Data file provides Referential Data for cash markets
CashTickSizeReferential File	The Tick size file contains different tables defining the variable tick sizes used for trading activity
DerivativesStandingData File	The Derivatives Standing Data files provides Referential Data for derivatives markets, containing Contract Standing Data, Outright Standing Data and Strategies Standing Data
DerivativesTickSize File	The Tick size file contains different tables defining the variable tick sizes used for trading activity
OpenInterest File	Open Interest file provide open interest information provided by Euronext Clearing on derivatives instruments
ReferenceSpreads File	Reference Spreads File provide data to calculate Dynamic Collar Reference Price when Reference Price Origin is set to 'Mid-BBO or Fair Value' and data to calculate Dynamic Collars
PrevDayCapAndVolTrade File	Previous Day Capital and Volume Traded file provides: Previous Volume Traded and Previous Day Capital Traded information
TimetableFile File	The Timetable file indicates the scheduled trading patterns, on a given day, associated to a Symbol Index linked by the Pattern ID
RepoSettlementPrice File	Repo Settlement Price File is used to communicate the previous day settlement price for each repo instruments
TRF Conversion Parameters File	The Total Return Futures (TRF) file provides contract Referential Data: Contract code, Maturity, Number of days to expiry, Daily Settlement Price. Pricing of Funding leg and Dividend leg: Daily accrued funding, daily accrued dividend, Accumulated funding, Accumulated dividend
SBETemplates (for MDG and OEG)	Simple Binary Encoding (SBE) is the open-source binary protocol used as the solution for market data and order entry messaging in Optiq. SBE was designed within the FIX Protocol Limited organization, with a focus on low band width utilization and the goal of producing a binary encoding solution for low-latency financial trading. Templates define structure and content messages.
Authorized Price Fluctuation File	The Authorized Price Fluctuation file details the Authorized Price Fluctuation (APF) tables, on a given day. The APF tables are used in the context of Static, Dynamic and Order Price Control Collars. Using the instrument price as a key, the APF table allows to deduce the corresponding Allowed Price Fluctuation.
Exchange Rates File	The Exchange Rates File (in XML) provides on a daily basis, currency exchange rates for various currency pairs against euro, sourced from a data provider. The file contains the closing exchange rates from the previous trading day, which are intended to be used for the current trading day.
	Those exchange rates might be used on the Optiq platform for different purposes (e.g. Order Amount Limit conversion in euro as part of the Riskquard OAL command).

6.3 REFERENTIAL DATA SERVICE DIRECTORY

The referential data service directory can be found under the folder /Referential Data, on the CFTS SFTP domain.



6.4 REFERENTIAL DATA SERVICE FILE LIST

The table below lists the files that will be made available through CFTS SFTP Referential Data Service for download.

Output folder path	File naming convention
BdL/Current/	OptiqOEG_ <env>_SBETemplate_BdL_<yyyymmdd>.xml</yyyymmdd></env>
BdL/Current/	OptiqMDG_ <env>_SBETemplate_BdL_<yyyymmdd>.xml</yyyymmdd></env>
BdL/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_BdL_<yyyymmdd>.xml</yyyymmdd></env>
BdL/Current/	OptiqMDG_ <env>_CashStandingDataFile_BdL_<yyyymmdd>.xml</yyyymmdd></env>
BdL/Current/	OptiqMDG_ <env>_TimeTableFile_BdL_<yyyymmdd>.xml</yyyymmdd></env>
BdL/Current/	OptiqMDG_ <env>_PrevDayCapAndVolTradFile_BdL_<yyyymmdd>.xml</yyyymmdd></env>
Block/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_Block_<yyyymmdd>.xml</yyyymmdd></env>
Block/Current/	OptiqMDG_ <env>_CashStandingDataFile_Block_<yyyymmdd>.xml</yyyymmdd></env>
Block/Current/	OptiqMDG_ <env>_TimeTableFile_Block_<yyyymmdd>.xml</yyyymmdd></env>
Block/Current/	ExchangeRates <yyyymmdd> Block.xml</yyyymmdd>
Commodities/Current/	OptiqOEG_ <env>_SBETemplate_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_SBETemplate_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_OpenInterestFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_OpenInterestFile_CommodityDerivatives_Power_<yyyymmdd>.xml</yyyymmdd></env>

Output folder path	File naming convention
Commodities/Current/	OptiqMDG_ <env>_OpenInterestFile_Commodity_Other_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_ReferenceSpreadsFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_CashTickSizeReferentialFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_TimeTableFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_DerivativesStandingDataFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	OptiqMDG_ <env>_DerivativesTickSizeFile_Commodities_<yyyymmdd>.xml</yyyymmdd></env>
Commodities/Current/	NIM1_ <env>_<yyyymmdd>_<version>.csv (InstrumentMappingFile)</version></yyyymmdd></env>
Current/	OptiqMDG_ <env>_RepoSettlementPriceFile_ALL_<yyyymmdd>.xml</yyyymmdd></env>
Output folder path	File naming convention
Current/	OptiqMDG_ <env>_MemberMappingFile_ALL_<yyyymmdd>.xml</yyyymmdd></env>
Current/	IDSCash_ <env>_MBR_FAMINSTR_<yyyymmdd>.txt</yyyymmdd></env>
Current/	IDSCash_ <env>_Euronext-RLPUniverse_<yyyymmdd>.csv</yyyymmdd></env>
Current/	OptiqMDG_ <env>_CashTickSizeReferentialFile_ALL_<yyyymmdd>.xml</yyyymmdd></env>
Current/	IDSCash_ <env>_LP_OBLIGATIONS_<countrycode xx="">_<yyyymmdd>_<versionno>.csv.gz</versionno></yyyymmdd></countrycode></env>
Equities/Current/	OptiqOEG_ <env>_SBETemplate_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	OptiqMDG_ <env>_SBETemplate_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	OptiqMDG_ <env>_PrevDayCapAndVolTradFile_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	OptiqMDG_ <env>_TimeTableFile_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	OptiqMDG_ <env>_CashStandingDataFile_Equities_<yyyymmdd>.xml</yyyymmdd></env>
Equities/Current/	ExchangeRates <yyyymmdd> Equities.xml</yyyymmdd>
EquityDerivatives/Current/	OptiqMDG_ <env>_DerivativesStandingDataFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqOEG_ <env>_SBETemplate_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_SBETemplate_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_OpenInterestFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_TimeTableFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_ReferenceSpreadsFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_CashTickSizeReferentialFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
EquityDerivatives/Current/	OptiqMDG_ <env>_DerivativesTickSizeFile_EquityDerivatives_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqOEG_ <env>_SBETemplate_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqMDG_ <env>_SBETemplate_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqMDG_ <env>_PrevDayCapAndVolTradFile_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqMDG_ <env>_TimeTableFile_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	OptiqMDG_ <env>_CashStandingDataFile_FixedIncome_<yyyymmdd>.xml</yyyymmdd></env>
FixedIncome/Current/	ExchangeRates <yyyymmdd> Fixed Income.xml</yyyymmdd>
Forex/Current/	OptiqMDG_ <env>_SBETemplate_Forex_<yyyymmdd>.xml</yyyymmdd></env>
Forex/Current/	OptiqMDG_ <env>_CashStandingDataFile_Forex_<yyyymmdd>.xml</yyyymmdd></env>
Funds/Current/	OptiqMDG_ <env>_SBETemplate_Funds_<yyyymmdd>.xml</yyyymmdd></env>
Funds/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_Funds_<yyyymmdd>.xml</yyyymmdd></env>
Funds/Current/	OptiqMDG_ <env>_PrevDayCapAndVolTradFile_Funds_<yyyymmdd>.xml</yyyymmdd></env>
Funds/Current/	OptiqMDG_ <env>_TimeTableFile_Funds_<yyyymmdd>.xml</yyyymmdd></env>
Funds/Current/	OptiqMDG_ <env>_CashStandingDataFile_Funds_<yyyymmdd>.xml</yyyymmdd></env>

Output folder path	File naming convention		
Funds/Current/	OptiqOEG_ <env>_SBETemplate_Funds_<yyyymmdd>.xml</yyyymmdd></env>		
Funds/Current/	ExchangeRates <yyyymmdd> Funds.xml</yyyymmdd>		
IndexDerivatives/Current/	UTPDerivatives_ <env>_TotalReturnFuturesConversionParameters_IndexDerivatives_SOD_<yy yymmdd="">.xml</yy></env>		
IndexDerivatives/Current/	UTPDerivatives_ <env>_TotalReturnFuturesConversionParameters_IndexDerivatives_SOD_<yy yymmdd="">.csv</yy></env>		
IndexDerivatives/Current/	UTPDerivatives_ <env>_TotalReturnFuturesConversionParameters_IndexDerivatives_EOD_<yy yymmdd="">.xml</yy></env>		
IndexDerivatives/Current/	UTPDerivatives_ <env>_TotalReturnFuturesConversionParameters_IndexDerivatives_EOD_<yy yymmdd="">.csv</yy></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_SBETemplate_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_OpenInterestFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_DerivativesTickSizeFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_CashTickSizeReferentialFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_TimeTableFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_DerivativesStandingDataFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqOEG_ <env>_SBETemplate_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	OptiqMDG_ <env>_ReferenceSpreadsFile_IndexDerivatives_<yyyymmdd>.xml</yyyymmdd></env>		
IndexDerivatives/Current/	DeliverableBonds_ <yyyymmdd>.csv</yyyymmdd>		
Indices/Current/	OptiqMDG_ <env>_SBETemplate_Indices_<yyyymmdd>.xml</yyyymmdd></env>		
Indices/Current/	OptiqMDG_ <env>_CashStandingDataFile_Indices_<yyyymmdd>.xml</yyyymmdd></env>		
IrishBondsAndFunds/Current/	OptiqMDG_ <env>_SBETemplate_IrishBondsAndFunds_<yyyymmdd>.xml</yyyymmdd></env>		
TradeReportingAndPublication/Current/	OptiqMDG_ <env>_SBETemplate_TradeReportingAndPublication_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqMDG_ <env>_TimeTableFile_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqMDG_ <env>_SBETemplate_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqMDG_ <env>_AuthorizedPriceFluctuationFile_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqMDG_ <env>_PrevDayCapAndVolTradFile_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqMDG_ <env>_CashStandingDataFile_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
WarrantsAndCertificates/Current/	OptiqOEG_ <env>_SBETemplate_WarrantsAndCertificates_<yyyymmdd>.xml</yyyymmdd></env>		
Closing_Prices/Current	closing_price_recovery_ <yyyymmdd>_<hhmmdd>.csv</hhmmdd></yyyymmdd>		

6.5 FILE SPECIFICATIONS

For all details of individual file specifications please reference the latest version of the Euronext Cash and Derivatives Markets – Optiq Files - Interface Specifications – External, on the <u>Euronext Connect Customer Portal</u>.

Also see the latest file specifications, Euronext Markets – Member Mapping File Specification, on the <u>Euronext Connect Customer Portal</u>.


7 CFTS RECONCILIATION DATA SERVICE SUMMARY

Euronext CFTS Reconciliation Data service provides key private Optiq trading reconciliation files, per trading member firm ID, that are generated in the event of an incident on the Optiq trading platform. Private Optiq trading reconciliation files will be available for download, in dedicated folders per trading member, in the event of an incident with the Optiq trading platform.

Trading members identified by Euronext as liquidity providers will have access to a Supplementary Liquidity Providers (SLP) folder, to download the Euronext SLP Universe file.

Connectivity to the Reconciliation Data Service can be made through the internet only (see section 3.1).

Root Directory: Reconciliation



7.1 RECONCILATION DATA FILES PER ENVIRONMENT

Separate domain names will exist per environment.

The files available per environment, in a private folder, per trading member firm ID, are as follows:

RECONCILIATION DATA FILES PER ENVIRONMENT	DESCRIPTION
GF (Golden File) trade reconciliation	The file will contain all the trades that occurred in a day for a single member by Optiq segment. There will be one file per day, per member and per segment. Files are only generated in the event of Optiq trading platform incident.
RF (Reconciliation File) trade reconciliation tool	The file will contain all trades reported by the Reconciliation Tool in a single alert per trading member by Optiq segment. Multiple files maybe generated per day.
SLP\Euronext SLP Universe	This file lists all Euronext Supplementary Liquidity Providers (SLP) instruments by instrument code, Mnemonic and basket.

7.2 RECONCILIATION DATA SERVICE DIRECTORY

The reconciliation data service directory can be found under the folder /Reconciliation Data, on the internet CFTS SFTP domain.



7.3 RECONCILIATION DATA SERVICE FILE LIST

The table below lists the files that will be made available through CFTS SFTP Reconciliation Data Service for download.

OUTPUT SUB-FOLDER PATH	FILE NAMING CONVENTIONS
/ <firm id="">/</firm>	GF_ <yyyy-mm-dd>-<firm id="">.zip</firm></yyyy-mm-dd>
/ <firm id="">/</firm>	RF_ <yyyymmdd>_<hhmmss>_<firm id="">_<optiq segment="" shortname="">.ZIP</optiq></firm></hhmmss></yyyymmdd>
/SLP/	EURONEXT_SLPUNIVERSE- <yyyymmdd>.csv</yyyymmdd>

7.4 FILE SPECIFICATIONS

Individual Reconciliation Data Service file specifications are detailed the sections below.

7.4.1 Golden File (GF) Specification

The Euronext Golden File lists all clients trades that were effectively sent by Euronext to Central Counterparty Clearing Houses at the time of its generation. It provides a complete overview of compensated operations at a given moment. This file is only created in the exceptional case where the functioning of the transaction integration chain at Euronext is altered.

Its format consists of a flat csv file, delimited by a semi-colon. For a given client, there will be as many files as Optiq segments. All trading member's csv files will be zipped into a single file for download. The file will be available through CFTS Reconciliation Data Service using SFTP with SSH key authentication, , and on MyEuronext CFTS.

The first line of the file contains the field names delimited by a semi-colon.

The second line of the file contains a header and detail dividing line with dashes.

- File Availability: Internal Euronext trading reconciliation incident.
- Scope of contents: All trades per member.
- Intraday updates: This file will be generated upon an internal Euronext trade reconciliation incident being raised.

File name will follow this template:

GF_<yyyy-MM-dd>_<Firm ID>.zip

Where <ENV> can take the following values: Production, Current EUA (vEUA), Next EUA (p-EUA).

Field	Short Description	Format	Len	Values	Presence
TRADE_DATE	Trade execution date (YYYYMMDD)	Date	12	20221017	Mandatory
TRADE_TIME	Trade execution date and time in microseconds Unsigned 12 2022-10-17T08:07:7265Z		17T08:07:46.70	Mandatory	
EXEC_ID	Trade execution identifier	Unsigned integer 32	10	12289	Mandatory
MNEMONIC	Instrument mnemonic code	String	5	ENX	Mandatory
ISIN	ISIN Code	String	30	NL0006294274	Mandatory
SYMBOL_INDEX	Exchange identification code of the instrument/contract.	Integer	10	1143559	Mandatory
SEGMENT	Optiq Segment short name. An Optiq segment is a universe of instruments sharing common trading properties.	String	3	EQU	Mandatory
AXX_TYPE	Account Type	String	8	CLIENT	Mandatory
ССР	Central counterparty clearing houses (CCPs) short name	String	11	Euronext Clearing	Mandatory
*ORDER_ID	Numerical order identifier assigned by the Post Trade Box (where cleared operations are stored)	Numeric	8	4353	Mandatory
CLIENT_ORDER_ID	Client Order Id	Numeric	8	-1,16E+10	Mandatory
SIDE	Buy / Sell	String	1	B or S	Mandatory
PRICE	Price with decimal	Float	10	75.0	Mandatory
QTY	Quantity with decimal	Float	10	350	Mandatory
VALUE	PRICE multiplied by QTY	Float	10	236250.00	Mandatory
CURRENCY	Currency acronym	String	3	EUR	Mandatory
LAST_MARKET	Market identifier code	String	4	XPAR	Mandatory
TVTIC	Trading Venue Transaction Identification Code	String	52	513BMG45584102 0	Mandatory

^{*} This identifier is not the Optiq Order_ID, however there is a formula to deduce this one from that Order_ID provided in the Golden File.

7.4.2 Reconciliation File (RF) Specification

The Euronext Reconciliation Tool File lists all trades that were booked into Optiq but not sent by Euronext to Central Clearing Counterparty Houses at the time of its generation. It provides a full overview of all operations still pending (not fully integrated) within Optiq and not yet cleared. This file is only created in the exceptional case where the functioning of the transaction integration chain at Euronext is compromised.

Its format consists of a is flat csv file, delimited by a semi-colon. It provides a list of trades per member by Optiq segment. All trading member's csv files will be zipped into a single file for download. The file will be available through CFTS Reconciliation Data Service using SFTP with SSH key authentication, and on MyEuronext CFTS.

The first line of the file contains the field names delimited by a semi-colon.

- File Availability: Internal Euronext trading reconciliation incident.
- Scope of contents: Trades booked by clients but not cleared per member.
- Intraday updates: This file will be generated upon an internal Euronext trade reconciliation incident being raised.

File name will follow this template:

RF_<yyyyMMdd>_<hhmmss>_<Firm ID>_<Optiq segment shortname>.ZIP

Where <ENV> can take the following values: Production, Current EUA (vEUA), Next EUA (p-EUA).

Field	Short Description	Format	Len	Values	Presence
TRADE_DATE	Trade execution date (YYYYMMDD)	Date	12	20221017	Mandatory
TRADE_TIME	Trade execution date and time in microseconds	Unsigned integer 64	12	2022-10- 17T08:07:46.70 7265Z	Mandatory
EXEC_ID	Trade execution identifier	Unsigned integer 32	10	12289	Mandatory
MNEMONIC	Instrument mnemonic code	String	5	ENX	Mandatory
ISIN	ISIN Code	String	30	NL0006294274	Mandatory
SYMBOL_INDEX	Exchange identification code of the instrument/contract.	Integer	10	1143559	Mandatory
SEGMENT	Optiq Segment short name. An Optiq segment is a universe of instruments sharing common trading properties.	String	3	EQU	Mandatory
AXX_TYPE	Account Type	String	8	CLIENT	Mandatory
ССР	Central counterparty clearing houses (CCPs) short name	String	11	Euronext Clearing	Mandatory
*ORDER_ID	Numerical order identifier assigned by the Post Trade Box (where cleared operations are stored)	Numeric	8	4353	Mandatory
CLIENT_ORDER_ID	Client Order Id	Numeric	8	-1,16E+10	Mandatory
SIDE	Indicates the side of the order. Buy, Sell, Cross	String	1	Sell	Mandatory
PRICE	Price with decimal	Float	10	75.0	Mandatory
QTY	Quantity with decimal	Float	10	350	Mandatory
VALUE	PRICE multiplied by QTY	Float	10	236250.00	Mandatory
CURRENCY	ISO Currency Code	String	3	EUR	Mandatory
LAST_MARKET	Market identifier code	String	4	XPAR	Mandatory

Field	Short Description	Format	Len	Values	Presence
TVTIC	Trading Venue Transaction Identification Code	String	52	513BMG45584102 0	Mandatory
LOGICAL_ACCESS_I D	Trading member's logical access identifier	Unsigned integer 32	10	9999999	Mandatory

7.4.3 EURONEXT SLP Universe FILE

The Euronext SLP (Supplementary Liquidity Providers) File, is flat csv file, delimited by a semi-colon. It provides a list of instruments codes with their associated index. The file will be available through CFTS Reconciliation Data Service using SFTP with SSH key authentication, and on MyEuronext CFTS.

The first line of the files contains the internal filename and application reference, date and time the file was created.

The second line of the file contains the field names delimited by a semi-colon.

The last line of the file contains the internal filename and application reference, date and time the file was created, and the number of data rows contained within the file.

- File Availability: Available 24/7.
- Scope of contents: All SLP instruments.
- Intraday updates: This file will be updated overnight.

File name will follow this template:


EURONEXT_SLPUNIVERSE-<yyyyMMdd >.csv

Field	Short Description	Format	Len	Values	Presence
InstrumentCode	Instrument code	String	12	FR0000130809	Mandatory
TradingCode	Trading instrument code	String	12	FR0000130809	Mandatory
Mnemonic	Instrument mnemonic code	String	5	GLE	Mandatory
Name	Instrument name	String	30	SOCIETE GENERALE	Mandatory
Basket	Basket identifier	String	1	Α	Mandatory

8 CFTS EOD DATA SERVICE SUMMARY

Euronext CFTS EOD (End Of Day) Data service allows trading member firms to retrieve and download files, containing order and trade information belonging to its member firm code. Files are distributed by CFTS into private data folders per trading member firm ID. EOD files will be available for downloading on a daily basis.

Connectivity to the EOD Data Service can be made through the internet only (see section 3.1).



8.1 EOD DATA FILES PER ENVIRONMENT

Separate domain names will exist per environment.

The files available per environment, in a private folder, per trading member firm ID, are as follows:

PER ENVIRONMENT	DESCRIPTION
FTRRM_ <firm id="">_<yyyymmdd>.zip</yyyymmdd></firm>	Contains all trades, per trading member firm ID, executed during the last trading day in the Optiq Matching Engine in Optiq Cash segments
FORDCXML_ <firm id="">_<yyyymmdd>.zip</yyyymmdd></firm>	Contains all orders, per trading member firm ID, remaining in the book for the next Trading Day for the Equities, Funds and Fixed Income Optiq segments.
FORDCWXML_ <firm id="">_<yyyymmdd>.zip</yyyymmdd></firm>	Contains all orders, per trading member firm ID, remaining in the book for the next Trading Day for the Warrants & Certificates Optiq segment.
LCH_ <environment>_WCUTL_<firm id="">_<yyyymmdd>_<version no="">.zip</version></yyyymmdd></firm></environment>	Contains all uncleared Warrants & Certificates trade Legs generated by Euronext Securities and sent to the settlement platforms, per trading member firm ID.

LCH_ <environment>_WCNET_<firm< th=""><th>Contains all uncleared net instructions generated by Euronext Securities</th></firm<></environment>	Contains all uncleared net instructions generated by Euronext Securities
ID>_ <yyyymmdd>_<version< td=""><td>due to daily netting (record 00280) and regularizations (record 00281)</td></version<></yyyymmdd>	due to daily netting (record 00280) and regularizations (record 00281)
no>.zip	
LCH_ <environment>_WCOBF_<firm id="">_<yyyymmdd>_<hhmmss>.zip</hhmmss></yyyymmdd></firm></environment>	The aim of this file is to give each Trading Member Firm the detail of its Settlement Outbound, MT5xx messages sent by Euronext Securities which related to both records 00280 and 00281 of the NET file, per trading member firm ID.

8.2 EOD DATA SERVICE DIRECTORY

The EOD data service directory can be found under the folder /EOD, on the internet CFTS SFTP domain.



8.3 EOD DATA SERVICE FILE LIST

The table below lists the files that will be made available through CFTS SFTP EOD Data Service for download.

OUTPUT SUB- FOLDER PATH	FILE NAMING CONVENTIONS
/ <firm id="">/</firm>	FTRRM_ <firm id="">_<date yyyymmdd="">.zip</date></firm>
/ <firm id="">/</firm>	FORDCXML_ <firm id="">_<date yyyymmdd="">.zip</date></firm>
/ <firm id="">/</firm>	FORDCWXML_ <firm id="">_<date yyyymmdd="">.zip</date></firm>
/ <firm id="">/</firm>	LCH_ <lch environment="" sa="">_WCUTL_<firm id="">_<date yyyymmdd="">_<version no="">.zip</version></date></firm></lch>
/ <firm id="">/</firm>	LCH_ <lch environment="" sa="">_WCNET_<firm id="">_<date yyyymmdd="">_<version no="">.zip</version></date></firm></lch>
/ <firm id="">/</firm>	LCH_ <lch environment="" sa="">_WCOBF_<firm id="">_<yyyymmdd>_<hhmmss>.zip</hhmmss></yyyymmdd></firm></lch>

8.4 EOD FILE ATTRIBUTES

The EOD file attributes, market and file type, can be used in conjunction with the cfts/file-search API, to filter file search responses based on the attribute value(s).

File	Description	Market	File Type	Format	Internal ZIP
					Format
FTRRM	Trades (RM) in legacy format (Equities, Funds,	Regulated	Trades	zip	TXT
	Fixed Income, Warrants & Certificates, Block)	Market			
FORDCXML	Active Orders (RM) in XML Optiq format (Equities,	Regulated	Active Orders	zip	XML
	Funds, Fixed Income)	Market			
FORDCWXML	Active Orders (Warrant) in XML Optiq format	Warrants	Active Orders	zip	XML
LCH_EH_WCUTL	New Uncleared Trades captured by Euronext	Warrants	LCH	zip	CSV
	Securities (Gross)				
LCH_EH_WCNET	New Uncleared Net Instructions generated by	Warrants	LCH	zip	CSV
	Euronext securities due to daily netting and				
	regularizations				

LCH_EH_WCOBF	All MT5xx messages sent by Euronext Securities	Warrants	LCH	zip	TXT
	which related to both records 00280 and 00281				
	of the NET file				


8.5 FILE SPECIFICATIONS

For all details of individual file specifications please reference the latest version of the Euronext Cash Markets - End Of Day Files - Interface Specification - External on the <u>Euronext Connect Customer Portal</u>.

9 CFTS REGULATORY DATA SERVICE SUMMARY

Euronext CFTS Regulatory Data service allows trading member firms to retrieve and download files, containing, daily and monthly RTS8 Market Making Performance Report, daily RTS9 Order to Trade (OTR) Ratio reports and REMIT Transaction reporting, all belonging to its member firm code. The reports are distributed by CFTS into private data folders per trading member firm ID. Regulatory report files will be available for downloading on a daily basis.

Connectivity to the Regulatory Data Service can be made through the internet only (see section 3.1).



9.1 REGULATORY DATA FILES PER ENVIRONMENT

Separate domain names will exist per environment.

The files available per environment, in a private folder, per trading member firm ID, are as follows:

REGULATORY DATA FILES PER ENVIRONMENT	DESCRIPTION
MMSTATS_ <mic< td=""><td>The Cash market RTS8 detailed daily performance report are</td></mic<>	The Cash market RTS8 detailed daily performance report are
Code>_DAILY_ <firm id="">_<yyyymmdd>.csv</yyyymmdd></firm>	produced per operating MIC (XMIL for Borsa Italiana markets) and member, and recorded in separated files, each with fixed-length format.
MMSTATS_ <mic Code>_MONTHLY_<firm ID>_<yyyymmdd>.csv</yyyymmdd></firm </mic 	The Cash market RTS8 detailed monthly performance report are produced per operating MIC (XMIL for Borsa Italiana markets) and member, and recorded in separated files, each with fixed-length format.
MMSTATS_ <mic code="">_<market type="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>	The Derivatives market RTS8 files, will be distinguished from the cash files by having the Market Type value 'D' in the filename. RTS8 detailed daily performance report are produced per operating MIC (XMIL for Borsa Italiana markets) and member, and recorded in separated files, each with fixed-length format.

MMSTATS_ <mic code="">_<market type="">_MONTHLY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>	The Derivatives market RTS8 files, will be distinguished from the cash files by having the Market Type value 'D' in the filename. RTS8 detailed monthly performance report are produced per operating MIC (XMIL for Borsa Italiana markets) and member, and recorded in separated files, each with fixed-length format.
OTRSTATS_ <mic Code>_DAILY_<firm ID>_<yyyymmdd>.csv</yyyymmdd></firm </mic 	The Cash market RTS9 detailed daily report per member and market, containing a line each time a member triggers an 'OTR breach' or an 'OTR warning' on an instrument.
OTRSTATS_ <mic code="">_<market type="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>	The Derivatives market RTS9 files, will be distinguished from the cash files by having the Market Type value 'D' in the filename. RTS9 detailed daily report per member and market, containing a line each time a member triggers an 'OTR breach' or an 'OTR warning' on an instrument.
<pre><yyyymmdd>_REMITTable1_V3_<r rmcode="">_<sequencenumber>.xml</sequencenumber></r></yyyymmdd></pre>	The REMIT Transaction Reporting File for the Nordic Power Futures market. File produced per member ID and per trading day. REMIT contains instruments, orders and trades.
Receipt_ <yyyymmdd>_REMITTable1 _V3_<rrmcode>_<sequencenumb er>.xml</sequencenumb </rrmcode></yyyymmdd>	The REMIT Transaction Reporting Feedback File for the Nordic Power Futures market. It refers to the content of the REMIT Transacting Reporting file sent to ACER.
MarketShare_ <membercode>_<mm >_<yyyymmdd>.xlsx</yyyymmdd></mm </membercode>	The Market share Report file generated by Global Analytics Dataiku application (non ITMS generated). An excel file providing a table with the member volumes/market shares calculated per MICs and split by Continuous, Auctions and totals.
	Note: This file is made available by GA Dataiku application for clients asking it and only made available in CFTS folder by ITMS (for details on file ask GA team)
Daily_performance_membercode_YY YYMMDD.xlsx	Daily_performance_membercode_YYYYMMDD.xlsx is the Member Liquidity Report, for monitoring of the performance of the Marker Maker for the provided liquidity in the derivatives markets.
	Note: This file is made available by GA Dataiku application for clients asking it and only made available in CFTS folder by ITMS (for details on file ask GA team
SLP_report_ <yyyymmdd>_<membe rcode>.xlsx SLP_report_<yyyymmdd>_<membe rcode>.pdf</membe </yyyymmdd></membe </yyyymmdd>	The SLP Stats Daily Report files generated by Global Analytics Dataiku application (non ITMS generated). An excel file providing the monitoring performance for the liquidity providers clients, plus a PDF document only with very limited information from the full report.
·	Note: This files are made available by GA Dataiku application for clients asking it and only made available in CFTS folder by ITMS (for details on file ask GA team).

9.2 REGULATORY DATA SERVICE DIRECTORY

The Regulatory data service directory can be found under the folder /Regulatory, on the internet CFTS SFTP domain.



9.3 REGULATORY DATA SERVICE FILE LIST

The table below lists the files that will be made available through CFTS SFTP Regulatory Data Service for download.

OUTPUT SUB- FOLDER PATH	FILE NAMING CONVENTIONS
/ <firm id="">/</firm>	MMSTATS_ <mic code="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></mic>
/ <firm id="">/</firm>	MMSTATS_ <mic code="">_MONTHLY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></mic>
/ <firm id="">/</firm>	MMSTATS_ <mic code="">_<market type="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>
/ <firm id="">/</firm>	MMSTATS_ <mic code="">_<market type="">_MONTHLY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>
/ <firm id="">/</firm>	OTRSTATS_ <mic code="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></mic>
/ <firm id="">/</firm>	OTRSTATS_ <mic code="">_<market type="">_DAILY_<firm id="">_<yyyymmdd>.csv</yyyymmdd></firm></market></mic>
/ <firm id="">/</firm>	<pre><yyyymmdd>_REMITTable1_V3_<rrmcode>_<sequencenumber>.xml</sequencenumber></rrmcode></yyyymmdd></pre>
/ <firm id="">/</firm>	Receipt_ <yyyymmdd>_REMITTable1_V3_<rrmcode>_<sequencenumber>.xml</sequencenumber></rrmcode></yyyymmdd>
/ <firm id="">/</firm>	MarketShare_ <membercode>_<mm>_<yyyymmdd>.xlsx</yyyymmdd></mm></membercode>
/ <firm id="">/</firm>	Daily_performance_membercode_YYYYMMDD.xlsx

9.4 FILE SPECIFICATIONS

For all details of individual file specifications please reference the latest version of the Euronext Cash Markets – Regulatory Reporting RTS8 File - Interface Specification - External and Euronext Cash Markets – Regulatory Reporting RTS9 File – Interface Specification – External, on the <u>Euronext Connect Customer Portal</u>.

APPENDIX

A.1 REFERENTIAL DATA SERVICE OPTIQ SEGMENT FOLDER LIST

The below table represents the list of available CFTS Optiq segment folders available at the time of publication.

OPTIQ SEGMENT		
BDL (Bourse de Luxembourg)		
Commodities (Commodity Derivatives)		
Equities		
Equity Derivatives		
Block (Euronext Block)		
Fixed Income		
Forex		
Funds		
Index Derivatives		
Indices		
Irish Bonds & Funds		
Trade Reporting and Publication		
Warrants and Certificates		

A.2 TROUBLE SHOOTING API RESPONSE CODES

The following table shows the possible return codes from API requests.

For all 400s response codes, please check that;

- your MCA, has granted the API user the CFTS Client Member user role, and the role is approved.
- your user has been assigned the CFTS Referential Data or EOD Service with the access method API.
- the MyEuronext CFTS client ID and client secret match the ones you are using.
- the client secret has not expired.
- the CFTS access token provided through cfts/token has not expired, it expires after 1 hour, you can request a new token, using cfts/token.
- please check the syntax and values used in your command or script.
- where errors persist, use curl -v (verbose) to log command responses.
- Use, curl -I, to include headers in output, if needed for support purposes.

Where the content of the response is empty (content []), please check that the firmId, folderStructure, and any additional parameter values are valid.

Return values	Description			
200 OK	The GET request was successful			
201 Created	The POST request was successful and the resource is returned as JSON.			
204 No Content	The POST request was successful and nothing is returned in the body.			
400 Bad Request	Bad request status code indicates that the server was unable to process the request due to invalid information sent by the client. The request needs corrected. Please check that the request syntax and values are correct. Check the client ID, client secret and access token are valid. And that the client secret or access token have not expired. On MyEuronext CFTS Access management option, check to user still has the Referential Data or EOD service selected with the access method API, and the client secret expiry date. Generate a new client ID and secret if necessary.			
	If the firmId parameter does not have the correct format, the response will be returned, {"code":"VALIDATION_FAILED","message":"Validation failed for object='fileSearchRequest'. Error count: 1","fieldErrors":[{"code":"REGEX_PATTERN_VALIDATION_FAILED","message":"Field firmId can't have only space and max length is 8 characters.","property":"firmId","rejectedValue":123456789"}]}			
401 Unauthorized	The user is not authenticated, a valid user token is necessary. The API access token may have expired, regenerate an access token using cfts/token. Check the client ID, client secret and access token are valid. And that the client secret or access token have not expired. On MyEuronext CFTS Access management option, check to user still has the Referential Data or EOD service selected with the access method API, and the client secret expiry date. Generate a new client ID and secret if necessary.			
	A request to download files contains more then 10 files, VALIDATION FAILED, size must be between 0 and 10, reduce the number of files in the request to 10.			
403 Forbidden	Forbidden response status code indicates that the server understands the request but refuses to authorize it. e.g., the user is not allowed to download a file. Maybe to due an invalid client ID or client secret, or expired access token. Regenerate your access using cfts/token with your client ID and client secret. Also check MyEuronext CFTS Access Management option, that the user has a CFTS Client member user role, the CFTS service assigned and the access method API selected.			
	Where a user does not have the authorization to firm or service the following response will be returned, {"httpStatus":"FORBIDDEN","code":403,"message":"Denied user			

Return values	Description			
	access.","path":"/curlapi/service/ <cfts api="" name="">"} Check MyEuronext CFTS Access Management for the user assigned CFTS services.</cfts>			
404 Not Found	A resource could not be accessed, e.g., a file could not be found.			
405 Method Not Allowed	The request is not supported.			
422 Unprocessable	The server understands the content type and syntax of the request entity, but still server is unable to process the request for some reason. Please check that the request syntax and values are correct.			
500 Server Error	The 500 Internal server error status code indicates that the processing of the request on the Euronext CFTS server failed unexpectedly. If you are able to replicate this error consistently, please report it to Euronext.			
curl(3)	URL_MALFORMAT			
	The URL was not properly formatted. Check the syntax of the command, ensure quotes " ", correctly shape the header parameters			
curl(6)	Couldn't resolve host. The given remote host was not resolved. Check the URL name and syntax;			
	Internet: api.cfts.peua.euatnr.euronext.cloud/euatnr/token/token,			
	CMC/Colocation: cftsoptiq-eua.euronext.com/token/token			
	Check that access to internal domains are not blocked on your network. If the URLs are correct and the error persists, use, curl -v, and report ,the issue with a copy of the verbose log to Euronext, provide the environment, CFTS user contact name and email address.			
curl(28)	Operation timeout. The specified time-out period was reached according to the conditions. Failed to connect to url port 80 after 87280 ms: Couldn't connect to server.			
	Check that access to internal domains are not blocked on your network. If the error persists, use, curl -v, and report the issue with a copy of the verbose log to Euronext, provide the environment, CFTS user contact name and email address.			
curl(23)	curl: (23) Failed writing received data to disk/application.			
	if you are trying to save a file and getting this response, use curlproxy option.			
	curl -sproxy "http:// <your local="" proxy="">" -i -o <a_filename>.<ext> "http://<file presigned="" url="">"</file></ext></a_filename></your>			

A.3 DOCUMENT HISTORY TABLE

REVISION NO	DATE	AUTHOR	CHANGE DESCRIPTION
5.17.0	1 Aug 2022	IT Market Services – COL - WMA	Creation of the document.
5.18.0	15 Sep 2022	IT Market Services – COL	Update to CFTS SPTF Domain names, diagrams and SSH Key generation screen shots. Distribution of file, SBETemplate_ALL, no longer valid. Include CFTS Referential data sub-folder and filenames combined table provided. Financial Derivatives Optiq segment discontinued.
5.19.0	07 Oct 2022	IT Market Services – COL	Included Reconciliation and Corporate Action ETFs services
5.20.0	28 Oct 2022	IT Market Services – COL	Included CFTS EOD (End Of Day) Data service, section 7
<u>`</u> 5.20.1	6 Dec 2022	IT Market Services – COL	Correction to CFTS internet SFTP domain, sftp.cfts.prodnr.euronext.cloud. Populated production domain name IP addresses
5.21.0	16 Dec 2022	IT Market Services – COL	The following changes have been made to this version of the document: In <u>CFTS Service Domain names</u> : IP Address and Domain Name updated
5.21.1	16 Dec 2022	IT Market Services – COL	Section 5.4 Correction to AuthorizedPriceFluctuationFile filename prefix changed to OptiqMDG_ <env>_AuthorizedPriceFluctuationFile</env>
5.21.2	13 Jan 2023	IT Market Services - COL	Inclusion of MyEuronext CFTS web based application access and section 8 Regulatory Data Service
5.23.0	7 Mar 2023	IT Market Services – COL	Inclusion of LP_OBLIGATIONS file in the Referential Data Service, Current, folder
5.25.0	9 Aug 2023	IT Market Services – COL	Inclusion of API access method, sections 2.3, 3.1, 3.2 and 5.
5.30.0	13 Nov 2023	IT Market Services - COL	Correction to typo in curl command sample, 5.1.5.1, filNames, fileNames. Addition of section 3.4 API Access Issues to include preSigned. Update to section 7.4.2 Reconciliation File specification inclusion of Logical_Access_ID field. And update to side and currency field descriptions. Correction to 6.4 Referential data service file list for BdL
			Section 9 Regulatory Service, Derivatives market RTS8 and RTS9 files will be made available.
5.35.0	3 Jul 2024	IT Market Services – WMA	Addition of "Current EUA" (vEUA) environment which is available through CMC/Colocation network and CFTS AWS Lambda function using SFTP access method
5.36.0	18 Sep 2024	IT Market Services – FPI	Addition of the supported cryptographic algorithms used in CFTS SFTP in section "2.2 - CFTS SFTP Service Access".
5.38.0	25 Sep 2024	IT Market Services – FPI	Update of the supported cryptographic algorithms TransferSecurityPolicyRestricted-2020-06, used in CFTS SFTP in section "2.2 - CFTS SFTP Service Access".
5.353.0	30 Jan 2025	IT Market Services – NTDP	The following sections were updated: Section 9 CFTS Regulatory Data Service Summary: updated to add the newly available regulatory file REMIT
5.353.1	10 Feb 2025	IT Market Services – MRO	 References to LCH SA are replaced by Euronext Securities for Settlement, Euronext Clearing as CCP; Correction in <u>8.1</u>, removed reference to OTC trades

REVISION NO	DATE	AUTHOR	CHANGE DESCRIPTION
5.355.0	23 Apr 2025	IT Market Services – FSI - MPE	The following changes have been made to this version of the document: in Referential Data Service Directory added ClosingPrices directory in Referential Data Service File List: added file DeliverableBonds_ <yyyymmdd>.csv added file closing_price_recovery_<yyyymmdd>_<hhmmdd>.csv</hhmmdd></yyyymmdd></yyyymmdd>
5.358.0	26 Sept 2025	IT Market Services	The following changes have been made to this version of the document: • Section 9 CFTS Regulatory Data Service Summary: updated to add the newly available regulatory files Market Share and Daily Performance (produced by Global Analytics Dataiku application) • In Section 6 CFTS Referential Data Service Summary: • updated to add the newly available InstrumentMappingFile - NIM1_ <env>_<yyyymmdd>_<version>.csv (ownership of the file and production by ENX Clearing application and just moved to CFTS folder by ITMS) • updated to add the newly available files OptiqMDG_<env>_OpenInterestFile_Com modityDerivatives_Power_<yyyymmdd>.x ml and OptiqMDG_<env>_OpenInterestFile_Com modity_Other_<yyyymmdd>.xml (ownership of the file and production by ENX Clearing application and just moved to CFTS folder by ITMS)</yyyymmdd></env></yyyymmdd></env></version></yyyymmdd></env>
5.358.1	Oct 2025	IT Market Services	The following changes have been made to this version of the document: • In Section 9 CFTS Regulatory Data Service Summary: updated to add the newly available files "SLP Stats Daily Report" files (produced by Global Analytics Dataiku application).
6.361.0	29 Oct 2025	IT Market Services - MKO	The following changes have been made to this version of the document: • In Section 6 CFTS Referential Data Service Summary: • Updated to add the newly available Exchange Rates File